

NORMBAU





PASSION FOR CARE

Cavere[®] Care

DE | EN

Produktportfolio
Product portfolio



Farbkarte / Colour Chart		NCS S RAL-DS RAL	Lichtreflex light reflex	Antibac
Cavere Care				
	092 Cavere Weiß / White		85	●
	093 Cavere Satinbeige / Satin beige	ähnlich NCS-S-1005-Y40R similar NCS-S-1005-Y40R	65	●
	096 Cavere Silber-Metallic / Metallic silver	ähnlich DB-Farbtone 701/RAL 9006 similar to colour DB 701/RAL 9006	56	●
	095 Cavere Anthrazit-Metallic / Metallic anthracite	ähnlich DB-Farbtone 703 similar to colour DB 703	25	●
	091 Cavere Carbonschwarz / Carbon black	ähnlich RAL 9005 similar RAL 9005	12	
	300 Cavere Chrome ausschließlich für Accessoires / available for accessories only		60	
	392 Chrome Weiß / Chrome white		60/85	
	395 Chrome Anthrazit-Metallic / Chrome metallic anthracite		60/25	

Sanitary Care

ALUMINUM SERIES

Cavere Care

NEW



		Cavere	Cavere Chrome	Accessories Cavere FlexCare	Accessories pulverbeschichtet powder coating	Accessories Chrome glänzend chrome finish
	Bereich WC Toilet area	4 - 15	48 - 57		94 - 95	106
	Bereich Dusche Shower area	16 - 41	58 - 79		96 - 97	107
	Bereich Waschbecken Wash basin area	42 - 46	80 - 82	84 - 92	98 - 104	108 - 112





Weitere Sitzkombinationen passend zu Cavere Care ab Seite 113


Further seat combinations fitting Cavere Care on page 113



Weitere Informationen unter Register  More information see register 	Wand und Wandbeschaffenheit / Wall and wall substance				
	Mauerwerk aus Vollsteinen Brickwork made of full brick	Mauerwerk aus Lochsteinen Brickwork made of perforated brick	Vorwandinstallation Fixing in front of the wall with panels		
	– Beton ≥ B 15 – Vollziegel ≥ Mz 12 – Kalksand - Vollstein ≥ KS 12 – Naturstein mit dichtem Gefüge – Vollbims – Concrete ≥ B 15 – solid brick ≥ Mz 12, – sand-lime brick-solid brick ≥ KS 12 – natural stone with compact grain – solid pumice	– Kalksandlochstein KSL ≥ 12 – Hochlochziegel HLz ≥ 12 – Hohlblockstein ≥ Hbl4, Hbn4 – andere Lochsteine – cavity brick KSL ≥ 12 – Perforated brick HLz ≥ 12 – checker brick ≥ Hbl4, Hbn4 – other hollow brick material	Befestigungsplatte aus mehrschichtverleimtem Holz	Befestigungsplatte aus Stahl	ohne Hinterfüllung
			panels and integrated mounting plate made of hardwood	integrated mounting plate made of steel	without backfill
Stützklappgriff / Duschspritzschutz vario, einhängbar Lift-up supports / Shower-guard rail vario, suspendable   Wandstützgriff vario, einhängbar Wall support rail vario, suspendable  Grundplatte mit Blindabdeckung vario, einhängbar Base plate with cover plate blind vario, suspendable  Rückenlehne / Backrest 7841 320 - 323 7841 325 - 328 	Montageset / Fixing Set 7470 030 20,25 €	Montageset / Fixing Set 7470 040 76,00 € mit Injektions-Kartusche* with injection-cartridge* Montageset / Fixing Set 7470 050 35,50 € ohne Injektions-Kartusche without injection-cartridge	Montageset / Fixing Set 7470 010 17,00 €	Montageset / Fixing Set 7470 020 15,00 €	
	1 Set	1 Set	1 Set	1 Set	
	1 Set	1 Set	1 Set	1 Set	
	1 Set	1 Set	1 Set	1 Set	
	2 Sets	2 Sets	2 Sets	2 Sets	
Montageplatte zur Befestigung von – Wand-/Stützklappgriffe, – Duschspritzschutz Mounting plate for fixing – Wall / Lift-up supports, – Showerguard rail					Montageplatte Fixing plate 200 x 850 mm 7448 481 308,00 € 1 Set



...mit Grundplatte
...with base plate



...ohne Grundplatte
...without base plate

Stützklappgriff vario, einhängbar Lift-up support rail vario, suspendable

mit Grundplatte with base plate	Code	PG 7000
▶ L= 600 mm	7447 010	380,00 €
▶ L= 725 mm	7447 020	395,00 €
▶ L= 850 mm	7447 030	422,00 €
▶ L= 900 mm	7447 040	436,00 €

ohne Grundplatte without base plate

▶ L= 600 mm	7447 110	352,00 €
▶ L= 725 mm	7447 120	368,00 €
▶ L= 850 mm	7447 130	394,00 €
▶ L= 900 mm	7447 140	410,00 €

Cavere Stützklappgriff vario, einhängbar

- Länge 600, 725, 850 und 900 mm,
- aus Aluminium,
- kratzfeste Pulverbeschichtung mit antibakteriellem Schutz (ausgenommen 091 Carbonschwarz), Register Information,
- lieferbar in den Cavere Farben,
- mit trigonometrischer Griffkontur zum ergonomischen Abstützen und Greifen,
- Wandhalterung mit weichen Kanten fügt sich harmonisch in das trigonometrische Design der Griffkontur,
- Platz sparend durch zentrische Lagerkonsole,
- links und rechts einsetzbar,
- mit robuster und wartungsfreier Gleitlagertechnik,
- mit einstellbarer Bremse,
- einfache Montage oder Demontage durch Einhängen in die Grundplatte,
- Grundplatte aus Edelstahl
- verdeckte Verschraubung,
- nachrüstbar mit Papierrollenhalter 7449 110,
- Länge 850 mm entspricht DIN 18040 1-2 und ÖNORM B1600,
- max. zul. Belastung: 100 kg,
- TÜV PRODUCT SERVICE zertifiziert,
- Lieferung mit Innensechskantschlüssel.


① Stützklappgriff vario, einhängbar **ohne** Grundplatte für den nachträglichen Einbau an die bereits installierte Grundplatte.
Das Montageset ist entsprechend der Wandbeschaffenheit festzulegen und separat zu bestellen.
Weitere Informationen zum Produkt finden Sie in der Montageanleitung, die unter www.normbau-extranet.de heruntergeladen werden kann.

Cavere Lift-up support rail vario, suspendable

- length 600, 725, 850 und 900mm,
- made of aluminium,
- scratch-resistant powder coating with antibacterial protection (except 091 carbon black), see register information,
- available in Cavere colours,
- with trigonometric contour for ergonomic support and grip,
- flat wall bracket with soft edges, blends harmoniously into the trigonometric design of the handle contour,
- space-saving, centrally aligned mounting,
- left or right hand application,
- with durable maintenance-free, friction bearings,
- with adjustable brake,
- easy installation or dismantling due to connecting to base plate,
- base plate made of stainless steel
- concealed screw fixing,
- can be fitted with paper roll holder 7449 110,
- 850mm length according to German standard DIN 18040 1-2 and Austrian standard ÖNORM B1600,
- maximum loading permitted: 100kgs,
- certified by TÜV PRODUCT SERVICE,
- supplied with allen key.

① The suspendable lift-up support rail vario **without** base plate for retrofitting on an already installed base plate.

The fixing set should be ordered separately to suit the type of wall.
Further information on the product can be found in the fixing instructions, which can be downloaded from www.normbau-extranet.de.





Grundplatte mit Blindabdeckung vario Base plate with cover plate blind

Code PG 7000

▶ 100 x 220 x 22 mm	7449 200	72,00 €
▶ 100 x 220 x 22 mm ohne Grundplatte without base plate	7449 250	44,25 €

Cavere Grundplatte mit Blindabdeckung vario


- 100 x 220 x 22 mm,
- aus Aluminium,
- Blindabdeckung mit kratzfester Pulverbeschichtung mit antibakteriellem Schutz (ausgenommen 091 Carbonschwarz), Register Information,
- lieferbar in den Cavere Farben,
- Abdeckung mit weichen Kanten,
- Grundplatte aus Edelstahl, Werkstoff Nr. 1.4301 (A2, AISI 304), zum späteren einfachen Austausch mit Cavere Stützklappgriffen vario,
- Lieferung mit Innensechskantschlüssel für Gewindestift M6.

① Das Montageset ist entsprechend der Wandbeschaffenheit festzulegen und separat zu bestellen.

Cavere Base plate with cover plate blind vario

- 100 x 220 x 22mm,
- made of aluminium,
- mounting plate blind with scratch-resistant powder coating with antibacterial protection (except 091 carbon black), see register information,
- available in Cavere colours,
- cover with soft edges,
- base plate, made of stainless steel, material No. 1.3401 (A2 AISI 304), for easier exchange with Cavere suspendable lift-up supports vario,
- supplied with allen key for grub screw M6.

① The fixing set should be ordered separately to suit the type of wall.



Cavere Papierrollenhalter, nach- rüstbar für Stützklappgriffe und Wandstützgriffe

- 130 x 115 mm,
- aus Aluminium,
- kratzfeste Pulverbeschichtung mit antibakteriellem Schutz (ausgenommen 091 Carbonschwarz), Register Information,
- lieferbar in den Cavere Farben,
- mit selbsteinstellender und wartungsfreier Abrollbremse.

① Nur für Stützklappgriffe und Wandstützgriffe passend.
Das Montagematerial wird mitgeliefert.

Cavere Toilet roll holder, may be added at a later stage, suitable for lift-up support rail and wall support rail.


- 130 x 115mm,
- made of aluminium,
- scratch-resistant powder coating with antibacterial protection (except 091 carbon black), see register information,
- available in Cavere colours,
- with self-adjusting maintenance-free roll brake.


① Suitable for lift-up support rail and wall support rail.
Supplied with fixing material.

Papierrollenhalter Toilet roll holder


Code PG 7000

▶ 130 x 115 mm	7449 110	56,50 €
----------------	-----------------	---------






Wandanschluss mit 1 E-Taster
Wall mounting with 1 E-Button



Wandanschluss mit 2 E-Taster
Wall mounting with 2 E-Button



Cavere Stützklappgriff vario, einhängbar mit E-Taster für WC-Spülungen und Rufanlagen

Wandanschluss

Beschreibung siehe Ausführung Stützklappgriff vario, einhängbar.

- E-Taster mit Bildzeichen
 - für WC-Spülung Farbe blau,
 - für RUF Farbe rot,
 - für frei definierbare Funktionen Farbe schwarz,
- Anschluss verdeckt mit Rosette Ø 80 mm,
- mit schwarzem Spiralkabel, 4-adrig, 0,25 mm² für Steuerspannung 24 V und freiem Leitungsende für Wandanschluss,
- E-Taster Standard-Ausführung »Schließer« auch in Ausführung »Öffner« lieferbar.

① Stützklappgriff vario, einhängbar, kann mit ein oder zwei E-Tastern geliefert werden.

E-Taster mit der Funktion »Schließer« werden überwiegend für WC-Spülungen eingesetzt; sie können auch mit einer frei belegbaren Option ausgestattet werden. Nachrüstbar mit Papierrollenhalter 7449 110.

Die Funktion »Öffner« wird überwiegend bei Rufanlagen verwendet.

Cavere Lift-up support rail vario, suspendable with E-Button for toilet flush and call system

Connection to wall

Description see version lift-up support rail vario, suspendable.

- E-Button with symbol
 - for WC-flush in blue,
 - for call in red,
 - for free definable options in black,
- connections: concealed with rose 80mm dia.,
- four lead 25mm dia. black helix cable suitable for up to 24V D.C., and free cable end for wall fastening,
- E-Button standard configuration »closer« also available in configuration »opener«.

① One or two E-Buttons can be mounted on a lift-up support rail vario, suspendable.

E-Buttons with function »closer« are mostly used for toilet flush, they can also be equipped with another free definable option.

Can be fitted with paper roll holder

7449 110.


E-Buttons with function »opener« are mostly used for call systems.

Einzuplanende kompatible Systeme für E-Taster siehe Seite 303.
Please refer to page 303 concerning interoperable systems for E-buttons.


Wandanschluss / Connection to wall

Übersicht Bestellnummern / Product Code Index


Tasterfunktionen Functions of electric button	Farbe der Taster Colour buttons	mit Grundplatte with base plate		ohne Grundplatte without base plate		mit Grundplatte with base plate		ohne Grundplatte without base plate	
		600 mm		725 mm		850 mm		900 mm	
		mit Grundplatte with base plate	ohne Grundplatte without base plate	mit Grundplatte with base plate	ohne Grundplatte without base plate	mit Grundplatte with base plate	ohne Grundplatte without base plate	mit Grundplatte with base plate	ohne Grundplatte without base plate
PG 7000									
WC-Schließer WC - NOC		7447 761 522,00 €	7447 561 496,00 €	7447 771 539,00 €	7447 571 511,00 €	7447 781 562,00 €	7447 581 534,00 €	7447 791 580,00 €	7447 591 553,00 €
RUF-Schließer call - NOC		7447 766 522,00 €	7447 566 496,00 €	7447 776 539,00 €	7447 576 511,00 €	7447 786 562,00 €	7447 586 534,00 €	7447 796 580,00 €	7447 596 553,00 €
RUF-Öffner call - NCC		7447 763 522,00 €	7447 563 496,00 €	7447 773 539,00 €	7447 573 511,00 €	7447 783 562,00 €	7447 583 534,00 €	7447 793 580,00 €	7447 593 553,00 €
Funktion Schließer function - NOC		7447 762 522,00 €	7447 562 496,00 €	7447 772 539,00 €	7447 572 511,00 €	7447 782 562,00 €	7447 582 534,00 €	7447 792 580,00 €	7447 592 553,00 €
WC und RUF Schließer und Schließer WC and call NOC (both) WC		7447 767 576,00 €	7447 567 550,00 €	7447 777 591,00 €	7447 577 562,00 €	7447 787 618,00 €	7447 587 591,00 €	7447 797 644,00 €	7447 597 616,00 €
WC und RUF Schließer und Öffner WC and call NOC and NCC		7447 765 576,00 €	7447 565 550,00 €	7447 775 591,00 €	7447 575 562,00 €	7447 785 618,00 €	7447 585 591,00 €	7447 795 644,00 €	7447 595 616,00 €
WC und Funktion Schließer und Schließer WC and function NOC (both)		7447 764 576,00 €	7447 564 550,00 €	7447 774 591,00 €	7447 574 562,00 €	7447 784 618,00 €	7447 584 591,00 €	7447 794 644,00 €	7447 594 616,00 €



Anschluss verdeckt mit Montageplatte mit 1 E-Taster
Connection to mounting plate with 1 E-Button



Anschluss verdeckt mit Montageplatte mit 2 E-Taster
Connection to mounting plate with 2 E-Button



Cavere Stützklappgriff vario, einhängbar mit E-Taster für WC-Spülungen und Rufanlagen

Anschluss verdeckt mit Montageplatte

Beschreibung siehe Ausführung
Stützklappgriff vario, einhängbar.

- E-Taster mit Bildzeichen
 - für WC-Spülung Farbe blau,
 - für RUF Farbe rot,
 - für frei definierbare Funktionen Farbe schwarz,
- mit schwarzem Spiralkabel, 4-adrig, 0,25 mm² für Steuerspannung 24 V und freiem Leitungsende für Wandanschluss,
- E-Taster Standard-Ausführung »Schließer« auch in Ausführung »Öffner« lieferbar.

- ① Stützklappgriff vario, einhängbar, kann mit ein oder zwei E-Tastern geliefert werden.
E-Taster mit der Funktion »Schließer« werden überwiegend für WC-Spülungen eingesetzt; sie können auch mit einer frei belegbaren Option ausgestattet werden. Die Funktion »Öffner« wird überwiegend bei Rufanlagen verwendet.
Nachrüstbar mit Papierrollenhalter 7449 110.
Das Montageset ist entsprechend der Wandbeschaffenheit festzulegen und separat zu bestellen.

Cavere Lift-up support rail vario, Suspendable with E-Button for toilet flush and call system

Connection to mounting plate

Description see version lift-up support rail vario, suspendable.

- E-Button with symbol
 - for WC-flush in blue,
 - for call in red,
 - for free definable options in black,
- four lead 25mm dia. black helix cable suitable for up to 24V D.C., and free cable end for wall fastening,
- E-Button standard configuration »closer« also available in configuration »opener«.


- ① One or two E-Buttons can be mounted on a lift-up support rail vario, suspendable.
E-Buttons with function »closer« are mostly used for toilet flush, they can also be equipped with another free definable option.
E-Buttons with function »opener« are mostly used for call systems.
Can be fitted with paper roll holder 7449 110.
The fixing set should be ordered separately to suit the type of wall.

Einzuplanende kompatible Systeme für E-Taster siehe Seite 303.
Please refer to page 303 concerning interoperable systems for E-buttons.

Anschluss verdeckt mit Montageplatte / Connection to mounting plate

Übersicht Bestellnummern / Product Code Index

Tasterfunktionen Functions of electric button	Farbe der Taster Colour buttons	mit Grundplatte with base plate		ohne Grundplatte without base plate					
		600 mm		725 mm		850 mm		900 mm	
		mit Grundplatte with base plate	ohne Grundplatte without base plate	mit Grundplatte with base plate	ohne Grundplatte without base plate	mit Grundplatte with base plate	ohne Grundplatte without base plate	mit Grundplatte with base plate	ohne Grundplatte without base plate
PG 7000									
WC-Schließer WC - NOC		7447 861 522,00 €	7447 661 496,00 €	7447 871 539,00 €	7447 671 511,00 €	7447 881 562,00 €	7447 681 534,00 €	7447 891 580,00 €	7447 691 553,00 €
RUF-Schließer call - NOC		7447 866 522,00 €	7447 666 496,00 €	7447 876 539,00 €	7447 676 511,00 €	7447 886 562,00 €	7447 686 534,00 €	7447 896 580,00 €	7447 696 553,00 €
RUF-Öffner call - NCC		7447 863 522,00 €	7447 663 496,00 €	7447 873 539,00 €	7447 673 511,00 €	7447 883 562,00 €	7447 683 534,00 €	7447 893 580,00 €	7447 693 553,00 €
Funktion Schließer function - NOC		7447 862 522,00 €	7447 662 496,00 €	7447 872 539,00 €	7447 672 511,00 €	7447 882 562,00 €	7447 682 534,00 €	7447 892 580,00 €	7447 692 553,00 €
WC und RUF Schließer und Schließer WC and call NOC (both) WC		7447 867 576,00 €	7447 667 550,00 €	7447 877 591,00 €	7447 677 562,00 €	7447 887 618,00 €	7447 687 591,00 €	7447 897 644,00 €	7447 697 616,00 €
WC und RUF Schließer und Öffner WC and call NOC and NCC		7447 865 576,00 €	7447 665 550,00 €	7447 875 591,00 €	7447 675 562,00 €	7447 885 618,00 €	7447 685 591,00 €	7447 895 644,00 €	7447 695 616,00 €
WC und Funktion Schließer und Schließer WC and function NOC (both)		7447 864 576,00 €	7447 664 550,00 €	7447 874 591,00 €	7447 674 562,00 €	7447 884 618,00 €	7447 684 591,00 €	7447 894 644,00 €	7447 694 616,00 €



...mit Grundplatte
...with base plate



...ohne Grundplatte
...without base plate

Stützklappgriff vario, einhängbar **mit** Funksender
Lift-up support vario, suspendable **with** remote control

Cavere Stützklappgriff vario, einhängbar mit Funksender

- 868,4 MHz Funksender zur kabellosen WC-Spülauslösung,
- Gehäusemaß: 85 x 46 x 16 mm,
- weitere Beschreibung siehe Stützklappgriff 7447 ...,
- linke oder rechte Ausführung.

Cavere Lift-up support rail vario, suspendable, with remote control

- 868,4 MHz wireless remote control for WC flush,
- casing measurements: 85 x 46 x 16mm,
- further description, see lift-up support rail 7447 ...,
- left or right hand design.

kompatibel zu:

Geberit: 115.867.00.1, 115.869.00.1,
115.897.00.1, 115.898.00.1,
115.867.SN, 115.869.SN,
Grohe: 38759SD0,
Sanit: 05.042.00..0000,
05.014.00..0000,
05.015.00..0000,
Tece: 9.240.354, 9.240.355,
Viega: 696177

compatible for:

Geberit: 115.867.00.1, 115.869.00.1,
115.897.00.1, 115.898.00.1,
115.867.SN, 115.869.SN,
Grohe: 38759SD0,
Sanit: 05.042.00..0000,
05.014.00..0000,
05.015.00..0000,
Tece: 9.240.354, 9.240.355,
Viega: 696177

① Nachrüstbar mit Papierrollenhalter
7449 110.
Das Montageset ist entsprechend
der Wandbeschaffenheit festzulegen
und separat zu bestellen, siehe ✂.

① Can be fitted with paper roll holder
7449 110.
The fixing set should be ordered
separately to suit the type of wall,
see ✂.



mit Grundplatte with base plate

Code PG 7000

▶ L= 600 mm ➡	7447 263	738,00 €
▶ L= 600 mm ➡	7447 264	738,00 €
▶ L= 725 mm ➡	7447 273	756,00 €
▶ L= 725 mm ➡	7447 274	756,00 €
▶ L= 850 mm ➡	7447 283	780,00 €
▶ L= 850 mm ➡	7447 284	780,00 €
▶ L= 900 mm ➡	7447 293	796,00 €
▶ L= 900 mm ➡	7447 294	796,00 €

ohne Grundplatte without base plate


▶ L= 600 mm ➡	7447 268	711,00 €
▶ L= 600 mm ➡	7447 269	711,00 €
▶ L= 725 mm ➡	7447 278	728,00 €
▶ L= 725 mm ➡	7447 279	728,00 €
▶ L= 850 mm ➡	7447 288	752,00 €
▶ L= 850 mm ➡	7447 289	752,00 €
▶ L= 900 mm ➡	7447 298	769,00 €
▶ L= 900 mm ➡	7447 299	769,00 €



Zur Bestellung mit Cavere Stützklappgriff,
links (➡) oder rechts (➡) am Stützklapp-
griff montiert.
Richtungsangabe Funksender aus Sicht vor
dem WC stehend.

For orders with Cavere lift-up support rail,
fixed left hand (➡) or right hand (➡) on
the lift-up support rail.
Direction of wireless remote control viewed
from the front.



Weitere Informationen unter Register  More information see register 	Wand und Wandbeschaffenheit / Wall and wall substance				
	Mauerwerk aus Vollsteinen Brickwork made of full brick	Mauerwerk aus Lochsteinen Brickwork made of perforated brick	Vorwandinstallation Fixing in front of the wall with panels		
	– Beton ≥ B 15 – Vollziegel ≥ Mz 12 – Kalksand - Vollstein ≥ KS 12 – Naturstein mit dichtem Gefüge – Vollbims – concrete ≥ B 15 – solid brick ≥ Mz 12 – sand-lime brick-solid brick ≥ KS 12 – natural stone with compact grain – solid pumice	– Kalksandlochstein KSL ≥ 12 – Hochlochziegel HLz ≥ 12 – Hohlblockstein ≥ Hbl4, Hbn4 – andere Lochsteine – cavity brick KSL ≥ 12 – perforated brick HLz ≥ 12 – checker brick ≥ Hbl4, Hbn4 – other hollow brick material	Befestigungsplatte aus mehrschichtverleimtem Holz panels and integrated mounting plate made of hardwood	Befestigungsplatte aus Stahl integrated mounting plate made of steel	ohne Hinterfüllung without backfill
Stützklappgriff mit seitlicher Befestigung Lift-up supports for side fixing 	Montageset / Fixing Set 7470 030 20,25 € 1 Set	Montageset / Fixing Set 7470 040 76,00 € mit Injektions-Kartusche* with injection-cartridge* Montageset / Fixing Set 7470 050 35,50 € ohne Injektions-Kartusche without injection-cartridge 1 Set	Montageset / Fixing Set 7470 010 17,00 € 1 Set	Montageset / Fixing Set 7470 020 15,00 € 1 Set	



rechte Ausführung right hand application

seitliche Befestigung	Code	PG 7000
▶ L = 600 mm 	7447 214	380,00 €
▶ L = 725 mm 	7447 224	395,00 €
▶ L = 850 mm 	7447 234	422,00 €
▶ L = 900 mm 	7447 244	436,00 €

linke Ausführung left hand application

▶ L = 600 mm 	7447 213	380,00 €
▶ L = 725 mm 	7447 223	395,00 €
▶ L = 850 mm 	7447 233	422,00 €
▶ L = 900 mm 	7447 243	436,00 €

Cavere Stützklappgriff


- Länge 600, 725, 850 und 900 mm,
- aus Aluminium,
- zur seitliche Befestigung,
- kratzfeste Pulverbeschichtung mit antibakteriellem Schutz (ausgenommen 091 Carbonschwarz), Register Information,
- lieferbar in den Cavere Farben,
- mit trigonometrischer Griffkontur zum ergonomischen Abstützen und Greifen,
- mit einstellbarer Bremse,
- linke oder rechte Ausführung,
- mit robuster, wartungsfreier Gleitlagertechnik
- mit einstellbarer Griffneigung,
- nachrüstbar mit Papierrollenhalter 7449 110,
- max. zul. Belastung: 100 kg,
- Lieferung mit Innensechskantschlüssel.

① Das Montageset ist entsprechend der Wandbeschaffenheit festzulegen und separat zu bestellen.

Cavere Lift-up support

- length 600, 725, 850 und 900mm,
- made of aluminium,
- for side fixing,
- scratch-resistant powder coating with antibacterial protection (except 091 carbon black), see register information,
- available in Cavere colours,
- with trigonometric contour for ergonomic support and grip,
- left or right hand application,
- with durable maintenance-free, friction bearings,
- with adjustable brake,
- can be fitted with paper roll holder 7449 110,
- maximum loading permitted: 100kgs,
- supplied with allen key.

① The fixing set should be ordered separately to suit the type of wall.





Rückenlehne Backrest

Code PG 7000

- | | | |
|--|-----------------|----------|
| ▶ 825 x 200 x 150 mm | 7841 320 | 385,00 € |
| Polster schwarz
padded backrest, colour black | | |
| ▶ 825 x 200 x 150 mm | 7841 321 | 385,00 € |
| Polster hellgrau
padded backrest, colour light grey | | |
| | | |
| ▶ 825 x 200 x 220 mm | 7841 322 | 417,00 € |
| Polster schwarz
padded backrest, colour black | | |
| ▶ 825 x 200 x 220 mm | 7841 323 | 417,00 € |
| Polster hellgrau
padded backrest, colour light grey | | |

Für Stützklappgriffe mit E-Taster For lift-up support rails with E-button

Bei Anwendung Stützklappgriff mit E-Taster und verdecktem Anschluss ist eine Grundplatte mit Fräsung für Kabelführung notwendig.

A base plate with notch for the cable guiding is necessary when using lift-up support rails with E-button und concealed connection.

- | | | |
|--|-----------------|----------|
| ▶ 825 x 200 x 150 mm | 7841 325 | 385,00 € |
| Polster schwarz
padded backrest, colour black | | |
| ▶ 825 x 200 x 150 mm | 7841 326 | 385,00 € |
| Polster hellgrau
padded backrest, colour light grey | | |
| | | |
| ▶ 825 x 200 x 220 mm | 7841 327 | 417,00 € |
| Polster schwarz
padded backrest, colour black | | |
| ▶ 825 x 200 x 220 mm | 7841 328 | 417,00 € |
| Polster hellgrau
padded backrest, colour light grey | | |

Hinweis

Bei der Bestellung von Stützklappgriffen zur Montage an die Halteplatte der Rückenlehne werden die Halteplatten der Stützklappgriffe gutgeschrieben.

Please note

When ordering lift-up support rails to be fixed to the mounting plate of the backrest, the mounting plate of the lift-up support rails will not be invoiced.

Cavere Rückenlehne



- Gesamtmaß 825 x 200 x 150 mm, 825 x 200 x 220 mm,
- Maß der Rückenlehne 402 x 210 mm,
- Montageplatte aus Aluminium, zur Befestigung von 2 Stützklappgriffen mit Befestigungsabstand 700 mm,
- kratzfeste Pulverbeschichtung mit antibakteriellem Schutz (ausgenommen 091 Carbonschwarz), Register Information,
- lieferbar in den Cavere Farben,
- mittig angeordnete Rückenlehne, mit schwarzem oder hellgrauem Polster aus PUR-Integralschaum,
- für Wandmontage über WC nach DIN 18040-1/ÖNORM B1600,
- verdeckte Verschraubung.

① Das Montageset ist entsprechend der Wandbeschaffenheit festzulegen und separat zu bestellen, siehe ✂.

Cavere Backrest

- overall dimensions 825 x 200 x 150mm, 825 x 200 x 220mm,
- dimensions of backrest 402 x 210mm,
- aluminium mounting plate for fixing of 2 lift-up support rails 700mm apart,
- scratch-resistant powder coating with antibacterial protection (except 091 carbon black), see register information,
- available in Cavere colours,
- centrally aligned backrest, padded, made of PUR integral foam, colour black or light grey,
- for wall mounting above a WC acc. to standard, DIN 18040-1/according to Austrian standard ÖNORM B1600,
- concealed screw fixing.

① The fixing set should be ordered separately to suit the type of wall, see ✂.





Rückenlehne Backrest

Code PG 7000


► 520 x 210 x 150 mm	7841 330	312,00 €
Polster schwarz padded backrest, colour black		
► 520 x 210 x 150 mm	7841 331	312,00 €
Polster hellgrau padded backrest, colour light grey		
► 520 x 210 x 220 mm	7841 332	325,00 €
Polster schwarz padded backrest, colour black		
► 520 x 210 x 220 mm	7841 333	325,00 €
Polster hellgrau padded backrest, colour light grey		

Cavere Rückenlehne

- 520 x 210 x 150 mm, 520 x 210 x 220 mm, Ø 32 mm,
- Bügel aus Edelstahl, Werkstoff Nr. 1.4301 (A2, AISI 304) kratzfeste Pulverbeschichtung mit antibakteriellem Schutz (ausgenommen 091 Carbonschwarz), Register Information,
- lieferbar in den Cavere Farben,
- mit Polster aus PUR-Integralschaum, Farbe schwarz oder hellgrau,
- ohne Rosetten, verdeckte Verschraubung mit Gewindestift von unten montiert,
- Schrauben aus Edelstahl,
- für Wandmontage über WC nach DIN 18040-1/ÖNORM B1600,
- Montageset passend für Vorwandinstallation liegt bei.

Cavere Backrest

- 520 x 210 x 150mm, 520 x 210 x 220mm, 32mm dia.,
- handle made of stainless steel, material No. 1.4301 (A4, AISI 304) with scratch-resistant powder coating with antibacterial protection (except 091 carbon black), see register information,
- available in Cavere colours,
- padded, made of PUR integral foam, colour black or light grey,
- without roses for concealed fixing with grub screw from bottom,
- stainless steel screws,
- for wall mounting above a WC acc. to standard, DIN 18040-1/ÖNORM B1600,
- suitable fixing set available for pre-wall systems.



Winkelgriff Grab rail

Code PG 7000

► 400 x 400 mm	7464 040	166,00 €
----------------	-----------------	----------

Cavere Winkelgriff


- 400 x 400 mm, 90°,
- aus Aluminium,
- kratzfeste Pulverbeschichtung mit antibakteriellem Schutz (ausgenommen 091 Carbonschwarz), Register Information,
- lieferbar in den Cavere Farben,
- mit trigonometrischer Griffkontur zum ergonomischen Abstützen und Greifen,
- Wandhalterung mit weichen Kanten fügt sich harmonisch in das trigonometrische Design der Griffkontur,
- links und rechts einsetzbar,
- verdeckte Verschraubung,
- nachrüstbar mit Papierrollenhalter 7449 120,
- max. zul. Belastung: 100 kg,
- erfüllt die Anforderungen nach DIN 18040,
- Lieferung mit Edelstahl Torx-Schrauben Ø 6 x 100 mm und Dübeln für Vollbaustoffe.


ⓘ Nicht für Einhängesitze geeignet.

Cavere Grab rail

- 400 x 400mm, 90°,
- made of aluminium,
- scratch-resistant powder coating with antibacterial protection (except 091 carbon black), see register information,
- available in Cavere colours,
- with trigonometric contour for ergonomic support and grip,
- flat wall bracket with soft edges, blends harmoniously into the trigonometric design of the handle contour,
- left or right hand application,
- concealed screw fixing,
- paper roll holder 7449 120, may be added at a later stage,
- maximum loading permitted: 100kgs,
- meets the requirements of DIN 18040,
- supplied with stainless steel Torx screws 6mm dia. x 100mm and plugs for solid masonry.

ⓘ Not suitable for suspendable shower seats.





Cavere Winkelgriff

- 750 x 400 mm, 90°,
750 x 500 mm, 90°,
950 x 500 mm, 90°,
- aus Aluminium,
- kratzfeste Pulverbeschichtung mit antibakteriellem Schutz (ausgenommen 091 Carbonschwarz), Register Information,
- lieferbar in den Cavere Farben,
- mit trigonometrischer Griffkontur zum ergonomischen Abstützen und Greifen,
- Wandhalterung mit weichen Kanten fügt sich harmonisch in das trigonometrische Design der Griffkontur,
- verdeckte Verschraubung,
- nachrüstbar mit Papierrollenhalter 7449 120,
- 750 x 500 mm entspricht ÖNORM B1600,
- max. zul. Belastung: 100 kg,
- erfüllt die Anforderungen nach DIN 18040,
- Lieferung mit Edelstahl Torx-Schrauben Ø 6 x 100 mm und Dübeln für Vollbaustoffe.

❗ Nicht für Einhängesitze geeignet.

Cavere Grab rail


- 750 x 400mm, 90°,
750 x 500mm, 90°,
950 x 500mm, 90°,
- made of aluminium,
- scratch-resistant powder coating with antibacterial protection (except 091 carbon black), see register information,
- available in Cavere colours,
- with trigonometric contour for ergonomic support and grip,
- flat wall bracket with soft edges, blends harmoniously into the trigonometric design of the handle contour,
- concealed screw fixing,
- paper roll holder 7449 120, may be added at a later stage,
- 750 x 500mm according to Austrian standard ÖNORM B1600,
- maximum loading permitted: 100kgs,
- meets the requirements of DIN 18040,
- supplied with stainless steel Torx screws 6mm dia. x 100mm and plugs for solid masonry.

❗ Not suitable for suspendable shower seats.

Winkelgriff Grab rail

a1 / mm	a2 / mm	a3 / mm	Antibac	Code	PG 7000
400		750	☞ ●	7464 075	188,00 €
400		750	☜ ●	7464 076	188,00 €
500		750	☞ ●	7464 077	188,00 €
500		750	☜ ●	7464 078	188,00 €

a1 / mm	a2 / mm	a3 / mm	Antibac	Code	PG 7000
500		950	☞ ●	7464 095	203,00 €
500		950	☜ ●	7464 096	203,00 €





Winkelgriff Grab rail

a1 / mm	a2 / mm	a3 / mm	Antibac	Code	PG 7000
350		316	☞ ●	7464 130	172,00 €
350		316	☜ ●	7464 131	172,00 €
650		316	☞ ●	7464 160	183,00 €
650		316	☜ ●	7464 161	183,00 €

Cavere Winkelgriff


- 350 x 316 mm, 135°, 650 x 316 mm, 135°
- aus Aluminium,
- kratzfeste Pulverbeschichtung mit antibakteriellem Schutz (ausgenommen 091 Carbonschwarz), Register Information,
- lieferbar in den Cavere Farben,
- mit trigonometrischer Griffkontur zum ergonomischen Abstützen und Greifen,
- Wandhalterung mit weichen Kanten fügt sich harmonisch in das trigonometrische Design der Griffkontur,
- verdeckte Verschraubung,
- nachrüstbar mit Papierrollenhalter 7449 120,
- max. zul. Belastung: 100 kg,
- erfüllt die Anforderungen nach DIN 18040,
- Lieferung mit Edelstahl Torx-Schrauben Ø 6 x 100 mm und Dübeln für Vollbaustoffe.

ⓘ Nicht für Einhängesitze geeignet.

Cavere Grab rail

- 350 x 316mm, 135°, 650 x 316mm, 135°
- made of aluminium,
- scratch-resistant powder coating with antibacterial protection (except 091 carbon black), see register information,
- available in Cavere colours,
- with trigonometric contour for ergonomic support and grip,
- flat wall bracket with soft edges, blends harmoniously into the trigonometric design of the handle contour,
- concealed screw fixing,
- paper roll holder 7449 120, may be added at a later stage,
- maximum loading permitted: 100kgs,
- meets the requirements of DIN 18040,
- supplied with stainless steel Torx screws 6mm dia. x 100mm and plugs for solid masonry.

ⓘ Not suitable for suspendable shower seats.



Papierrollenhalter Paper roll holder

	Code	PG 7000
▶ 130 x 115 mm	7449 120	56,50 €

Cavere Papierrollenhalter, nachrüstbar für Winkelgriffe


- 130 x 115 mm,
- aus Aluminium,
- kratzfeste Pulverbeschichtung mit antibakteriellem Schutz (ausgenommen 091 Carbonschwarz), Register Information,
- lieferbar in den Cavere Farben,
- mit selbststellender und wartungsfreier Abrollbremse.

ⓘ Nur für Winkel- und Haltegriffe passend.
Das Montagematerial wird mitgeliefert.

Cavere Toilet roll holder suitable for grab rail, may be added at a later stage

- 130 x 115mm,
- made of aluminium,
- scratch-resistant powder coating with antibacterial protection (except 091 carbon black), see register information,
- available in Cavere colours,
- with self-adjusting maintenance-free roll brake.

ⓘ Suitable for grab rails.
Supplied with fixing material.





Haltegriff Grab bar

a1 / mm	a2 / mm	a3 / mm	Antibac	Code	PG 7000
300			●	7453 030	81,00 €
400			●	7453 040	89,50 €
600			●	7453 060	105,00 €
800			●	7453 080	120,00 €
1000			●	7453 100	138,00 €

Cavere Haltegriff


- Achsmaß 300, 400, 600, 800 und 1000 mm,
- aus Aluminium,
- kratzfeste Pulverbeschichtung mit antibakteriellem Schutz (ausgenommen 091 Carbonschwarz), Register Information,
- lieferbar in den Cavere Farben,
- mit trigonometrischer Griffkontur zum ergonomischen Abstützen und Greifen,
- Wandhalterung mit weichen Kanten fügt sich harmonisch in das trigonometrische Design der Griffkontur,
- verdeckte Verschraubung,
- max. zul. Belastung: 100 kg,
- erfüllt die Anforderungen nach DIN 18040,
- Lieferung mit Edelstahl Torx-Schrauben Ø 6 x 100 mm und Dübeln für Vollbaustoffe.

❗ Nicht für Einhängesitze geeignet.

Cavere Grab bar

- centres 300, 400, 600, 800 and 1000mm,
- made of aluminium,
- scratch-resistant powder coating with antibacterial protection (except 091 carbon black), see register information,
- available in Cavere colours,
- with trigonometric contour for ergonomic support and grip,
- flat wall bracket with soft edges, blends harmoniously into the trigonometric design of the handle contour,
- concealed screw fixing,
- maximum loading permitted: 100kgs,
- meets the requirements of DIN 18040,
- supplied with stainless steel Torx screws 6mm dia. x 100mm and plugs for solid masonry.

❗ Not suitable for suspendable shower seats.



Haltegriff Grab bar


a1 / mm	a2 / mm	a3 / mm	Antibac	Code	PG 7000
600			●	7453 160	138,00 €
800			●	7453 180	153,00 €

Cavere Haltegriff mit integrierter Handtuchstange

- Achsmaß 600 und 800 mm,
- aus Aluminium,
- kratzfeste Pulverbeschichtung mit antibakteriellem Schutz (ausgenommen 091 Carbonschwarz), Register Information,
- lieferbar in den Cavere Farben,
- mit trigonometrischer Griffkontur zum ergonomischen Abstützen und Greifen,
- Wandhalterung mit weichen Kanten fügt sich harmonisch in das trigonometrische Design der Griffkontur,
- verdeckte Verschraubung,
- max. zul. Belastung: 100 kg,
- Lieferung mit Edelstahl Torx-Schrauben Ø 6 x 100 mm und Dübeln für Vollbaustoffe.

Cavere Grab bar with integrated towel rail

- centres 600 and 800mm,
- made of aluminium,
- scratch-resistant powder coating with antibacterial protection (except 091 carbon black), see register information,
- available in Cavere colours,
- with trigonometric contour for ergonomic support and grip,
- flat wall bracket with soft edges, blends harmoniously into the trigonometric design of the handle contour,
- concealed screw fixing,
- maximum loading permitted: 100kgs,
- supplied with stainless steel Torx screws 6mm dia. x 100mm and plugs for solid masonry.







Duschhandlauf
Shower handrail


a1 / mm	a2 / mm	a3 / mm	Antibac	Code	PG 7000
600			●	7484 060	128,00 €
900			●	7484 090	144,00 €

Cavere Duschhandlauf

- Länge 600, 900 mm,
- aus Aluminium,
- kratzfeste Pulverbeschichtung mit antibakteriellem Schutz (ausgenommen 091 Carbonschwarz), Register Information,
- lieferbar in den Cavere Farben,
- Handlauf mit trigonometrischer Griffkontur zum ergonomischen Abstützen und Greifen,
- zum Einhängen von Einhängesitzen 7847... geeignet,
- verdeckte Verschraubung,
- max. zul. Belastung: 150 kg,
- erfüllt die Anforderungen nach DIN 18040,
- Lieferung mit Edelstahl Torx-Schrauben Ø 6 x 70 mm und Dübeln für Vollbaustoffe.

Cavere Shower handrail

- Length, 600, 900mm,
- made of aluminium,
- scratch-resistant powder coating with antibacterial protection (except 091 carbon black), see register information,
- available in Cavere colours,
- with trigonometric contour for ergonomic support and grip,
- suitable for suspendable shower seats 7847...,
- concealed screw fixing,
- maximum loading permitted: 150kgs,
- meets the requirements of DIN 18040,
- supplied with stainless steel Torx screws 6mm dia. x 70mm and plugs for solid masonry.



Duschhandlauf
Shower handrail


a1 / mm	a2 / mm	a3 / mm	Antibac	Code	PG 7000
450	450		●	7484 044	148,00 €
450	750		☞	7484 045	197,00 €
750	450		☞	7484 046	197,00 €
750	750		●	7484 075	263,00 €

Cavere Duschhandlauf

- 450 x 450 mm,
450 x 750 mm,
750 x 750 mm,
- aus Aluminium,
- kratzfeste Pulverbeschichtung mit antibakteriellem Schutz (ausgenommen 091 Carbonschwarz), Register Information,
- lieferbar in den Cavere Farben,
- Handlauf mit trigonometrischer Griffkontur zum ergonomischen Abstützen und Greifen,
- zum Einhängen von Einhängesitzen 7847... geeignet,
- verdeckte Verschraubung,
- max. zul. Belastung: 150 kg,
- erfüllt die Anforderungen nach DIN 18040,
- Lieferung mit Edelstahl Torx-Schrauben Ø 6 x 70 mm und Dübeln für Vollbaustoffe.

Cavere Shower handrail

- 450 x 450mm,
450 x 750mm,
750 x 750mm,
- made of aluminium,
- scratch-resistant powder coating with antibacterial protection (except 091 carbon black), see register information,
- available in Cavere colours,
- with trigonometric contour for ergonomic support and grip,
- suitable for suspendable shower seats 7847...,
- concealed screw fixing,
- maximum loading permitted: 150kgs,
- meets the requirements of DIN 18040,
- supplied with stainless steel Torx screws 6mm dia. x 70mm and plugs for solid masonry.





Duschhandlauf
Shower handrail


a1 / mm	a2 / mm	a3 / mm	Antibac	Code	PG 7000
600			●	7484 061	128,00 €
900			●	7484 091	144,00 €

Cavere Duschhandlauf

- Länge 600, 900 mm,
- aus Aluminium,
- kratzfeste Pulverbeschichtung mit antibakteriellem Schutz (ausgenommen 091 Carbonschwarz), Register Information,
- lieferbar in den Cavere Farben,
- Handlauf mit trigonometrischer Griffkontur zum ergonomischen Abstützen und Greifen,
- Wandhalterung mit weichen Kanten fügt sich harmonisch in das trigonometrische Design der Griffkontur,
- Einpunkt-Wandbefestigung mit 3 mm Toleranzausgleich ($\pm 1.5\text{mm}$) für eine einfache und sichere Montage
- zum Einhängen von Einhängesitzen 7847... geeignet,
- belastbar bis 150 kg,
- erfüllt die Anforderungen nach DIN 18040,
- mit verdeckter Verschraubung
- Lieferung mit Edelstahl Torx-Schrauben $\varnothing 6 \times 100$ mm und Dübel für Vollbaustoffe.

Cavere Shower handrail

- Length, 600, 900mm,
- made of aluminium,
- scratch-resistant powder coating with antibacterial protection (except 091 carbon black), see register information,
- available in Cavere colours,
- with trigonometric contour for ergonomic support and grip,
- flat wall bracket with soft edges, blends harmoniously into the trigonometric design of the handle contour,
- single-point wall attachment with 3mm tolerance compensation ($\pm 1.5\text{mm}$) for an easy and safe installation,
- suitable for suspendable shower seat 7847...,
- load up to 150kgs,
- meets the requirements of DIN 18040,
- concealed screw fixing,
- supplied with stainless steel Torx screws $6 \times 100\text{mm}$ dia. and plugs for solid masonry.



Duschhandlauf
Shower handrail


a1 / mm	a2 / mm	a3 / mm	Antibac	Code	PG 7000
450	450		●	7484 054	148,00 €
450	750		☞	7484 055	197,00 €
750	450		☞	7484 056	197,00 €
750	750		●	7484 076	263,00 €

Cavere Duschhandlauf

- 450 x 450 mm,
450 x 750 mm,
750 x 750 mm,
- aus Aluminium,
- kratzfeste Pulverbeschichtung mit antibakteriellem Schutz (ausgenommen 091 Carbonschwarz), Register Information,
- lieferbar in den Cavere Farben,
- Handlauf mit trigonometrischer Griffkontur zum ergonomischen Abstützen und Greifen,
- Wandhalterung mit weichen Kanten fügt sich harmonisch in das trigonometrische Design der Griffkontur,
- Einpunkt-Wandbefestigung mit 3 mm Toleranzausgleich ($\pm 1.5\text{mm}$) für eine einfache und sichere Montage
- zum Einhängen von Einhängesitzen 7847... geeignet,
- belastbar bis 150 kg,
- erfüllt die Anforderungen nach DIN 18040,
- mit verdeckter Verschraubung
- Lieferung mit Edelstahl Torx-Schrauben $\varnothing 6 \times 100$ mm und Dübel für Vollbaustoffe.

Cavere Shower handrail

- 450 x 450mm,
450 x 750mm,
750 x 750mm,
- made of aluminium,
- scratch-resistant powder coating with antibacterial protection (except 091 carbon black), see register information,
- available in Cavere colours,
- with trigonometric contour for ergonomic support and grip,
- flat wall bracket with soft edges, blends harmoniously into the trigonometric design of the handle contour,
- single-point wall attachment with 3mm tolerance compensation ($\pm 1.5\text{mm}$) for an easy and safe installation,
- suitable for suspendable shower seat 7847...,
- load up to 150kgs,
- meets the requirements of DIN 18040,
- concealed screw fixing,
- supplied with stainless steel Torx screws $6 \times 100\text{mm}$ dia. and plugs for solid masonry.





Cavere Brausehalterstange


- Achsmaß 600, 1190 mm,
- aus Aluminium, Ø 30 mm,
- kratzfeste Pulverbeschichtung mit antibakteriellem Schutz (ausgenommen 091 Carbonschwarz), Register Information,
- lieferbar in den Cavere Farben,
- mit Brausehalter mit stufenloser und leichtgängiger Höhen- und Winkleinstellung, wartungsfrei mit selbstjustierender Klemmkraft,
- seitlich gelagerter Bedienhebel zur Einhandbetätigung ohne Drehbewegung,
- Aufnahmekonus passend für unterschiedliche Handbrausen,
- Wandhalterung mit weichen Kanten fügt sich harmonisch in das trigonometrische Design der Griffkontur,
- verdeckte Verschraubung,
- max. zul. Belastung: 100 kg,
- Lieferung mit Edelstahl Torx-Schrauben Ø 6 x 100 mm und Dübeln für Vollbaustoffe.

Cavere Shower head rail

- centres 600, 1190mm,
- made of aluminium, 30mm dia.,
- scratch-resistant powder coating with antibacterial protection (except 091 carbon black), see register information,
- available in Cavere colours,
- easy adjustment to any height and angle, self-adjusting clamp, maintenance-free,
- operating handle for single handed, operation without the need to turn,
- conical shower head holder suitable for various hand shower heads,
- flat wall bracket with soft edges, blends harmoniously into the trigonometric design of the handle contour,
- concealed screw fixing,
- maximum loading permitted: 100kgs,
- supplied with stainless steel Torx screws 6mm dia. x 100mm and plugs for solid masonry.

Brausehalterstange Shower head rail

a1 / mm	a2 / mm	a3 / mm	Antibac	Code	PG 7000
		600	●	7488 060	141,00 €
		1190	●	7488 119	197,00 €



Distanzscheibe Spacer

Code PG 7000


▶ 40 x 40 x 10 mm	7470 110	23,50 €
-------------------	-----------------	---------

Cavere Distanzscheibe

- 40 x 40 x 10 mm,
- aus Aluminium,
- lieferbar in den Cavere Farben,
- die Distanzscheibe wird eingesetzt an Wänden mit Teilverfliesung.

Cavere Spacer

- 40 x 40 x 10mm,
- made of aluminium,
- available in Cavere colours,
- the spacer is used for walls which are partially tiled.



Cavere Brausehalter

- 126 x 113 mm, für Ø 30 mm,
- aus Aluminium,
- kratzfeste Pulverbeschichtung mit antibakteriellem Schutz (ausgenommen 091 Carbonschwarz), Register Information,
- lieferbar in den Cavere Farben,
- stufenlose und leichtgängige Höhen- und Winkleinstellung,
- wartungsfrei mit selbstjustierender Klemmkraft,
- seitlich gelagerter Bedienhebel zur Einhandbetätigung ohne Drehbewegung,
- links und rechts einsetzbar,
- Aufnahmekonus mit Kunststoffeinsatz, passend für unterschiedliche Handbrausen.


Cavere Shower head holder

- 126 x 113mm, for Ø 30mm dia.,
- made of aluminium,
- scratch-resistant powder coating with antibacterial protection (except 091 carbon black), see register information,
- available in Cavere colours,
- easy adjustment to any height and angle,
- self-adjusting clamp, maintenance-free,
- operating handle for single handed operation without the need to turn,
- left or right hand application,
- conical shower head holder with plastic insert, suitable for various hand shower heads.

Brausehalter Shower head holder

Code PG 7000

▶ 126 x 45 x 113 mm	7485 050	101,00 €
---------------------	-----------------	----------





Cavere Brausehalterstange verschiebbar, zum Nachrüsten für Handläufe


- Achsmaß 1100, 1200 mm,
- zum nachträglichen Einbau,
- aus Aluminium, Ø 30 mm,
- kratzfeste Pulverbeschichtung mit antibakteriellem Schutz (ausgenommen 091 Carbonschwarz), Register Information,
- lieferbar in den Cavere Farben,
- Brausehalter mit stufenloser und leichtgängiger Höhen- und Winkeleinstellung, wartungsfrei mit selbstjustierender Klemmkraft,
- Brausehalter mit seitlich gelagertem Bedienhebel zur Einhandbetätigung ohne Drehbewegung,
- Aufnahmekonus passend für unterschiedliche Handbrausen,
- Wandhalterung mit weichen Kanten fügt sich harmonisch in das trigonometrische Design der Griffkontur,
- max. zul. Belastung: 100 kg,
- Lieferung mit Edelstahl Torx-Schrauben Ø 6 x 100 mm und Dübeln für Vollbaustoffe.

Cavere Shower head rail, movable, for shower handrail, may be added at a later stage

- centres 1100, 1200mm,
- to be added at a later stage,
- made of aluminium, 30mm dia.,
- scratch-resistant powder coating with antibacterial protection (except 091 carbon black), see register information,
- available in Cavere colours,
- easy adjustment to any height and angle, self-adjusting clamp, maintenance-free,
- operating handle for single handed operation, without the need to turn,
- conical shower head holder suitable for various hand shower heads,
- flat wall bracket with soft edges, blends harmoniously into the trigonometric design of the handle contour,
- maximum loading permitted: 100kgs,
- supplied with stainless steel Torx screws 6mm dia. x 100mm and plugs for solid masonry.

Brausehalterstange Shower head rail

a1 / mm	a2 / mm	a3 / mm	Antibac	Code	PG 7000
		1100	●	7488 110	218,00 €
		1200	●	7488 120	218,00 €



NEW



Cavere Brausehalter für die horizontale Brausestange


- 34 x 30 x 101 mm,
- aus Aluminium,
- kratzfeste Pulverbeschichtung mit antibakteriellem Schutz (ausgenommen 091 Carbonschwarz), Register Information,
- lieferbar in den Cavere Farben,
- zum Aufklipsen auf Cavere Duschhandläufe,
- wartungsfrei,
- Aufnahmekonus mit Kunststoffeinsatz, passend für unterschiedliche Handbrausen.

Cavere Shower head holder for horizontal shower head rail

- 34 x 30 x 101mm,
- made of aluminium,
- scratch-resistant powder coating with antibacterial protection (except 091 carbon black), see register information,
- available in Cavere colours,
- for clamping of Cavere shower handrails,
- maintenance-free,
- conical shower head holder with plastic insert, suitable for various hand shower heads.

Brausehalter Shower head holder

	Code	PG 7000
► 34 x 30 x 101 mm	7485 030	32,00 €





Cavere Duschhandlauf mit verschiebbarer Brausehalterstange

- 500 x 750 mm, 500 x 1100 mm, 600 x 1200 mm, 900 x 1200 mm,
- aus Aluminium, Ø 30 mm,
- kratzfeste Pulverbeschichtung mit antibakteriellem Schutz (ausgenommen 091 Carbonschwarz), Register Information,
- lieferbar in den Cavere Farben,
- verschiebbare Brausestange mit Brausehalter,
- Bedienhebel mit stufenloser und leichtgängiger Höhen- und Winkeleinstellung, wartungsfrei mit selbstjustierender Klemmkraft,
- Bedienhebel mit seitlich gelagertem Bedienhebel zur Einhandbetätigung ohne Drehbewegung, Aufnahmekonus passend für unterschiedliche Handbrausen,
- Handlauf mit trigonometrischer Griffkontur zum ergonomischen Abstützen und Greifen,
- links und rechts einsetzbar,
- zum Einhängen von Einhängesitzen 7847....,
- verdeckte Verschraubung,
- 600 x 1200 / 500 x 1100 mm entspricht ÖNORM B1600,
- max. zul. Belastung: 150 kg für Duschhandlauf, 100 kg für Brausehalterstange,
- erfüllt die Anforderungen nach DIN 18040,
- Lieferung mit Edelstahl Torx-Schrauben Ø 6 x 70 mm und Dübeln für Vollbaustoffe.

① * Auch für Einhängesitze 8750... geeignet.


Cavere Shower handrail with shower head rail, movable

- 500 x 750mm, 500 x 1100mm, 600 x 1200mm, 900 x 1200mm,
- made of aluminium, 30mm dia.,
- scratch-resistant powder coating with antibacterial protection (except 091 carbon black), see register information,
- available in Cavere colours,
- with movable shower head rail,
- with infinitely adjustable shower head holder, easy adjustment to any height and angle, self-adjusting clamp, maintenance-free,
- operating handle for single handed operation without the need to turn, conical shower head holder suitable for various hand shower heads,
- handrail with trigonometric contour for ergonomic support and grip, with adjustable shower head rail,
- left or right hand application,
- suitable for suspendable shower seats 7847....,
- concealed screw fixing,
- max. loading permitted: 150kgs for shower handrail, 100kgs for shower headrail,
- meets the requirements of DIN 18040,
- supplied with stainless steel Torx screws 6mm dia. x 70mm and plugs for solid masonry.

① * Also suitable for suspendable shower seats 8750....

Duschhandlauf Shower handrail

a1 / mm	a2 / mm	a3 / mm	Antibac	Code	PG 7000
	500	750	●	7485 051	301,00 €
	500	1100	●	7485 052	308,00 €
	600	1200	●	7485 060	308,00 €
	900*	1200	●	7485 090	362,00 €





Cavere Duschhandlauf mit verschiebbarer Brausehalterstange

- 500 x 750 mm, 500 x 1100 mm, 600 x 1200 mm, 900 x 1200 mm,
- aus Aluminium,
- kratzfeste Pulverbeschichtung mit antibakteriellem Schutz (ausgenommen 091 Carbonschwarz), Register Information,
- lieferbar in den Cavere Farben,
- verschiebbare Brausestange mit Brausehalter,
- mit stufenloser und leichtgängiger Höhen- und Winkeleinstellung, wartungsfrei mit selbstjustierender Klemmkraft,
- seitlich gelagerter Bedienhebel zur Einhandbetätigung ohne Drehbewegung, Aufnahmekeonus passend für unterschiedliche Handbrausen,
- Handlauf mit trigonometrischer Griffkontur zum ergonomischen Abstützen und Greifen,
- Wandhalterungen mit weichen Kanten fügen sich harmonisch in das trigonometrische Design der Griffkontur ein,
- Einzelpunkt-Wandbefestigung mit 3 mm Toleranzausgleich (= ± 1,5 mm) für eine einfache und sichere Montage,
- links und rechts einsetzbar,
- zum Einhängen von Einhängesitzen 7847...,
- verdeckte Verschraubung,
- 600 x 1200 / 500 x 1100 mm entspricht ÖNORM B1600,
- max. zul. Belastung: 150 kg für Duschhandlauf, 100 kg für Brausehalterstange,
- erfüllt die Anforderungen nach DIN 18040,
- Lieferung mit Edelstahl Torx-Schrauben Ø 6 x 100 mm und Dübel für Vollbaustoffe.

① * Auch für Einhängesitze 8750... geeignet.


Cavere Shower handrail with shower head rail, movable


- 500 x 750mm, 500 x 1100mm, 600 x 1200mm, 900 x 1200mm,
- made of aluminium,
- scratch-resistant powder coating with antibacterial protection (except 091 carbon black), see register information,
- available in Cavere colours,
- with movable shower head rail,
- with infinitely adjustable shower head holder, easy adjustment to any height and angle, self-adjusting clamp, maintenance-free,
- operating handle for single handed operation without the need to turn, conical shower head holder suitable for various hand shower heads,
- handrail with trigonometric contour for ergonomic support and grip, with adjustable shower head rail,
- flat wall bracket with soft edges, blends harmoniously into the trigonometric design of the handle contour,
- single-point wall attachment with 3mm tolerance compensation (= ± 1.5mm) for an easy and safe installation,
- left or right hand applicable,
- suitable for suspendable shower seats 7847...,
- concealed screw fixing,
- max. loading permitted: 150kgs for shower handrail, 100kgs for shower headrail,
- meets the requirements of DIN 18040,
- supplied with stainless steel Torx screws 6 x 100mm dia. and plugs for solid masonry.

① * Also suitable for suspendable shower seats 8750....

Duschhandlauf Shower handrail

a1 / mm	a2 / mm	a3 / mm	Antibac	Code	PG 7000
	500	750	●	7485 053	301,00 €
	500	1100	●	7485 054	308,00 €
	600	1200	●	7485 061	308,00 €
	900*	1200	●	7485 091	362,00 €





Cavere Duschhandlauf mit verschiebbarer Brausehalterstange

- 750 x 750 x 1100 mm,
750 x 750 x 1200 mm,
1100 x 1100 x 1100 mm,
1100 x 1100 x 1200 mm,
- aus Aluminium,
- kratzsteife Pulverbeschichtung mit antibakteriellem Schutz (ausgenommen 091 Carbonschwarz), Register Information,
- lieferbar in den Cavere Farben,
- verschiebbare Brausehalterstange mit Brausehalter,
- Bedienhebel mit stufenloser und leichtgängiger Höhen- und Winklereinstellung, wartungsfrei mit selbstjustierender Klemmkraft,
- Bedienhebel mit seitlich gelagertem Bedienhebel zur Einhandbetätigung ohne Drehbewegung, Aufnahmekonus passend für unterschiedliche Handbrausen,
- Handlauf mit trigonometrischer Griffkontur zum ergonomischen Abstützen und Greifen,
- zum Einhängen von Einhängesitzen 7847...,
- verdeckte Verschraubung,
- max. zul. Belastung: 150 kg für Duschhandlauf, 100 kg für Brausehalterstange,
- erfüllt die Anforderungen nach DIN 18040,
- Lieferung mit Edelstahl Torx-Schrauben Ø 6 x 70 mm und Dübeln für Vollbaustoffe.

① * Auch für Einhängesitze 8750... geeignet.

Cavere Shower handrail with shower head rail, movable



- 750 x 750 x 1100mm,
750 x 750 x 1200mm,
1100 x 1100 x 1100mm,
1100 x 1100 x 1200mm,
- made of aluminium,
- scratch-resistant powder coating with antibacterial protection (except 091 carbon black), see register information,
- available in Cavere colours,
- with movable shower head rail,
- with infinitely adjustable shower head holder, easy adjustment to any height and angle, self-adjusting clamp, maintenance-free,
- operating handle for single handed operation without the need to turn, conical shower head holder suitable for various hand shower heads,
- handrail with trigonometric contour for ergonomic support and grip, with adjustable shower head rail,
- suitable for suspendable shower seats 7847...,
- concealed screw fixing,
- maximum loading permitted: 150kgs for shower handrail, 100kgs for shower headrail,
- meets the requirements of DIN 18040,
- supplied with stainless steel Torx screws 6mm dia. x 70mm and plugs for solid masonry.


① * Also suitable for suspendable shower seats 8750....

Duschhandlauf Shower handrail

a1 / mm	a2 / mm	a3 / mm	Antibac	Code	PG 7000
750	750	1100	☞ ●	7486 076	418,00 €
750	750	1100	☞ ●	7486 077	418,00 €
750	750	1200	☞ ●	7486 075	418,00 €
750	750	1200	☞ ●	7486 074	418,00 €

a1 / mm	a2 / mm	a3 / mm	Antibac	Code	PG 7000
1100*	1100	1100	☞ ●	7486 111	526,00 €
1100*	1100	1100	☞ ●	7486 112	526,00 €
1100*	1100	1200	☞ ●	7486 110	526,00 €
1100*	1100	1200	☞ ●	7486 109	526,00 €





Cavere Duschhandlauf mit verschiebbarer Brausehalterstange

- 750 x 750 x 1100 mm, 750 x 750 x 1200 mm, 1100 x 1100 x 1100 mm, 1100 x 1100 x 1200 mm,
- aus Aluminium,
- kratzfeste Pulverbeschichtung mit antibakteriellem Schutz (ausgenommen 091 Carbonschwarz), Register Information,
- lieferbar in den Cavere Farben,
- verschiebbare Brausestange mit Brausehalter,
- mit stufenloser und leichtgängiger Höhen- und Winklereinstellung, wartungsfrei mit selbstjustierender Klemmkraft,
- seitlich gelagerter Bedienehebel zur Einhandbetätigung ohne Drehbewegung, Aufnahmekonus passend für unterschiedliche Handbrausen,
- Handlauf mit trigonometrischer Griffkontur zum ergonomischen Abstützen und Greifen,
- Wandhalterungen mit weichen Kanten fügen sich harmonisch in das trigonometrische Design der Griffkontur ein,
- Einpunkt-Wandbefestigung mit 3 mm Toleranzausgleich (= ± 1,5 mm) für eine einfache und sichere Montage,
- links und rechts einsetzbar,
- zum Einhängen von Einhängesitzen 7847...,
- verdeckte Verschraubung,
- max. zul. Belastung: 150 kg für Duschhandlauf, 100 kg für Brausehalterstange,
- erfüllt die Anforderungen nach DIN 18040,
- Lieferung mit Edelstahl Torx-Schrauben Ø 6 x 100 mm und Dübel für Vollbaustoffe.

① * Auch für Einhängesitze 8750... geeignet.

Cavere Shower handrail with shower head rail, movable


- 750 x 750 x 1100mm, 750 x 750 x 1200mm, 1100 x 1100 x 1100mm, 1100 x 1100 x 1200mm,
- made of Aluminium,
- scratch-resistant powder coating with antibacterial protection (except 091 carbon black), see register information,
- available in Cavere colours,
- with movable shower head rail,
- with infinitely adjustable shower head holder, easy adjustment to any height and angle, self-adjusting clamp, maintenance-free,
- operating handle for single handed operation without the need to turn, conical shower head holder suitable for various hand shower heads,
- handrail with trigonometric contour for ergonomic support and grip, with adjustable shower head rail,
- flat wall bracket with soft edges, blends harmoniously into the trigonometric design of the handle contour,
- single-point wall attachment with 3mm tolerance compensation (= ± 1.5mm) for an easy and safe installation,
- left or right hand applicable,
- suitable for suspendable shower seat 7847...,
- concealed screw fixing,
- max. loading permitted: 150kgs for shower handrail, 100kgs for shower headrail,
- meets the requirements of DIN 18040,
- supplied with stainless steel Torx screws 6 x 100mm dia. and plugs for solid masonry.

① * Also suitable for suspendable shower seats 8750....

Duschhandlauf Shower handrail

a1 / mm	a2 / mm	a3 / mm	Antibac	Code	PG 7000
750	750	1100	☞ ●	7486 066	418,00 €
750	750	1100	☜ ●	7486 067	418,00 €
750	750	1200	☞ ●	7486 065	418,00 €
750	750	1200	☜ ●	7486 064	418,00 €

a1 / mm	a2 / mm	a3 / mm	Antibac	Code	PG 7000
1100*	1100	1100	☞ ●	7486 121	526,00 €
1100*	1100	1100	☜ ●	7486 122	526,00 €
1100*	1100	1200	☞ ●	7486 120	526,00 €
1100*	1100	1200	☜ ●	7486 119	526,00 €





Cavere Duschhandlauf mit verschiebbarer Brausehalterstange

- 750 x 1050 x 1200 mm, 1050 x 750 x 1200 mm,
- aus Aluminium,
- kratzfeste Pulverbeschichtung mit antibakteriellem Schutz (ausgenommen 091 Carbonschwarz), Register Information,
- lieferbar in den Cavere Farben,
- verschiebbare Brausehalterstange mit Brausehalter,
- Bedienhebel mit stufenloser und leichtgängiger Höhen- und Winkeleinstellung, wartungsfrei mit selbstjustierender Klemmkraft,
- Bedienhebel mit seitlich gelagertem Bedienhebel zur Einhandbetätigung ohne Drehbewegung, Aufnahmekonus passend für unterschiedliche Handbrausen,
- Brausestangenadapter kann auf rechte Ausführung ummontiert werden,
- Handlauf mit trigonometrischer Griffkontur zum ergonomischen Abstützen und Greifen,
- zum Einhängen von Einhängesitzen 7847..., 8750...,
- verdeckte Verschraubung,
- die Maße entsprechen der ÖNORM B 1600,
- max. zul. Belastung: 150 kg für Duschhandlauf, 100 kg für Brausehalterstange,
- erfüllt die Anforderungen nach DIN 18040,
- Lieferung mit Edelstahl Torx-Schrauben Ø 6 x 70 mm und Dübeln für Vollbaustoffe.



Cavere Shower handrail with shower head rail, movable

- 750 x 1050 x 1200mm, 1050 x 750 x 1200mm,
- made of aluminium,
- scratch-resistant powder coating with antibacterial protection (except 091 carbon black), see register information,
- available in Cavere colours,
- with movable shower head rail,
- with infinitely adjustable shower head holder, easy adjustment to any height and angle, self-adjusting clamp, maintenance-free,
- operating handle for single handed operation, without the need to turn, conical shower head holder suitable for various hand shower heads,
- adaptor for shower rail can also be mounted to right hand version,
- handrail with trigonometric contour for ergonomic support and grip, with adjustable shower head rail,
- suitable for suspendable shower seats 7847..., 8750...,
- concealed screw fixing,
- according to Austrian standard ÖNORM B 1600,
- maximum loading permitted: 150kgs for shower handrail, 100kgs for shower headrail,
- meets the requirements of DIN 18040,
- supplied with stainless steel Torx screws 6mm dia. x 70mm and plugs for solid masonry.

Duschhandlauf Shower handrail

a1 / mm	a2 / mm	a3 / mm	Antibac	Code	PG 7000
750	1050	1200	☞ ●	7486 105	445,00 €
750	1050	1200	☜ ●	7486 106	445,00 €

a1 / mm	a2 / mm	a3 / mm	Antibac	Code	PG 7000
1050	750	1200	☜ ●	7486 107	445,00 €
1050	750	1200	☞ ●	7486 108	445,00 €





Duschhandlauf Shower handrail

a1 / mm	a2 / mm	a3 / mm	Antibac	Code	PG 7000
750	1050	1200	☞ ●	7486 115	445,00 €
750	1050	1200	☜ ●	7486 116	445,00 €


a1 / mm	a2 / mm	a3 / mm	Antibac	Code	PG 7000
1050	750	1200	☞ ●	7486 117	445,00 €
1050	750	1200	☜ ●	7486 118	445,00 €

Cavere Duschhandlauf mit verschiebbarer Brausehalterstange


- 750 x 1050 x 1200 mm, 1050 x 750 x 1200 mm,
- aus Aluminium,
- kratzfeste Pulverbeschichtung mit antibakteriellem Schutz (ausgenommen 091 Carbonschwarz), Register Information,
- lieferbar in den Cavere Farben,
- verschiebbare Brausestange mit Brausehalter,
- mit stufenloser und leichtgängiger Höhen- und Winklereinstellung, wartungsfrei mit selbstjustierender Klemmkraft,
- seitlich gelagerter Bedienhebel zur Einhandbetätigung ohne Drehbewegung, Aufnahmekonus passend für unterschiedliche Handbrausen,
- Brausestangenadapter kann auf rechte Ausführung ummontiert werden,
- Handlauf mit trigonometrischer Griffkontur zum ergonomischen Abstützen und Greifen,
- Wandhalterungen mit weichen Kanten fügen sich harmonisch in das trigonometrische Design der Griffkontur ein,
- Einpunkt-Wandbefestigung mit 3 mm Toleranzausgleich ($\pm 1,5$ mm) für eine einfache und sichere Montage,
- zum Einhängen von Einhängesitzen 7847..., 8750...,
- verdeckte Verschraubung,
- die Maße entsprechen der ÖNORM B1600,
- max. zul. Belastung: 150 kg für Duschhandlauf, 100 kg für Brausehalterstange,
- erfüllt die Anforderungen nach DIN 18040,
- Lieferung mit Edelstahl Torx-Schrauben $\varnothing 6 \times 100$ mm und Dübel für Vollbaustoffe.

Cavere Shower handrail with shower head rail, movable

- 750 x 1050 x 1200mm, 1050 x 750 x 1200mm,
- made of aluminium,
- scratch-resistant powder coating with antibacterial protection (except 091 carbon black), see register information,
- available in Cavere colours,
- with movable shower head rail,
- with infinitely adjustable shower head holder, easy adjustment to any height and angle, self-adjusting clamp, maintenance-free,
- operating handle for single handed operation without the need to turn, conical shower head holder suitable for various hand shower heads,
- adaptor for shower rail can also be mounted to right hand version,
- handrail with trigonometric contour for ergonomic support and grip, with adjustable shower head rail,
- flat wall bracket with soft edges, blends harmoniously into the trigonometric design of the handle contour,
- single-point wall attachment with 3mm tolerance compensation (± 1.5 mm) for an easy and safe installation,
- suitable for suspendable shower seats 7847..., 8750...,
- concealed screw fixing,
- according to Austrian standard ÖNORM B1600,
- max. loading permitted: 150kgs for shower handrail, 100kgs for shower headrail,
- meets the requirements of DIN 18040,
- supplied with stainless steel Torx screws 6 x 100mm dia. and plugs for solid masonry.





Weitere Informationen unter Register  More information see register 	Wand und Wandbeschaffenheit / Wall and wall substance				
	Mauerwerk aus Vollsteinen Brickwork made of full brick	Mauerwerk aus Lochsteinen Brickwork made of perforated brick	Vorwandinstallation Fixing in front of the wall with panels		
	– Beton ≥ B 15 – Vollziegel ≥ Mz 12 – Kalksand - Vollstein ≥ KS 12 – Naturstein mit dichtem Gefüge – Vollbims – Concrete ≥ B 15 – solid brick ≥ Mz 12 – sand-lime brick-solid brick ≥ KS 12 – natural stone with compact grain – solid pumice	– Kalksandlochstein KSL ≥ 12 – Hochlochziegel HLz > 12 – Hohlblockstein ≥ Hbl4, Hbn4 – andere Lochsteine – cavity brick KSL ≥ 12 – Perforated brick HLz ≥ 12 – checker brick ≥ Hbl4, Hbn4 – other hollow brick material	Befestigungsplatte aus mehrschichtverleimtem Holz	Befestigungsplatte aus Stahl	ohne Hinterfüterung
			panels and integrated mounting plate made of hardwood	integrated mounting plate made of steel	without backfill
Klappsitze shower seats  Grundplatte mit Blindabdeckung vario, einhängbar Base plate with cover plate blind vario, suspendable 	Montageset / Fixing Set 7470 030 20,25 €	Montageset / Fixing Set 7470 040 76,00 € mit Injektions-Kartusche* with injection-cartridge* Montageset / Fixing Set 7470 050 35,50 € ohne Injektions-Kartusche without injection-cartridge	Montageset / Fixing Set 7470 010 17,00 €	Montageset / Fixing Set 7470 020 15,00 €	
	1 Set	1 Set	1 Set	1 Set	
	1 Set	1 Set	1 Set	1 Set	



Grundplatte mit Blindabdeckung vario Base plate with cover plate blind

Code

PG 7000

- ▶ 100 x 220 x 22 mm **7449 200** 72,00 €
- ▶ 100 x 220 x 22 mm **7449 250** 44,25 €
ohne Grundplatte
without base plate

Cavere Grundplatte mit Blindabdeckung vario


- 100 x 220 x 22 mm,
- aus Aluminium,
- Blindabdeckung mit kratzfester Pulverbeschichtung mit antibakteriellem Schutz (ausgenommen 091 Carbonschwarz), Register Information,
- lieferbar in den Cavere Farben,
- Abdeckung mit weichen Kanten,
- Grundplatte aus Edelstahl, Werkstoff Nr. 1.4301 (A2, AISI 304), zum späteren einfachen Austausch mit Cavere Klappsitze vario,
- Lieferung mit Innensechskantschlüssel für Gewindestift M6.




❗ Das Montageset ist entsprechend der Wandbeschaffenheit festzulegen und separat zu bestellen.

Cavere Base plate with cover plate blind vario


- 100 x 220 x 22mm,
- made of aluminium,
- mounting plate blind with scratch-resistant powder coating with antibacterial protection (except 091 carbon black), see register information,
- available in Cavere colours,
- cover with soft edges,
- base plate, made of stainless steel, material No. 1.3401 (A2 AISI 304), for easier exchange with Cavere suspendable lift-up shower seats vario,
- supplied with allen key for grub screw M6.

❗ The fixing set should be ordered separately to suit the type of wall.





...mit Grundplatte
...with base plate



...ohne Grundplatte
...without base plate

Klappsitz vario, einhängbar

Lift-up shower seat vario, suspendable

mit Grundplatte Code PG 7000
with base plate

▶ 380 x 462 mm	7844 381	451,00 €
▶ 450 x 462 mm*	7844 451	531,00 €

ohne Grundplatte
without base plate

▶ 380 x 462 mm	7844 382	423,00 €
▶ 450 x 462 mm*	7844 452	504,00 €

Cavere Klappsitz vario, einhängbar



- 380 x 462 mm, 450 x 462 mm,
- aus Aluminium,
- kratzfeste Pulverbeschichtung mit antibakteriellem Schutz (ausgenommen 091 Carbonschwarz), Register Information,
- lieferbar in den Cavere Farben,
- mit anthrazitfarbenem Polster aus PUR-Integralschaum,
- mit korrosionsfreiem durchgehendem Metallkern,
- mit wartungsfreier Bremse,
- arretiert in hochgeklapptem Zustand,
- Platz sparend, Ausladung 97 mm,
- einfache Montage oder Demontage durch Einhängen in die Grundplatte,
- Grundplatte aus Edelstahl
- Abdeckung mit weichen Kanten,
- verdeckte Verschraubung,
- *entspricht DIN 18040-1 und ÖNORM B1600,
- max. zul. Belastung: 150 kg,
- Lieferung mit Innensechskantschlüssel.

① Das Montageset ist entsprechend der Wandbeschaffenheit festzulegen und separat zu bestellen.


Cavere Lift-up shower seat vario, suspendable

- 380 x 462mm, 450 x 462mm,
- made of aluminium,
- scratch-resistant powder coating with antibacterial protection (except 091 carbon black), see register information,
- available in Cavere colours,
- with padded seat, made of PUR integral foam, colour anthracite,
- with non-corrosive metal core throughout,
- with maintenance-free brake,
- locked in the upright position,
- space saving, space required in lift-up position 97mm from wall,
- easy installation or dismantling due to connecting to base plate,
- base plate made of stainless steel,
- cover with soft edges,
- concealed fixing screws,
- *according German standard DIN 18040-1 and Austrian standard ÖNORM B1600,
- maximum loading permitted: 150kgs,
- supplied with allen key.

① The fixing set should be ordered separately to suit the type of wall.



...mit Grundplatte
...with base plate



...ohne Grundplatte
...without base plate

Klappsitz vario, einhängbar

Lift-up shower seat vario, suspendable

mit Grundplatte Code PG 7000
with base plate

▶ 450 x 462 mm	7844 456	549,00 €
----------------	-----------------	----------

ohne Grundplatte
without base plate


▶ 450 x 462 mm	7844 457	520,00 €
----------------	-----------------	----------

Cavere Klappsitz vario, einhängbar mit Hygieneaussparung


- 450 x 462 mm,
- mit Hygieneaussparung,
- weitere Beschreibung wie oben.

Cavere Lift-up shower seat vario, suspendable, hygienic

- 450 x 462mm,
- hygienic,
- further description see above.



Beide Ausführungen auch in nicht einhängbar auf Anfrage lieferbar.
On request, both versions are also available as non-suspendable type.



Einhängesitz
Suspendable lift-up
shower seat

Code PG 7000

- ▶ 380 x 563 x 410 mm **7847 380** 795,00 €
- ▶ 450 x 563 x 410 mm* **7847 450** 850,00 €

Bei Duschhandlaufoberkante von **850 mm** entspricht die Sitzhöhe der **DIN Norm 18040** und **ÖNORM B1600**.
With a top edge of shower handrail of **850mm**, the seat height corresponds to **German standard DIN** and **ÖNORM B1600**.

Cavere Einhängesitz, klappbar



- 380 x 563 x 410 mm, 450 x 563 x 410 mm
- aus Aluminium,
- kratzfeste Pulverbeschichtung mit antibakteriellem Schutz (ausgenommen 091 Carbonschwarz), Register Information,
- lieferbar in den Cavere Farben,
- mit anthrazitfarbenem Polster aus PUR-Integralschaum,
- mit korrosionsfreiem durchgehendem Metallkern,
- mit wartungsfreier Bremse,
- arretiert in hochgeklapptem Zustand,
- Platz sparend, Ausladung 197 mm,
- zum Einhängen in Cavere Duschhandläufe,
- *entspricht DIN 18040-1 und ÖNORM B1600,
- max. zul. Belastung: 150 kg.

① *Passende Armlehne 7843 100, siehe Seite 32, kann auch nachgerüstet werden.

Cavere Suspendable lift-up shower seat

- 380 x 563 x 410mm, 450 x 563 x 410mm,
- made of aluminium,
- scratch-resistant powder coating with antibacterial protection (except 091 carbon black), see register information,
- available in Cavere colours,
- with padded seat, made of PUR integral foam, colour anthracite,
- with non-corrosive metal core throughout,
- with maintenance-free brake,
- locked in the upright position,
- space saving, space required in lift-up position 197mm from wall,
- can be suspended from Cavere shower handrails,
- *according German standard DIN 18040-1 and Austrian standard ÖNORM B1600,
- maximum loading permitted: 150kgs.

① * Suitable armrest 7843 100 – see page 32; can also be added at a later stage.



Einhängesitz
Suspendable lift-up
shower seat

Code PG 7000

- ▶ 450 x 563 x 410 mm* **7847 455** 850,00 €


Bei Duschhandlaufoberkante von **850 mm** entspricht die Sitzhöhe der **DIN Norm 18040** und **ÖNORM B1600**.
With a top edge of shower handrail of **850mm**, the seat height corresponds to **German standard DIN** and **ÖNORM B1600**.


Cavere Einhängesitz, klappbar, mit Hygieneaussparung

- 450 x 563 x 410 mm,
- weitere Beschreibung wie oben.

Cavere Suspendable lift-up shower seat, hygienic

- 450 x 563 x 410mm,
- further description see above.





Einhängesitz
Suspendable lift-up
shower seat

Code PG 7000

- ▶ 380 x 563 x 340 mm **7847 381** 795,00 €
- ▶ 450 x 563 x 340 mm* **7847 451** 850,00 €

Für Duschhandlaufoberkante **770 - 800 mm.**
For **770-800mm** top edge of shower handrail.

Cavere Einhängesitz, klappbar



- 380 x 563 x 340 mm,
450 x 563 x 340 mm,
- aus Aluminium,
- kratzfeste Pulverbeschichtung mit anti-bakteriellem Schutz (ausgenommen 091 Carbonschwarz), Register Information,
- lieferbar in den Cavere Farben,
- mit anthrazitfarbenem Polster aus PUR-Integralschaum,
- mit korrosionsfreiem durchgehendem Metallkern,
- mit wartungsfreier Bremse,
- arretiert in hochgeklapptem Zustand,
- Platz sparend, Ausladung 197 mm,
- zum Einhängen in Cavere Duschhandläufe, mit Höhe 780 mm,
- max. zul. Belastung: 150 kg,
- erfüllt die Anforderungen nach DIN 18040.

① *Passende Armlehne 7843 100, siehe Seite 32, kann auch nachgerüstet werden.

Cavere Suspendable lift-up shower seat

- 380 x 563 x 340mm,
450 x 563 x 340mm,
- made of aluminium,
- scratch-resistant powder coating with antibacterial protection (except 091 carbon black), see register information,
- available in Cavere colours,
- with padded seat, made of PUR integral foam, colour anthracite,
- with non-corrosive metal core throughout,
- with maintenance-free brake,
- locked in the upright position,
- space saving, space required in lift-up position 197mm from wall,
- can be suspended from Cavere shower handrails, with height 780mm,
- maximum loading permitted: 150kgs,
- meets the requirements of DIN 18040.

① * Suitable armrest 7843 100, see page 32; can also be added at a later stage.



Einhängesitz
Suspendable lift-up
shower seat

Code PG 7000

- ▶ 450 x 563 x 340 mm* **7847 456** 850,00 €


Für Duschhandlaufoberkante **770 - 800 mm.**
For **770-800mm** top edge of shower handrail.


Cavere Einhängesitz, klappbar, mit Hygieneaussparung

- 450 x 563 x 340 mm,
- weitere Beschreibung wie oben.

Cavere Suspendable lift-up shower seat, hygienic

- 450 x 563 x 340mm,
- further description see above.





Cavere Armlehne nachrüstbar

- 590 x 509 x 100 mm,
- aus Aluminium / Edelstahl,
- kratzfeste Pulverbeschichtung mit antibakteriellem Schutz (ausgenommen 091 Carbonschwarz), Register Information,
- lieferbar in den Cavere Farben,
- lange Armlehne bündig mit Vorderkante Sitzpolster,
- mit anthrazitfarbenem Polster aus PUR-Integralschaum,
- mit wartungsfreier, einstellbarer Bremse,
- arretiert in hochgeklapptem Zustand, Platz sparend, bündig mit der Rückenlehne,
- zum Nachrüsten an Cavere Einhängesitze.

Cavere Armrest, may be added at a later stage


- 590 x 509 x 100mm,
- made of aluminium / stainless steel,
- scratch-resistant powder coating with antibacterial protection (except 091 carbon black), see register information,
- available in Cavere colours,
- long armrests flush with front edge of padded seat,
- with padded seat, made of PUR integral foam, colour anthracite,
- with maintenance-free, adjustable brake,
- locked in the upright position, space saving, flush with backrest,
- can be added at a later stage to Cavere lift-up shower seats.

Armlehne nachrüstbar Armrest suspendable

Code

PG 7000

► 590 x 509 x 100 mm **7843 100** 224,00 €





Cavere Hocker

- 594 x 408 x 510 mm,
- Sitzhöhe 480 mm, Sitzbreite 450 mm, entspricht DIN 18040-1 und ÖNORM B 1600,
- Sitzpolster aus PUR-Integralschaum, Farbe schwarz oder hellgrau,
- mit zwei integrierten Haltegriffen,
- mit Hygieneaussparung und Wasserablauf,
- Hockerbeine mit kratzfester Pulverbeschichtung mit antibakteriellem Schutz (ausgenommen 091 Carbonschwarz), Register Information,
- lieferbar in den Cavere Farben,
- max. zul. Belastung: 150 kg.


Cavere Stool

- 594 x 408 x 510mm,
- seating height 480mm, width of seat 450mm, corresponding to German standard DIN 18040-1 and Austrian standard ÖNORM B1600,
- padded seat made of PUR integral foam, colour black or light grey,
- with two grips,
- with hygienic seat and water drain,
- stool legs with scratch-resistant powder coating with antibacterial protection (except 091 carbon black), see register information,
- available in Cavere colours,
- maximum loading permitted: 150kgs.

Hocker Stool

Code PG 7010

- | | | |
|--|-----------------|----------|
| ▶ 594 x 408 x 510 mm | 7844 345 | 390,00 € |
| Sitzpolster schwarz
padded seat, colour black | | |
| ▶ 594 x 408 x 510 mm | 7844 346 | 390,00 € |
| Sitzpolster hellgrau
padded seat, colour light grey | | |



Cavere Deckenabhängung

für Cavere Duschvorhangstangen auf folgenden Seiten.

- Länge 500 mm, 1000 mm,
- aus Aluminium, Ø 6 mm,
- kratzfeste Pulverbeschichtung mit antibakteriellem Schutz (ausgenommen 091 Carbonschwarz), Register Information,
- lieferbar in den Cavere Farben,
- für Anschlussgewinde an Rohr Ø 20 mm bis Oberkante Vorhangstange,
- Deckenanschluss mit axialer Befestigungsschraube,
- auf Maß kürzbar,
- verdeckte Verschraubung,
- Lieferung mit Edelstahl Torx-Schrauben Ø 6 x 70 mm und Dübeln für Vollbaustoffe.

Cavere Ceiling support

for Cavere shower curtain rails on the following pages.

- length 500mm, 1000mm,
- made of aluminium, 6mm dia.,
- scratch-resistant powder coating with antibacterial protection (except 091 carbon black), see register information,
- available in Cavere colours,
- for connection thread to rail 20mm dia. to upper edge of shower curtain rail,
- ceiling support with axial fixing screw,
- can be shortened,
- concealed screw fixing,
- supplied with 6mm dia. x 70mm stainless Torx screws and plugs for solid masonry.


① Weitere Maße auf Anfrage.
Verlängerung für abgehängte Decken auf Anfrage lieferbar.

① Further dimensions on request.
Connection for suspended ceiling available on request.

Deckenabhängung Ceiling support

Code PG 7010

- | | | |
|--------------|-----------------|---------|
| ▶ L= 500 mm | 7382 050 | 35,50 € |
| ▶ L= 1000 mm | 7382 060 | 53,00 € |





Cavere Duschvorhangstange mit Vorhangringen

- $a_1/a_2 = \dots$ mm, $\varnothing 20$ mm,
- beidseitig auf Maß kürzbar,
- aus Aluminium,
- kratzfeste Pulverbeschichtung mit antibakteriellem Schutz (ausgenommen 091 Carbonschwarz), Register Information,
- lieferbar in den Cavere Farben,
- mit Anschlussgewinde für Deckenabhangung,
- mit Vorhangringen zum Einhängen von Duschvorhängen in den Farben:
für Duschvorhangstange Farbe 092 mit Vorhangringen weiß (019),
für Duschvorhangstange Farbe 095 mit Vorhangringen dunkelgrau (018),
für Duschvorhangstange Farbe 096 mit Vorhangringen manhattan (067),
für Duschvorhangstange Farbe (091) mit Vorhangringen schwarz (016),
für Duschvorhangstange Farbe (093) mit Vorhangringenjasmin (065),
- Wandanschluss mit axialer Befestigungsschraube,
- verdeckte Verschraubung,
- Lieferung mit Edelstahl Torx-Schrauben $\varnothing 6 \times 70$ mm und Dübeln für Vollbaustoffe.


① Auf Anfrage in individuellen Längen lieferbar.
Deckenabhangung ist separat zu bestellen, siehe Seite 33.


Cavere Shower curtain rail with curtain rings

- $c/c_1-c/c_2 = \dots$ mm, 20mm dia.,
- can be shortened from both sides
- made of aluminium,
- scratch-resistant powder coating with antibacterial protection (except 091 carbon black), see register information,
- available in Cavere colours,
- with connection thread for ceiling support,
- with curtain rings for shower curtains to be suspended in colours:
for shower curtain rail colour 092 with curtain rings white (019),
for shower curtain rail colour 095 with curtain rings dark grey (018),
for shower curtain rail colour 096 with curtain rings manhattan (067),
for shower curtain rail colour (091) with curtain rings black (016),
for shower curtain rail colour (093) with curtain rings ivory (065),
- wall connection with axial fixing screw,
- concealed screw fixing,
- supplied with stainless steel Torx screws 6mm dia. x 70mm and plugs for solid masonry.


① Custom lengths available upon request.
Ceiling support to be ordered separately, see page 33.

Duschvorhangstange Shower curtain rail	Code	PG 7010
▶ $a_1/a_2 = 800$ mm mit 16 Vorhangringen with 16 curtain rings	7382 080	94,00 €
▶ $a_1/a_2 = 900$ mm mit 17 Vorhangringen with 17 curtain rings	7382 090	105,00 €
▶ $a_1/a_2 = 1000$ mm mit 17 Vorhangringen with 17 curtain rings	7382 100	116,00 €
▶ $a_1/a_2 = 1100$ mm mit 19 Vorhangringen with 19 curtain rings	7382 110	128,00 €
▶ $a_1/a_2 = 1200$ mm mit 21 Vorhangringen with 21 curtain rings	7382 120	139,00 €
▶ $a_1/a_2 = 1300$ mm mit 23 Vorhangringen with 23 curtain rings	7382 130	149,00 €
▶ $a_1/a_2 = 1400$ mm mit 23 Vorhangringen with 23 curtain rings	7382 140	161,00 €
▶ $a_1/a_2 = 1500$ mm mit 25 Vorhangringen with 25 curtain rings	7382 150	171,00 €






Farbe/colour 019



Farbe/colour 051



Farbe/colour 052



Farbe/colour 054



Farbe/colour 059

Duschvorhang

- Höhe 2000 mm, Breite ... mm,
- für Duschvorhangstange 7382...
- **aus 100% Polyester, dauerhaft antibakteriell, fungizid, lieferbar in:**
 - **Farbe 019:** weiß mit Struktur,
 - **Farbe 051:** weiß mit ovalem Dekor,
 - **Farbe 052:** grau mit ovalem Dekor,
 - **Farbe 054:** weiß mit Diagonalstreifen.
- **Ausführung Duschvorhang schwer entflammbar,**
 - **Farbe 059: weiß aus Trevira CS,**
 - fungizid,
 - Baustoffklasse B1 DIN 4102 schwer entflammbar,
- bis 40 Grad waschbar, geeignet zur Desinfektion bis 60 Grad,
- schnelltrocknend, wasserabweisend,
- mit vernickelten Messing-Ösen für Vorhangringe,
- mit umlaufendem Saum und eingearbeitetem beschichtetem Bleiband,
- weitere Maße auf Anfrage.

① Vergrößerte Abbildung der Duschvorhänge siehe .


Muster der Stoffdekore halten wir bereit, bitte anfordern.




Shower curtain


- height 2000mm, width ... mm,
- for shower curtain rail 7382...
- **made of 100% polyester, long-lasting antibacterial, fungicidal, available in:**
 - **colour 019:** white with structure,
 - **colour 051:** white with oval pattern,
 - **colour 052:** grey with oval pattern,
 - **colour 054:** white with diagonal stripes.
- **shower curtain type flame retardant**
 - **colour 059: white, material Trevira CS,**
 - fungicidal,
 - building material category B1, DIN 4102, flame retardant,
- till 40°C washable, suitable for disinfection, up to 60°C,
- quick drying and water repellent,
- with nickel-plated brass eyelets for curtain rings,
- hemmed and with a sewn in coated lead band,
- further dimensions on request.

① Please refer for description of shower curtains.

We stock samples, please contact us to request them.



Duschvorhangstange Shower curtain rail a ₁ /a ₂	Ösen- anzahl Eyelets	Bezeichnung Product description	Bestell-Nr. Product code PG1900	 019	 051	 052	 054	 059
800 mm	15	2100 x 2000 mm	0787 340 ...	102,00 €	120,00 €		245,00 €	245,00 €
900 mm	16	2400 x 2000 mm	0787 350 ...	105,00 €	125,00 €		273,00 €	273,00 €
1000 mm	16	2400 x 2000 mm	0787 350 ...	105,00 €	125,00 €		273,00 €	273,00 €
1100 mm	18	2700 x 2000 mm	0787 360 ...	112,00 €	134,00 €		303,00 €	303,00 €
1200 mm	20	3000 x 2000 mm	0787 370 ...	117,00 €	141,00 €		334,00 €	334,00 €
1300 mm	22	3300 x 2000 mm	0787 380 ...	126,00 €	152,00 €		363,00 €	363,00 €
1400 mm	22	3300 x 2000 mm	0787 380 ...	126,00 €	152,00 €		363,00 €	363,00 €
1500 mm	24	3600 x 2000 mm	0787 390 ...	135,00 €	162,00 €		394,00 €	394,00 €



Duschvorhangstange Shower curtain rail

Code PG 7010

► $a_1/a_2 = 900$ mm mit 28 Vorhangringen with 28 curtain rings	7382 320	220,00 €
► $a_1/a_2 = 1000$ mm mit 28 Vorhangringen with 28 curtain rings	7382 330	230,00 €
► $a_1/a_2 = 1100$ mm mit 30 Vorhangringen with 30 curtain rings	7382 340	240,00 €
► $a_1/a_2 = 1200$ mm mit 34 Vorhangringen with 34 curtain rings	7382 350	250,00 €
► $a_1/a_2 = 1300$ mm mit 36 Vorhangringen with 36 curtain rings	7382 360	260,00 €
► $a_1/a_2 = 1400$ mm mit 36 Vorhangringen with 36 curtain rings	7382 370	270,00 €
► $a_1/a_2 = 1500$ mm mit 40 Vorhangringen with 40 curtain rings	7382 380	280,00 €

Cavere Duschvorhangstange mit Vorhangringen


- $a_1/a_2 = \dots$ mm, $\varnothing 20$ mm,
- beidseitig auf Maß kürzbar,
- aus Aluminium,
- kratzfeste Pulverbeschichtung mit antibakteriellem Schutz (ausgenommen 091 Carbonschwarz), Register Information,
- lieferbar in den Cavere Farben,
- mit zwei Anschlussgewinden für Deckenabhängungen,
- mit Vorhangringen zum Einhängen von Duschvorhängen in den Farben:
für Duschvorhangstange Farbe 092 mit Vorhangringen weiß (019),
für Duschvorhangstange Farbe 095 mit Vorhangringen dunkelgrau (018),
für Duschvorhangstange Farbe 096 mit Vorhangringen manhattan (067),
für Duschvorhangstange Farbe (091) mit Vorhangringen schwarz (016),
für Duschvorhangstange Farbe (093) mit Vorhangringenjasmin (065),
- Wandanschluss mit axialer Befestigungsschraube,
- verdeckte Verschraubung,
- Lieferung mit Edelstahl Torx-Schrauben $\varnothing 6 \times 70$ mm und Dübeln für Vollbaustoffe.



❗ Auf Anfrage in individuellen Längen lieferbar.
Deckenabhängung ist separat zu bestellen, siehe Seite 33.

Cavere Shower curtain rail with curtain rings


- $c/c_1-c/c_2 = \dots$ mm, 20mm dia.,
- can be shortened from both sides
- made of aluminium,
- scratch-resistant powder coating with antibacterial protection (except 091 carbon black), see register information,
- available in Cavere colours,
- with two connection threads for ceiling suspension,
- with curtain rings for shower curtains to be suspended in colours:
for shower curtain rail colour 092 with curtain rings white (019),
for shower curtain rail colour 095 with curtain rings dark grey (018),
for shower curtain rail colour 096 with curtain rings manhattan (067),
for shower curtain rail colour (091) with curtain rings black (016),
for shower curtain rail colour (093) with curtain rings ivory (065),
- wall connection with axial fixing screw,
- concealed screw fixing,
- supplied with stainless steel Torx screws 6mm dia. x 70mm and plugs for solid masonry.

❗ Custom lengths available upon request.
Ceiling support to be ordered separately, see page 33.






Farbe/colour 019




Farbe/colour 051



Farbe/colour 052



Farbe/colour 054



Farbe /colour 059

Duschvorhang, 2-teilig





- Höhe 2000 mm, Breite ... mm,
- für Duschvorhangstange 7382 3..,
- **aus 100% Polyester, dauerhaft antibakteriell, fungizid, lieferbar in:**
 - **Farbe 019:** weiß mit Struktur,
 - **Farbe 051:** weiß mit ovalem Dekor,
 - **Farbe 052:** grau mit ovalem Dekor,
 - **Farbe 054:** weiß mit Diagonalstreifen,
- **Ausführung Duschvorhang schwer entflammbar,**
 - **Farbe 059: weiß aus Trevira CS,**
 - fungizid,
 - Baustoffklasse B1, DIN 4102, schwer entflammbar,
- bis 40 Grad waschbar, geeignet zur Desinfektion bis 60 Grad,
- schnelltrocknend, wasserabweisend,
- mit vernickelten Messing-Ösen für Vorhänge,
- mit umlaufendem Saum und eingearbeitetem beschichtetem Bleiband,
- weitere Maße auf Anfrage.

① Vergrößerte Abbildung der Duschvorhänge siehe Register .
Muster der Stoffdekore halten wir bereit, bitte anfordern.

Shower curtain, 2 parts

- height 2000mm, width ... mm,
- for shower curtain rail 7382 3..,
- **made of 100% polyester, long-lasting antibacterial, fungicidal, available in:**
 - **colour 019:** white with structure,
 - **colour 051:** white with oval pattern,
 - **colour 052:** grey with oval pattern,
 - **colour 054:** white with diagonal stripes,
- **shower curtain type flame retardant**
 - **colour 059 white, material Trevira CS,**
 - fungicidal,
 - building material category B1, DIN 4102, flame retardant,
- till 40°C washable, suitable for disinfection, up to 60°C,
- quick drying and water repellent,
- with nickel-plated brass eyelets for curtain rings,
- hemmed and with a sewn in coated lead band,
- further dimensions on request.

① Please refer register for description of shower curtains.
We stock samples, please contact us to request them.

Duschvorhangstange Shower curtain rail a ₁ /a ₂ / c/c ₁ - c/c ₂	Ösen- anzahl Eyelets	Bezeichnung Product description Teil 1 / Teil 2 x 2000 mm Part 1 / part 2 x 2000 mm	Bestell-Nr. Product code PG 1900	 019	 051	 052	 054	 059
800 mm	24	1200/2100 x 2000 mm	0787 610 ...	175,00 €	211,00 €	397,00 €	397,00 €	
900 mm	27	1200/2400 x 2000 mm	0787 620 ...	180,00 €	216,00 €	429,00 €	429,00 €	
1000 mm	27	1500/2400 x 2000 mm	0787 630 ...	190,00 €	226,00 €	457,00 €	457,00 €	
1100 mm	29	1500/2700 x 2000 mm	0787 640 ...	198,00 €	235,00 €	487,00 €	487,00 €	
1200 mm	33	1800/3000 x 2000 mm	0787 650 ...	214,00 €	257,00 €	549,00 €	549,00 €	
1300 mm	35	1800/3300 x 2000 mm	0787 660 ...	220,00 €	266,00 €	578,00 €	578,00 €	
1400 mm	35	1800/3300 x 2000 mm	0787 660 ...	220,00 €	266,00 €	578,00 €	578,00 €	
1500 mm	39	2100/3600 x 2000 mm	0787 670 ...	230,00 €	278,00 €	635,00 €	635,00 €	



Duschvorhangstange Shower curtain rail

Code PG 7010

► L= 500 - 1000 mm **7382 220** 116,00 €
Anzahl der Vorhangringe siehe Tabelle
Please refer to table for number of curtain rings


► L= 1001 - 1500 mm **7382 230** 144,00 €
Anzahl der Vorhangringe siehe Tabelle
Please refer to table for number of curtain rings

► L= 1501 - 2200 mm **7381 240** 191,00 €
Anzahl der Vorhangringe siehe Tabelle
Please refer to table for number of curtain rings

Cavere Duschvorhangstange mit Vorhangringen

- Länge 500 - 1500 mm, Ø 20 mm, Länge 1501 - 2200 mm, Ø 32 mm,
- auf Maß kürzbar,
- aus Aluminium,
- *L = 2200 mm, aus Edelstahl, Werkstoff Nr. 1.4301 (A2, AISI 304),
- kratz feste Pulverbeschichtung mit antibakteriellem Schutz (ausgenommen 091 Carbonschwarz), Register Information,
- lieferbar in den Cavere Farben,
- mit Vorhangringen zum Einhängen von Duschvorhängen in den Farben:
für Duschvorhangstange Farbe 092 mit Vorhangringen weiß (019),
für Duschvorhangstange Farbe 095 mit Vorhangringen dunkelgrau (018),
für Duschvorhangstange Farbe 096 mit Vorhangringen manhattan (067),
für Duschvorhangstange Farbe (091) mit Vorhangringen schwarz (016),
für Duschvorhangstange Farbe (093), mit Vorhangringen jasmín (065),
- für Duschvorhangstange Ø 20 mm : Wandanschluss mit axialer Befestigungsschraube,
- Duschvorhangstange Ø 32 mm: mit Rosetten Ø 70 mm für verdeckte Verschraubung,
- Lieferung mit Edelstahl Torx-Schrauben Ø 6 x 70 mm und Dübeln für Vollbaustoffe.

❶ Anschlussgewinde für Deckenabhängung auf Anfrage.



Cavere Shower curtain rail with curtain rings

- length 500 - 1500mm, 20mm dia., length 1501 - 2200mm, 32mm dia.
- can be shortened,
- made of aluminium,
- *L = 2200mm, made of stainless steel, material No. 1.4301 (A2, AISI 304),
- scratch-resistant powder coating with antibacterial protection (except 091 carbon black), see register information,
- available in Cavere colours,
- with curtain rings for shower curtains to be suspended in colours:
for shower curtain rail colour 092 with curtain rings white (019),
for shower curtain rail colour 095 with curtain rings dark grey (018),
for shower curtain rail colour 096 with curtain rings manhattan (067),
for shower curtain rail colour (091) with curtain rings black (016),
for shower curtain rail colour (093) with curtain rings ivory (065),
- wall connection with axial fixing screw for shower curtain rail 20mm dia.,
- with roses 70mm dia. for concealed screw fixing, shower curtain rail 32mm dia.,
- supplied with stainless steel Torx screws 6mm dia. x 70mm and plugs for solid masonry.

❶ Connection thread for ceiling support available upon request.



Vorhangring Curtain ring

Code PG 1500

für Duschvorhangstange **7382 ...**, Ø 20 mm
for shower curtain rail **7382 ...**, 20mm dia.

► 46 x 8 mm **0361 330** 2,35 €
46 x 8 mm **4361 330** 2,65 €
Antibac

für Duschvorhangstange **7381 ...**, Ø 32 mm
for shower curtain rail **7381 ...**, 32mm dia.


► 58 x 8 mm **0361 430** 2,35 €
58 x 8 mm **4361 430** 2,65 €
Antibac



Vorhangring

- 46 x 8 mm, 58 x 8 mm,
- für Duschvorhangstangen Ø 20, Ø 32 mm,
- aus Nylon, optional mit antibakteriellem Schutz, siehe Register Information,
- in NORMBAU-Farben 016, 018, 019, 065 und 067.


Curtain ring

- 46 x 8mm, 58 x 8mm,
- for shower curtain rail 20, 32mm dia.,
- made of Nylon, on request with antibacterial protection, see register information,
- available in NORMBAU colours 016, 018, 019, 065 and 067.






Farbe/colour 019




Farbe/colour 051



Farbe/colour 052



Farbe/colour 054



Farbe/colour 059

Duschvorhang


- Höhe 2000 mm, Breite ... mm,
- für Duschvorhangstange 7382...
- **aus 100% Polyester, dauerhaft antibakteriell, fungizid, lieferbar in:**
 - **Farbe 019:** weiß mit Struktur,
 - **Farbe 051:** weiß mit ovalem Dekor,
 - **Farbe 052:** grau mit ovalem Dekor,
 - **Farbe 054:** weiß mit Diagonalstreifen.
- **Ausführung Duschvorhang schwer entflammbar,**
 - **Farbe 059: weiß aus Trevira CS,**
 - fungizid,
 - Baustoffklasse B1 DIN 4102 schwer entflammbar,
- bis 40 Grad waschbar, geeignet zur Desinfektion bis 60 Grad,
- schnelltrocknend, wasserabweisend,
- mit vernickelten Messing-Ösen für Vorhangringe,
- mit umlaufendem Saum und eingearbeitetem beschichtetem Bleiband,
- weitere Maße auf Anfrage.

① Vergrößerte Abbildung der Duschvorhänge siehe . Muster der Stoffdekore halten wir bereit, bitte anfordern.


Shower curtain

- height 2000mm, width ... mm,
- for shower curtain rail 7382...
- **made of 100% polyester, long-lasting antibacterial, fungicidal, available in:**
 - **colour 019:** white with structure,
 - **colour 051:** white with oval pattern,
 - **colour 052:** grey with oval pattern,
 - **colour 054:** white with diagonal stripes.
- **Shower curtain type flame retardant**
 - **colour 059: white, material Trevira CS,**
 - fungicidal,
 - building material category B1, DIN 4102, flame retardant,
- till 40°C washable, suitable for disinfection, up to 60°C,
- quick drying and water repellent,
- with nickel-plated brass eyelets for curtain rings,
- hemmed and with a sewn in coated lead band,
- further dimensions on request.

① Please refer for description of shower curtains. We stock samples, please contact us to request them.



Duschvorhangstange Shower curtain rail	Ösen- anzahl Eyelets	Bezeichnung Product description	Bestell-Nr. Product code PG 1900					
500 - 910 mm	9	1200 x 2000 mm	0787 310 ...	74,00 €	90,00 €		155,00 €	155,00 €
911 - 1180 mm	11	1500 x 2000 mm	0787 320 ...	85,50 €	103,00 €		184,00 €	184,00 €
1181 - 1450 mm	13	1800 x 2000 mm	0787 330 ...	95,50 €	115,00 €		212,00 €	212,00 €
1451 - 1730 mm	15	2100 x 2000 mm	0787 340 ...	102,00 €	120,00 €		245,00 €	245,00 €
1731 - 2000 mm	16	2400 x 2000 mm	0787 350 ...	105,00 €	125,00 €		273,00 €	273,00 €
2001 - 2200 mm	18	2700 x 2000 mm	0787 360 ...	112,00 €	134,00 €		303,00 €	303,00 €



...mit Grundplatte
...with base plate



...ohne Grundplatte
...without base plate

Duschspritzschutz vario, einhängbar Shower guard rail vario, suspendable

mit Grundplatte with base plate	Code	PG 7000
► L = 850 mm	7447 030	422,00 €
ohne Grundplatte without base plate		
► L = 850 mm	7447 130	394,00 €

Cavere Duschspritzschutz vario, einhängbar



- Länge 850 mm,
- aus Aluminium,
- kratzfeste Pulverbeschichtung mit antibakteriellem Schutz (ausgenommen 091 Carbonschwarz), Register Information,
- lieferbar in den Cavere Farben,
- mit trigonometrischer Griffkontur zum ergonomischen Abstützen und Greifen,
- Wandhalterung mit weichen Kanten fügt sich harmonisch in das trigonometrische Design der Griffkontur,
- platzsparend durch zentrische Lagerkonsole,
- links und rechts einsetzbar,
- mit robuster und wartungsfreier Gleitlagertechnik,
- mit einstellbarer Bremse,
- einfache Montage oder Demontage durch Einhängen in die Grundplatte vario,
- Grundplatte aus Edelstahl,
- auch als Stützklappgriff einsetzbar,
- verdeckte Verschraubung,
- belastbar nach DIN 18040 1-2,
- max. zul. Belastung: 100 kg,
- nach ÖNORM B1600,
- Lieferung mit Innensechskantschlüssel.

① Das Montageset ist entsprechend der Wandbeschaffenheit festzulegen und separat zu bestellen, siehe Seite 42.

Cavere Shower guard rail vario, suspendable

- length 850mm,
- made of aluminium,
- scratch-resistant powder coating with antibacterial protection (except 091 carbon black), see register information,
- available in Cavere colours,
- with trigonometric contour for ergonomic support and grip,
- flat wall bracket with soft edges, blends harmoniously into the trigonometric design of the handle contour,
- space saving due to centric bearing bracket,
- left or right hand application,
- with robust and maintenance-free slide bearing technology,
- with adjustable brake,
- easy installation or dismantling due to connecting to base plate,
- base plate made of stainless steel,
- can also be used as a lift-up support rail,
- concealed fixing screws,
- loading to German standard DIN 18040-1-2,
- maximum loading permitted: 100kgs,
- according to Austrian standard ÖNORM B1600,
- supplied with allen key.

① The fixing set should be ordered separately to suit the type of wall, see page 42.



Duschspritzschutz Shower guard rail	Code	PG 7000
► 135 x 30 x 845 mm	7500 581	188,00 €

Cavere Duschspritzschutz, einhängbar


- 135 x 30 x 845 mm,
- aus Aluminium,
- kratzfeste Pulverbeschichtung mit antibakteriellem Schutz (ausgenommen 091 Carbonschwarz), Register Information,
- lieferbar in den Cavere Farben,
- zum Einhängen in Cavere Duschhandläufe,
- horizontale Neigung einstellbar.



① Der Duschspritzschutz 7500 581 ist nicht als Stützgriff einsetzbar.

Cavere Suspendable shower guard rail


- 135 x 30 x 845mm,
- made of aluminium,
- scratch-resistant powder coating with antibacterial protection (except 091 carbon black), see register information,
- available in Cavere colours,
- can be suspended from Cavere shower handrails,
- horizontal inclination adjustable.

① The shower guard rail 7500 581 is not suitable as a support rail.






Farbe/colour 019




Farbe/colour 051



Farbe/colour 052



Farbe/colour 054



Farbe/colour 059

Duschspritzschutzhvorhang

- 605 x 715 mm, 605 x 615 mm, für Duschspritzschutz 7447 030, 7447 130,
- 700 x 850 mm, 700 x 750 mm, für Duschspritzschutz 7500 581, einhängbar
- mit durchgehendem Klettverschluss,
- **aus 100% Polyester, dauerhaft antibakteriell fungizid, lieferbar in:**
 - **Farbe 019:** weiß mit Struktur,
 - **Farbe 051:** weiß mit ovalem Dekor,
 - **Farbe 052:** grau mit ovalem Dekor,
 - **Farbe 054:** weiß mit Diagonalstreifen.
- **Ausführung Duschvorhang schwer entflammbar,**
 - **Farbe 059: weiß aus Trevira CS,**
 - fungizid,
 - Baustoffklasse B1 DIN 4102 schwer entflammbar,
- bis 40 Grad waschbar, geeignet zur Desinfektion bis 60 Grad,
- schnelltrocknend und wasserabweisend,
- weitere Maße auf Anfrage.

① Vergrößerte Abbildung der Duschvorhänge siehe ↗,


Muster der Stoffdekore halten wir bereit, bitte anfordern.


Shower guard curtain

- 605 x 715mm, 605 x 615mm for shower guard rail 7447 030, 7447 130,
- 700 x 850mm, 700 x 750mm, for suspendable shower guard rail 7500 581,
- with full-length velcro fastening,
- **made of 100% polyester, antibacterial fungicide, available in:**
 - **colour 019:** white with structure,
 - **colour 051:** white with oval pattern,
 - **colour 052:** grey with oval pattern,
 - **colour 054:** white with diagonal stripes.
- **shower curtain type flame retardant**
 - **colour 059: white, material Trevira CS,**
 - fungicidal,
 - building material category B1, DIN 4102, flame retardant,
- till 40°C washable, suitable for disinfection, up to 60°C,
- quick drying, water repellent,
- further dimensions on request.

① Please refer ↗ for description of shower curtains,



We stock samples, please contact us to request them.



für Duschspritzschutz vario /
for shower guard rail vario:

7447 030 / 7447 130

für Duschspritzschutz /
for shower guard rail:


7500 581

Passend für Duschspritzschutz Suitable for shower guard rail	Bezeichnung/Maße Product description/ Measurements	Bestell-Nr. Product code	019	051	052	054	059
		PG 1900					
7447 030 7447 130	605 x 715 mm	0787 051 ...	56,00 €	59,00 €		108,00 €	108,00 €
7500 581	700 x 850 mm	0787 052 ...	56,00 €	59,00 €		108,00 €	108,00 €
7447 030 7447 130	Ö-NORM 605 x 615 mm	0787 056 ...	56,00 €	59,00 €		108,00 €	108,00 €
7500 581	Ö-NORM 700 x 750 mm	0787 057 ...	56,00 €	59,00 €		108,00 €	108,00 €

Weitere Informationen unter Register  More information see register 	Wand und Wandbeschaffenheit / Wall and wall substance				
	Mauerwerk aus Vollsteinen Brickwork made of full brick	Mauerwerk aus Lochsteinen Brickwork made of perforated brick	Vorwandinstallation Fixing in front of the wall with panels		
	– Beton ≥ B 15 – Vollziegel ≥ Mz 12 – Kalksand - Vollstein ≥ KS 12 – Naturstein mit dichtem Gefüge – Vollbims – Concrete ≥ B 15 – solid brick ≥ Mz 12 – sand-lime brick-solid brick ≥ KS 12 – natural stone with compact grain – solid pumice	– Kalksandlochstein KSL ≥ 12 – Hochlochziegel HLz ≥ 12 – Hohlblockstein ≥ Hbl4, Hbn4 – andere Lochsteine – cavity brick KSL ≥ 12 – Perforated brick HLz ≥ 12 – checker brick ≥ Hbl4, Hbn4 – other hollow brick material	Befestigungsplatte aus mehrschichtverleimtem Holz panels and integrated mounting plate made of hardwood	Befestigungsplatte aus Stahl integrated mounting plate made of steel	ohne Hinterfüllung without backfill
	Montageset / Fixing Set 7470 030 20,25 €  Duschspritzzschutz vario, einhängbar Showerguard rail vario, suspendable  Wandstützgriff vario, einhängbar Wall support rail, vario, suspendable  Grundplatte mit Blindabdeckung vario, einhängbar Base plate with cover plate blind vario, suspendable	Montageset / Fixing Set 7470 040 76,00 € mit Injektions-Kartusche* with injection-cartridge* Montageset / Fixing Set 7470 050 35,50 € ohne Injektions-Kartusche without injection-cartridge	Montageset / Fixing Set 7470 010 17,00 € 7470 020 15,00 €		
	1 Set 1 Set	1 Set 1 Set	1 Set 1 Set	1 Set 1 Set	
Montageplatte zur Befestigung von – Wand-/Stützklappgriffe, – Duschspritzzschutz Mounting plate for fixing – Wall / Lift-up supports, – Showerguard rail					Montageplatte Fixing plate 200 x 850 mm 7448 481 308,00 € 1 Set



...mit Grundplatte
...with base plate



...ohne Grundplatte
...without base plate

Wandstützgriff vario, einhängbar Wall support rail vario, suspendable

mit Grundplatte
with base plate

	Code	PG 7000
▶ L = 600 mm	7467 010	256,00 €
▶ L = 725 mm	7467 020	273,00 €
▶ L = 850 mm	7467 030	287,00 €

ohne Grundplatte
without base plate

▶ L = 600 mm	7467 110	228,00 €
▶ L = 725 mm	7467 120	246,00 €
▶ L = 850 mm	7467 130	259,00 €

Cavere Wandstützgriff vario, einhängbar


- Länge 600, 725 und 850 mm,
- aus Aluminium,
- kratzfeste Pulverbeschichtung mit antibakteriellem Schutz (ausgenommen 091 Carbonschwarz), Register Information,
- lieferbar in den Cavere Farben,
- mit trigonometrischer Griffkontur zum ergonomischen Abstützen und Greifen,
- Wandhalterung mit weichen Kanten fügt sich harmonisch in das trigonometrische Design der Griffkontur,
- links und rechts einsetzbar,
- einfache Montage und Demontage durch Einhängen in die Grundplatte vario,
- Grundplatte aus Edelstahl,
- nachrüstbar mit Papierrollenhalter 7449 110,
- Länge 850 mm entspricht ÖNORM B1600,
- max. zul. Belastung: 100 kg,
- erfüllt die Anforderungen nach DIN 18040,
- Lieferung mit Innensechskantschlüssel.

① Das Montageset ist entsprechend der Wandbeschaffenheit festzulegen und separat zu bestellen, für den Gebrauch im WC-Bereich kann auch ein nachrüstbarer Papierrollenhalter bestellt werden.
Wandstützgriffe vario sind geeignet für häufige Montage und Demontage (z.B. Hotels und Rehabilitationskliniken).
Wandstützgriffe vario, einhängbar **ohne** Grundplatte für den nachträglichen Einbau an die bereits installierte Grundplatte.

Cavere Wall support rail vario, suspendable

- length 600, 725 and 850mm,
- made of aluminium,
- scratch-resistant powder coating with antibacterial protection (except 091 carbon black), see register information,
- available in Cavere colours,
- with trigonometric contour for ergonomic support and grip,
- flat wall bracket with soft edges, blends harmoniously into the trigonometric design of the handle contour,
- left or right hand applicable,
- easy installation or dismantling due to connecting to base plate,
- base plate made of stainless steel,
- can be fitted with paper roll holder 7449 110,
- 850mm length according to Austrian standard ÖNORM B1600,
- maximum loading permitted: 100kgs,
- meets the requirements of DIN 18040,
- supplied with allen key.

① The fixing set should be ordered separately to suit the type of wall, a retrofittable toilet roll holder can be ordered for use in the WC area.
The suspendable wall support rail vario is suitable for regular fitting and removal (e.g. hotels and rehab clinics).
The suspendable wall support rail vario **without** base plate for retrofitting on an already installed base plate.





Cavere Kippspiegel

- 590 x 500 mm,
- mit seitlichen Haltestützen und Bediengriff aus Edelstahl, Werkstoff Nr. 1.4401 (A4, AISI 316),
- kratzfeste Pulverbeschichtung mit antibakteriellem Schutz (ausgenommen 091 Carbonschwarz), Register Information,
- mit Kippelement, in den Cavere Farben,
- Kristallspiegel mit geschliffenen Kanten und abgerundeten Ecken, auf Trägerplatte aus Metall, Neigung bis 25° stufenlos verstellbar,
- die Verstellkraft kann reguliert werden,
- mit Rosetten Ø 70 mm für verdeckte Verschraubung, Rosettenunterteile und Schrauben aus Edelstahl,
- Lieferung mit Edelstahl Torx-Schrauben Ø 6 x 70 mm und Dübeln für Vollbaustoffe.

❶ Nachrüstbare Spiegelleuchte, siehe Seite 45.

Cavere Adjustable mirror



- 590 x 500mm,
- with brackets and operating handle made of stainless steel, material No. 1.4401 (A4, AISI 316),
- scratch-resistant powder coating with antibacterial protection, see register information,
- with adjustable part available in Cavere colours,
- adjustable mirror with cut edges and rounded corners, mounted on steel base plate, adjustable up to 25°,
- tilting action adjustable,
- with roses 70mm dia. for concealed screw fixing, stainless steel rose inners and screws,
- supplied with 6mm dia. x 70mm stainless Torx screws and plugs for solid masonry.

❶ Lamp, may be added at a later stage, see page 45.

Kippspiegel Adjustable mirror

Code PG 7010

► 590 x 500 mm **7466 112** 565,00 €



Spiegel

- Breite 600 mm, Höhe 600, 1000 mm,
- aus Floatglas 5 mm,
- eckig, polierte Kanten.

Cavere Spiegelhalter

- 50 x 69 x 25 mm,
- aus Aluminium,
- kratzfeste Pulverbeschichtung mit antibakteriellem Schutz (ausgenommen 091 Carbonschwarz), Register Information,
- lieferbar in den Cavere Farben,
- für die Aufnahme von Spiegeln mit einer Stärke von 4 - 6 mm,
- Spiegelhalterset bestehend aus 4 Klemmhaltern,
- mit Rutschsicherung für Spiegel,
- verdeckte Verschraubung,
- Lieferung mit Edelstahl Torx-Schrauben Ø 5 x 60 mm und Dübeln für Vollbaustoffe.

Mirror

- width: 600mm, height: 600, 1000mm,
- made of float glass 5mm,
- angular, polished edges.

Cavere Mirror holder

- 50 x 69 x 25mm,
- made of aluminium,
- scratch-resistant powder coating with antibacterial protection, see register information,
- available in Cavere colours,
- for mirrors up to 4 - 6mm thickness,
- set consisting of 4 holders,
- with prevention for sliding of mirror,
- concealed screw fixing,
- supplied with stainless steel Torx screws 5mm dia. x 60mm and plugs for solid masonry.

Spiegel Mirror

Code PG 1500


► 600 x 600 mm **0514 150** 93,00 €


► 600 x 1000 mm **0514 170** 110,00 €

Spiegelhalter Mirror holder

Code PG 7010

► 50 x 69 x 25 mm **7500 200** 32,25 €
Set bestehend aus 4 Spiegelhalter
set consisting of 4 mirror holders





Bedienhebel, nachrüstbar

- Ø 10 mm, aus Edelstahl, Werkstoff Nr. 1.4401 (A4, AISI 316),
- Oberfläche fein matt,
- Griff aus Nylon, optional mit antibakteriellem Schutz, Register Information,
- erhältlich in den NORMBAU-Farben,
- nachrüstbar für Kippspiegel der Serie NY.466...,
- seitlich schwenkbar mit einstellbarer Klemmkraft,
- links und rechts montierbar,
- Bedienhebel geeignet für Waschbecken mit Vorwandmontage bis 150 mm Tiefe.

Operating handle, may be added at a later stage

- 10mm dia., made of stainless steel, material Nr. 1.4401 (A4, AISI 316),
- brushed finish,
- handle made of Nylon, on request with antibacterial protection, see register information,
- available in NORMBAU colours,
- for supplement of adjustable mirror series NY.466...,
- lateral tilting with adjustable friction hold,
- left and right hand application,
- suitable for wash basins mounted to walls projecting up to 150mm.


① Sonderanfertigungen auf Anfrage möglich.

① Other sizes available on request.

Bedienhebel Operating handle

Code PG 2000

► NY.466.450	0466 450	117,00 €
NY.466.455 Antibac	4466 450	130,00 €



Spiegelleuchte, nachrüstbar

- 408 x 108 x 40 mm,
- aus Aluminium,
- 8 Watt 220 - 230 V input, Leuchtmittel LED,
- Nennlichtstrom: 600 lm,
- Schutzart IP44, spritzwassergeschützt,
- mit Anschlussgehäuse,
- Leuchte zum nachträglichen Ankleben auf Spiegel bis 6 mm Stärke.


Lamp, may be added at later stage

- 408 x 108 x 40mm,
- made of aluminium,
- 8 Watt 220 - 230 V input, LED lamp,
- nominal luminous flux: 600lm,
- splashproof, protective system IP44,
- with connector housing,
- lamp can be clamped at a later stage to mirrors with a thickness up to 6mm.

Spiegelleuchte Lamp

Code PG 0700

► 408 x 108 x 40mm	0300 669	93,50 €
--------------------	-----------------	---------



Spiegelleuchte, nachrüstbar

- 220 mm, Ø 36 mm,
- 2 x 40 Watt G 9 - 230 V,
- spritzwassergeschützt, Schutzart IP44,
- Metallgehäuse in Edelstahloptik,
- Glasabdeckung weiß oder transparent,
- mit Anschlusskabel, Kabellänge 1,2 m und Anschlußgehäuse,
- Leuchte zum nachträglichen Ankleben auf Spiegel bis 6 mm Stärke.


Lamp, may be added at later stage

- 220mm, 36mm dia.,
- 2 x 40 Watt G 9 - 230 V,
- splashproof, protective system IP44,
- metal casing with stainless steel look,
- glass finish white or transparent,
- with service cable, length of the cable 1,2 m and terminal housing,
- lamp can be clamped at a later stage to mirrors with a thickness up to 6mm.

Spiegelleuchte Lamp

Code PG 0700

► L = 220 mm	0300 666	200,00 €
--------------	-----------------	----------





Waschbecken Wash basin

Code PG 7010

mit Hahnloch
with tape hole

► 600 x 550 mm **7530 600** 557,00 €

ohne Hahnloch
without tape hole

► 600 x 550 mm **7530 610** 557,00 €

(Lieferzeit 4-6 Wochen)
(Delivery time 4-6 weeks)

Waschbecken

- 600 x 550 mm (B x T),
- aus Mineralguss, matt glänzend, mit porenfreier Oberfläche,
- Farbe weiß,
- ergonomisches Innenbecken mit breitem Frontbereich,
- weiche Radien und geraden Flächen zur angenehmen Armauflage,
- mit zwei integrierten Haltegriffen zum Greifen und Heranziehen bzw. als Handtuchhalter nutzbar,
- Frontkontur zum Heranziehen nutzbar,
- mit Ablagefläche für Badutensilien,
- ohne Überlauf,
- mit oder ohne Hahnloch,
- für Stockschraubenbefestigung,
- unterfahrbar nach DIN 18040 und ÖNORM B 1600/1601,
- belastbar 150 kg nach DIN EN 14688,
- CE-Kennzeichnung nach Bauproduktenverordnung Nr. 305/2011.

❗ Ohne Armatur und Siphon

Reparaturset zum Ausbessern von Beschädigungen auf Anfrage lieferbar.

Waschbecken Überlauf

als Überlauf können am Cavere Waschbecken folgende Systeme nachgerüstet werden:
Geberit, Ab- und Überlaufventil "Clou"
Viega, Ab- und Überlaufventil "5420.1".

Wash basin


- 600 x 550mm (W x H),
- mineral cast, matt and nonporous surface,
- clour white,
- ergonomically shaped basin with wide front area,
- rounded edges and smooth surface pleasant to put the arms on it,
- with two integrated openings for grip, may also be used as towel holder,
- storage space for items,
- a person in a wheelchair can use the front part of the wash basin to pull oneself,
- without hole against overflow,
- with or without tape hole,
- with hanger bolt fixing,
- wheelchair access according to German standard DIN 18040 and Austrian standard ÖNORM B 1600/1601,
- loading 150kgs according to European standard DIN EN 14688,
- CE mark according to Construction Products Regulation No. 305/2011 (CPR).

❗ Without tap and siphon

Repair set for mending damages, available on request.

Wash basin overflow

At a later stage you can use following systems as overflow for the Cavere wash basins:
Geberit (drain valve / overflow valve "Clou")
Viega (drain valve / overflow valve "5420.1").




NEW

		Cavere	Cavere Chrome	Accessories Cavere FlexCare	Accessories pulverbeschichtet powder coating	Accessories Chrome glänzend chrome finish
	Bereich WC Toilet area	4 - 15	48 - 57		94 - 95	106
	Bereich Dusche Shower area	16 - 41	58 - 79		96 - 97	107
	Bereich Waschbecken Wash basin area	42 - 46	80 - 82	84 - 92	98 - 104	108 - 112



Weitere Sitzkombinationen passend zu Cavere Care ab Seite 113
Further seat combinations fitting Cavere Care on page 113



Weitere Informationen unter Register  More information see register 	Wand und Wandbeschaffenheit / Wall and wall substance				
	Mauerwerk aus Vollsteinen Brickwork made of full brick	Mauerwerk aus Lochsteinen Brickwork made of perforated brick	Vorwandinstallation Fixing in front of the wall with panels		
	– Beton $\geq$ B 15 – Vollziegel $\geq$ Mz 12 – Kalksand - Vollstein $\geq$ KS 12 – Naturstein mit dichtem Gefüge – Vollbims – Concrete $\geq$ B 15 – solid brick $\geq$ Mz 12 – sand-lime brick-solid brick $\geq$ KS 12 – natural stone with compact grain – solid pumice	– Kalksandlochstein KSL $\geq$ 12 – Hochlochziegel HLz $\geq$ 12 – Hohlblockstein $\geq$ Hbl4, Hbn4 – andere Lochsteine – cavity brick KSL $\geq$ 12 – perforated brick HLz $\geq$ 12 – checker brick $\geq$ Hbl4, Hbn4 – other hollow brick material	Befestigungsplatte aus mehrschichtverleimtem Holz	Befestigungsplatte aus Stahl	ohne Hinterfüllung
	panels and integrated mounting plate made of hardwood	integrated mounting plate made of steel	without backfill		
Stützklappgriff / Duschspritzschutz vario, einhängbar Lift-up supports / Shower-guard rail vario, suspendable   Wandstützgriff vario, einhängbar Wall support rail, vario, suspendable  Grundplatte mit Blindabdeckung vario, einhängbar Base plate with cover plate blind vario suspendable  Rückenlehne / Backrest 7841 320 / 325 	Montageset / Fixing Set 7470 030 20,25 €	Montageset / Fixing Set 7470 040 76,00 € mit Injektions-Kartusche* with injection-cartridge* Montageset / Fixing Set 7470 050 35,50 € ohne Injektions-Kartusche without injection-cartridge	Montageset / Fixing Set 7470 010 17,00 €	Montageset / Fixing Set 7470 020 15,00 €	
	1 Set	1 Set	1 Set	1 Set	
	1 Set	1 Set	1 Set	1 Set	
	1 Set	1 Set	1 Set	1 Set	
	2 Sets	2 Sets	2 Sets	2 Sets	
Montageplatte zur Befestigung von – Wand-/Stützklappgriffe, – Duschspritzschutz Mounting plate for fixing – wall / lift-up supports, – showerguard rail					Montageplatte Fixing plate 200 x 850 mm 7448 481 308,00 € 1 Set



...mit Grundplatte
...with base plate



...ohne Grundplatte
...without base plate

**Stützklappgriff vario,
einhängbarer**
**Lift-up support vario,
suspendable**

Code PG 7000

**mit Grundplatte
with base plate**

▶ L = 600 mm	9447 360	449,00 €
▶ L = 725 mm	9447 370	460,00 €
▶ L = 850 mm	9447 380	488,00 €
▶ L = 900 mm	9447 390	510,00 €

**ohne Grundplatte
without base plate**

▶ L = 600 mm	9447 460	421,00 €
▶ L = 725 mm	9447 470	431,00 €
▶ L = 850 mm	9447 480	460,00 €
▶ L = 900 mm	9447 490	493,00 €

**Cavere Chrome Stützklappgriff
vario, einhängbar**

- Länge 600, 725, 850 und 900 mm,
- aus Aluminium,
- Griffprofil in Chrome glänzend,
- Wandplatte mit kratzfester Pulverbeschichtung und antibakteriellem Schutz,
- lieferbar in: Chrome/Weiß (392) und Chrome/Anthrazit (395),
- mit trigonometrischer Griffkontur zum ergonomischen Abstützen und Greifen,
- Wandhalterung mit weichen Kanten fügt sich harmonisch in das trigonometrische Design der Griffkontur,
- Platz sparend durch zentrische Lagerkonsole,
- links und rechts einsetzbar,
- mit robuster und wartungsfreier Gleitlagertechnik,
- gebremst nach oben und unten klappbar,
- mit einstellbarer Bremse,
- einfache Montage oder Demontage durch Einhängen in die Grundplatte,
- Grundplatte aus Edelstahl,
- verdeckte Verschraubung,
- nachrüstbar mit Papierrollenhalter 7449 110,
- Länge 850 mm entspricht DIN 18040 1-2 und ÖNORM B1600,
- max. zul. Belastung: 100 kg,
- TÜV PRODUCT SERVICE zertifiziert,
- Lieferung mit Innensechskantschlüssel.

Montagesets siehe .

① Stützklappgriff vario, einhängbar ohne Grundplatte für den nachträglichen Einbau an die bereits installierte Grundplatte an der Wand.

Weitere Informationen zum Produkt finden Sie in der Montageanleitung, die unter www.normbau-extranet.de heruntergeladen werden kann.


**Cavere Chrome Lift-up support
vario, suspendable**

- length 600, 725, 850 and 900mm,
- made of aluminium,
- chrome finish grip profile,
- scratchproof antibacterial powder-coated brackets,
- available in: chrome/white (392) and chrome/anthracite (395),
- with trigonometric contour for ergonomic support and grip,
- flat wall bracket with soft edges, blends harmoniously into the trigonometric design of the handle contour,
- space-saving, centrally aligned mounting,
- left or right hand application,
- with durable maintenance-free, friction bearings,
- foldable upwards and downwards with brake,
- with adjustable brake,
- easy installation or dismantling due to connecting to base plate,
- base plate made of stainless steel,
- concealed screw fixing,
- can be fitted with paper roll holder 7449 110,
- 850mm length according to German standard DIN 18040 1-2 and Austrian standard ÖNORM B1600,
- maximum loading permitted: 100kgs,
- certified by TÜV PRODUCT SERVICE,
- supplied with allen key.

Fixing sets see .

① The suspendable lift-up support rail vario without base plate for retrofitting on an already installed base plate on wall.

Further information on the product can be found in the fixing instructions, which can be downloaded from www.normbau-extranet.de.





**Grundplatte mit
Blindabdeckung vario**
Base plate with
cover plate blind vario

Code PG 7000

- | | | |
|---|-----------------|---------|
| ▶ 100 x 220 x 22 mm
mit Grundplatte
with base plate | 7449 200 | 72,00 € |
| ▶ 100 x 220 x 22 mm
ohne Grundplatte
without base plate | 7449 250 | 44,25 € |

**Cavere Grundplatte mit
Blindabdeckung vario**


- 100 x 220 x 22 mm,
- aus Aluminium,
- Blindabdeckung mit kratzfester Pulverbeschichtung mit antibakteriellem Schutz (ausgenommen 091 Carbonschwarz), Register Information,
- lieferbar in den Cavere Farben,
- Abdeckung mit weichen Kanten,
- Grundplatte aus Edelstahl, Werkstoff Nr. 1.4301 (A2, AISI 304), zum späteren einfachen Austausch mit Cavere Stützklappgriffen vario,
- Lieferung mit Innensechskantschlüssel für Gewindestift M6.

① Das Montageset ist entsprechend der Wandbeschaffenheit festzulegen und separat zu bestellen.

**Cavere Base plate with cover plate
blind vario**

- 100 x 220 x 22mm,
- made of aluminium,
- mounting plate blind with scratch-resistant powder coating with antibacterial protection (except 091 carbon black), see register information,
- available in Cavere colours,
- cover with soft edges,
- base plate, made of stainless steel, material No. 1.3401 (A2 AISI 304), for easier exchange with Cavere suspendable lift-up supports vario,
- supplied with allen key for grub screw M6.

① The fixing set should be ordered separately to suit the type of wall.



Papierrollenhalter
Toilet roll holder

Code PG 7000

- | | | |
|----------------|-----------------|---------|
| ▶ 130 x 115 mm | 7449 110 | 56,50 € |
|----------------|-----------------|---------|

**Cavere Papierrollenhalter, nachrüst-
bar für Wand-/Stützklappgriffe**


- 130 x 115 mm,
- aus Aluminium,
- kratzfeste Pulverbeschichtung mit antibakteriellem Schutz (ausgenommen 091 Carbonschwarz), Register Information,
- lieferbar in den Cavere Farben,
- mit selbsteinstellender und wartungsfreier Abrollbremse.


① Passend für Cavere Wand-/
Stützklappgriffe!
Das Montagematerial wird mitgeliefert.

**Cavere Toilet roll holder, may be
added at a later stage for wall-/lift-
up support rails**


- 130 x 115mm,
- made of aluminium,
- scratch-resistant powder coating with antibacterial protection (except 091 carbon black), see register information,
- available in Cavere colours,
- with self-adjusting maintenance-free roll brake.

① Suitable for lift-up support rail and
wall support rail!
Supplied with fixing material.






Wandanschluss mit 1 E-Taster
Wall mounting with 1 E-button



Wandanschluss mit 2 E-Taster
Wall mounting with 2 E-button



Cavere Chrome Stützklappgriff vario, einhängbar mit E-Taster für WC-Spülungen und Rufanlagen

Wandanschluss

Beschreibung Stützklappgriff vario,
einhängbar.

- Taster mit Piktogramm:
 - Farbe blau: WC-Spülung,
 - Farbe rot: Option Ruftaste,
 - Farbe schwarz: frei belegbare Option (neutral).
- Anschluss verdeckt mit Rosette Ø 80 mm,
- Spiralkabel 4-adrig 0,25 mm² für Steuerung bis 24 V,
- E-Taster Standardausführung »Schließer« auch in Ausführung »Öffner« lieferbar.

① Stützklappgriff vario, einhängbar, kann mit ein oder zwei E-Tastern geliefert werden. E-Taster mit der Funktion »Schließer« werden überwiegend für WC-Spülungen eingesetzt; können aber auch mit einer frei belegbaren Option ausgestattet werden. Funktion »Öffner« wird überwiegend bei Rufanlagen verwendet.

Cavere Chrome Lift-up support vario, suspendable with electric button for toilet flush and emergency call

Connection to wall

Description as lift-up support rail vario,
suspendable.

- E-button with symbol:
 - colour blue for toilet flush,
 - colour red for option call,
 - colour black for a free definable option (neutral),
- connections: concealed with rose 80mm dia.,
- four lead 0,25mm². helix cable suitable for up to 24V D.C.,
- E-button standard configuration »closer« also available in configuration »opener«.


① One or two E-buttons can be mounted on a NORMBAU lift-up support rail. E-buttons with function »closer« are mostly used for toilet flush, but they can also be equipped with another free definable option. E-buttons with function »opener« are mostly used for call systems.

Einzuplanende kompatible Systeme für E-Taster siehe Seite 303.
Please refer to page 303 concerning interoperable systems for E-buttons.


Wandanschluss / Connection to wall

Bestellnummern Stützklappgriff vario, einhängbar, mit E-Tastern, mit/ohne Grundplatte
Order no. for lift-up support rail vario, suspendable, with E-button, with/without base plate


Tasterfunktionen Functions of electric button	Farbe der Taster Colour buttons	mit Grundplatte with base plate		ohne Grundplatte without base plate		mit Grundplatte with base plate		ohne Grundplatte without base plate	
		600 mm		725 mm		850 mm		900 mm	
		mit Grundplatte with base plate	ohne Grundplatte without base plate	mit Grundplatte with base plate	ohne Grundplatte without base plate	mit Grundplatte with base plate	ohne Grundplatte without base plate	mit Grundplatte with base plate	ohne Grundplatte without base plate
PG 7000									
WC-Schließer WC - NOC		9447 761 593,00 €	9447 561 565,00 €	9447 771 604,00 €	9447 571 575,00 €	9447 781 631,00 €	9447 581 604,00 €	9447 791 654,00 €	9447 591 626,00 €
RUF-Schließer call - NOC		9447 766 593,00 €	9447 566 565,00 €	9447 776 604,00 €	9447 576 575,00 €	9447 786 631,00 €	9447 586 604,00 €	9447 796 654,00 €	9447 596 626,00 €
RUF-Öffner call - NCC		9447 763 593,00 €	9447 563 565,00 €	9447 773 604,00 €	9447 573 575,00 €	9447 783 631,00 €	9447 583 604,00 €	9447 793 654,00 €	9447 593 626,00 €
Funktion Schließer function - NOC		9447 762 593,00 €	9447 562 565,00 €	9447 772 604,00 €	9447 572 575,00 €	9447 782 631,00 €	9447 582 604,00 €	9447 792 654,00 €	9447 592 626,00 €
WC und RUF Schließer und Schließer WC and call NOC (both) WC		9447 767 646,00 €	9447 567 618,00 €	9447 777 657,00 €	9447 577 629,00 €	9447 787 685,00 €	9447 587 657,00 €	9447 797 706,00 €	9447 597 678,00 €
WC und RUF Schließer und Öffner WC and call NOC and NCC		9447 765 646,00 €	9447 565 618,00 €	9447 775 657,00 €	9447 575 629,00 €	9447 785 685,00 €	9447 585 657,00 €	9447 795 706,00 €	9447 595 678,00 €
WC und Funktion Schließer und Schließer WC and function NOC (both)		9447 764 646,00 €	9447 564 618,00 €	9447 774 657,00 €	9447 574 629,00 €	9447 784 685,00 €	9447 584 657,00 €	9447 794 706,00 €	9447 594 678,00 €



Anschluss verdeckt mit Montageplatte mit 1 E-Taster
Connection to mounting plate with 1 E-button



Anschluss verdeckt mit Montageplatte mit 2 E-Taster
Connection to mounting plate with 2 E-button



Cavere Chrome Stützklappgriff vario, einhängbar mit E-Taster für WC-Spülungen und Rufanlagen

Anschluss verdeckt mit Montageplatte

Beschreibung Stützklappgriff vario, einhängbar.

- Taster mit Piktogramm:
 - Farbe blau: WC-Spülung,
 - Farbe rot: Option Rufaste,
 - Farbe schwarz: frei belegbare Option (neutral),
- Spiralkabel 4-adrig 0,25 mm² für Steuerung bis 24 V,
- E-Taster Standard-Ausführung »Schließer« auch in Ausführung »Öffner« lieferbar.

① Stützklappgriff vario, einhängbar, kann mit ein oder zwei E-Tastern geliefert werden. E-Taster mit der Funktion »Schließer« werden überwiegend für WC-Spülungen eingesetzt; können aber auch mit einer frei belegbaren Option ausgestattet werden. Funktion »Öffner« wird überwiegend bei Rufanlagen verwendet.

Cavere Chrome Lift-up support vario, suspendable with electric button for toilet flush and emergency call

Connection to mounting plate

Performance as lift-up support rail vario, suspendable.

- E-button with symbol:
 - colour blue for toilet flush,
 - colour red for option call,
 - colour black for a free definable option (neutral),
- four lead 0,25mm². helix cable suitable for up to 24V D.C.,
- E-button standard configuration »closer« also available in configuration »opener«.


① A max. of two E-buttons can be mounted on a NORMBAU lift-up support rail. E-buttons with function »closer« are mostly used for toilet flush, but they can also be equipped with another free definable option. E-buttons with function »opener« are mostly used for call systems.

Einzuplanende kompatible Systeme für E-Taster siehe Seite 303.
Please refer to page 303 concerning interoperable systems for E-buttons.

Anschluss verdeckt mit Montageplatte / Connection to mounting plate

Bestellnummern Stützklappgriff vario, einhängbar, mit E-Tastern, mit/ohne Grundplatte
Order no. for lift-up support rail vario, suspendable, with E-button, with/without base plate

Tasterfunktionen Functions of electric button	Farbe der Taster Colour buttons	mit Grundplatte with base plate				ohne Grundplatte without base plate			
		600 mm		725 mm		850 mm		900 mm	
		mit Grundplatte with base plate	ohne Grundplatte without base plate	mit Grundplatte with base plate	ohne Grundplatte without base plate	mit Grundplatte with base plate	ohne Grundplatte without base plate	mit Grundplatte with base plate	ohne Grundplatte without base plate
PG 7000									
WC-Schließer WC - NOC		9447 861 593,00 €	9447 661 565,00 €	9447 871 604,00 €	9447 671 575,00 €	9447 881 631,00 €	9447 681 604,00 €	9447 891 654,00 €	9447 691 626,00 €
RUF-Schließer call - NOC		9447 866 593,00 €	9447 666 565,00 €	9447 876 604,00 €	9447 676 575,00 €	9447 886 631,00 €	9447 686 604,00 €	9447 896 654,00 €	9447 696 626,00 €
RUF-Öffner call - NCC		9447 863 593,00 €	9447 663 565,00 €	9447 873 604,00 €	9447 673 575,00 €	9447 883 631,00 €	9447 683 604,00 €	9447 893 654,00 €	9447 693 626,00 €
Funktion Schließer function - NOC		9447 862 593,00 €	9447 662 565,00 €	9447 872 604,00 €	9447 672 575,00 €	9447 882 631,00 €	9447 682 604,00 €	9447 892 654,00 €	9447 692 626,00 €
WC und RUF Schließer und Schließer WC and call NOC (both) WC		9447 867 646,00 €	9447 667 618,00 €	9447 877 657,00 €	9447 677 629,00 €	9447 887 685,00 €	9447 687 657,00 €	9447 897 706,00 €	9447 697 678,00 €
WC und RUF Schließer und Öffner WC and call NOC and NCC		9447 865 646,00 €	9447 665 618,00 €	9447 875 657,00 €	9447 675 629,00 €	9447 885 685,00 €	9447 685 657,00 €	9447 895 706,00 €	9447 695 678,00 €
WC und Funktion Schließer und Schließer WC and function NOC (both)		9447 864 646,00 €	9447 664 618,00 €	9447 874 657,00 €	9447 674 629,00 €	9447 884 685,00 €	9447 684 657,00 €	9447 894 706,00 €	9447 694 678,00 €



...mit Grundplatte
...with base plate



...ohne Grundplatte
...without base plate

Stützklappgriff vario, einhängbar, mit Funksender

Lift-up support rail vario, with wireless remote control

mit Grundplatte
with base plate

	Code	PG 7000
▶ L= 600 mm	9447 263	799,00 €
▶ L= 600 mm	9447 264	799,00 €
▶ L= 725 mm	9447 273	809,00 €
▶ L= 725 mm	9447 274	809,00 €
▶ L= 850 mm	9447 283	836,00 €
▶ L= 850 mm	9447 284	836,00 €
▶ L= 900 mm	9447 293	859,00 €
▶ L= 900 mm	9447 294	859,00 €

ohne Grundplatte
without base plate

▶ L= 600 mm	9447 268	770,00 €
▶ L= 600 mm	9447 269	770,00 €
▶ L= 725 mm	9447 278	780,00 €
▶ L= 725 mm	9447 279	780,00 €
▶ L= 850 mm	9447 288	809,00 €
▶ L= 850 mm	9447 289	809,00 €
▶ L= 900 mm	9447 291	830,00 €
▶ L= 900 mm	9447 299	830,00 €

Cavere Chrome Stützklappgriff vario, einhängbar, mit Funksender

Beschreibung siehe Stützklappgriff vario.

- mit 868,4 MHz Funksender zur kabellosen WC-Spülauslösung,
- Gehäusemaß: 85 x 46 x 16 mm,
- linke oder rechte Ausführung,

kompatibel zu:

Geberit: 115.867.00.1, 115.869.00.1,
115.897.00.1, 115.898.00.1,
115.867.SN, 115.869.SN,
Grohe: 38759SD0,
Sanit: 05.042.00..0000,
05.014.00..0000,
05.015.00..0000,
Tece: 9.240.354, 9.240.355,
Viega: 696177

Nachrüstbar mit Papierrollenhalter
7449 110.

Das Montageset ist entsprechend der
Wandbeschaffenheit festzulegen und
separat zu bestellen.

Stützklappgriff vario, einhängbar ohne
Grundplatte für den nachträglichen Einbau
an die bereits installierte Grundplatte an
der Wand.

Cavere Chrome Lift-up support rail vario, suspendable, with wireless remote control

Performance as lift-up support rail.

- with 868,4 MHz remote control for cordless toilet flush,
- casing measurements: 85 x 46 x 16mm,
- left or right hand version,



compatible with:

Geberit: 115.867.00.1, 115.869.00.1,
115.897.00.1, 115.898.00.1,
115.867.SN, 115.869.SN,
Grohe: 38759SD0,
Sanit: 05.042.00..0000,
05.014.00..0000,
05.015.00..0000,
Tece: 9.240.354, 9.240.355,
Viega: 696177

Can be fitted with paper roll holder
7449 110.

The fixing set should be ordered
separately to suit the type of wall.

The suspendable lift-up support rail vario
without base plate for retrofitting on
an already installed base plate on wall.



Richtungsangabe Funksender,
aus der Sicht vor dem WC stehend.

Direction of wireless remote control
from front view.



Rückenlehne Backrest

Code PG 7000

▶ 825 x 200 x 150 mm	7841 320	385,00 €
Polster schwarz padded backrest, colour black		
▶ 825 x 200 x 150 mm	7841 321	385,00 €
Polster hellgrau padded backrest, colour light grey		
▶ 825 x 200 x 220 mm	7841 322	417,00 €
Polster schwarz padded backrest, colour black		
▶ 825 x 200 x 220 mm	7841 323	417,00 €
Polster hellgrau padded backrest, colour light grey		

Für Stützklappgriffe mit E-Taster For lift-up support rails with E-button

Bei Anwendung Stützklappgriff mit E-Taster und verdecktem Anschluss ist eine Grundplatte mit Fräsung für die Kabelführung notwendig.

A base plate with notch for the cable guiding is necessary when using lift-up support rails with E-button und concealed connection.

▶ 825 x 200 x 150 mm	7841 325	385,00 €
Polster schwarz padded backrest, colour black		
▶ 825 x 200 x 150 mm	7841 326	385,00 €
Polster hellgrau padded backrest, colour light grey		
▶ 825 x 200 x 220 mm	7841 327	417,00 €
Polster schwarz padded backrest, colour black		
▶ 825 x 200 x 220 mm	7841 328	417,00 €
Polster hellgrau padded backrest, colour light grey		

Hinweis

Bei der Bestellung von Stützklappgriffen zur Montage an die Halteplatte der Rückenlehne werden die Halteplatten der Stützklappgriffe gutgeschrieben.

Please note

When ordering lift-up support rails to be fixed to the mounting plate of the backrest, the mounting plate of the lift-up support rails will not be invoiced.

Cavere Rückenlehne



- Gesamtmaß 825 x 200 x 150 mm, 825 x 200 x 220 mm,
- Maß der Rückenlehne 402 x 210 mm,
- Montageplatte aus Aluminium, zur Befestigung von 2 Stützklappgriffen mit Befestigungsabstand 700 mm,
- kratz feste Pulverbeschichtung mit antibakteriellem Schutz (ausgenommen 091 Carbonschwarz), Register Information,
- lieferbar in den Cavere Farben,
- mittig angeordnete Rückenlehne, mit Polster aus PUR-Integralschaum,
- für Wandmontage über WC nach DIN 18040-1/ÖNORM B1600,
- verdeckte Verschraubung.

① Das Montageset ist entsprechend der Wandbeschaffenheit festzulegen und separat zu bestellen, siehe ✂.

Cavere Backrest

- overall dimensions 825 x 200 x 150mm, 825 x 200 x 220mm,
- dimensions of backrest 402 x 210mm,
- aluminium mounting plate for fixing of 2 lift-up support rails 700 mm apart,
- scratch-resistant powder coating with antibacterial protection (except 091 carbon black), see register information,
- available in Cavere colours,
- centrally aligned backrest, padded, made of PUR integral foam,
- for wall mounting above a WC acc. to standard, DIN 18040-1/according to Austrian standard ÖNORM B1600,
- concealed screw fixing.

① The fixing set should be ordered separately to suit the type of wall, see ✂.



**Rückenlehne**
Backrest

Code

PG 7000


- | | | |
|--|-----------------|----------|
| ► 520 x 210 x 150 mm | 7841 330 | 312,00 € |
| Polster schwarz
padded backrest, colour black | | |
| ► 520 x 210 x 150 mm | 7841 331 | 312,00 € |
| Polster hellgrau
padded backrest, colour light grey | | |
| ► 520 x 210 x 220 mm | 7841 332 | 325,00 € |
| Polster schwarz
padded backrest, colour black | | |
| ► 520 x 210 x 220 mm | 7841 333 | 325,00 € |
| Polster hellgrau
padded backrest, colour light grey | | |

Cavere Rückenlehne

- 520 x 210 x 150 mm, 520 x 210 x 220 mm, Ø 32 mm,
- Bügel mit kratzfester Pulverbeschichtung mit antibakteriellem Schutz (ausgenommen 091 Carbonschwarz), Register Information,
- lieferbar in den Cavere Farben,
- mit Polster aus PUR-Integralschaum,
- ohne Rosetten, verdeckte Verschraubung mit Gewindestift von unten montiert,
- Schrauben aus Edelstahl,
- für Wandmontage über WC nach DIN 18040-1/ÖNORM B1600,
- Montageset passend für Vorwandinstallati-on liegt bei.

Cavere Backrest

- 520 x 210 x 150mm, 520 x 210 x 220mm, 32mm dia.,
- handle with scratch-resistant powder coating with antibacterial protection (except 091 carbon black), see register information,
- available in Cavere colours,
- padded, made of PUR integral foam,
- without roses for concealed fixing with grub screw from bottom,
- stainless steel screws,
- for wall mounting above a WC acc. to standard, DIN 18040-1/ÖNORM B1600,
- suitable fixing set available for pre-wall systems.

**Cavere Chrome Winkelgriff**

- 400 x 400 mm, 90°,
- aus Aluminium,
- Griffprofil in Chrome glänzend,
- Griffstützen mit kratzfester antibakterieller Pulverbeschichtung,
- lieferbar in: Chrome/Weiß (392) und Chrome/Anthrazit (395),
- mit trigonometrischer Griffkontur zum ergonomischen Abstützen und Greifen,
- Wandhalterung mit weichen Kanten fügt sich harmonisch in das trigonometrische Design der Griffkontur,
- verdeckte Verschraubung,
- nachrüstbar mit Papierrollenhalter 7449 120,
- 750 x 500 mm entspricht ÖNORM B1600,
- max. zul. Belastung: 100 kg,
- erfüllt die Anforderungen nach DIN 18040,
- Lieferung mit Edelstahl Torx-Schrauben Ø 6 x 100 mm und Dübeln für Vollbaustoffe.

Cavere Chrome Grab rail

- 400 x 400mm, 90°,
- made of aluminium,
- chrome finish grip profile,
- scratchproof antibacterial powder-coated brackets,
- available in: chrome/white (392) and chrome/anthracite (395),
- with trigonometric contour for ergonomic support and grip,
- flat wall bracket with soft edges, blends harmoniously into the trigonometric design of the handle contour,
- concealed screw fixing,
- paper roll holder 7449 120, may be added at a later stage,
- 750 x 500mm according to Austrian standard ÖNORM B1600,
- maximum loading permitted: 100kgs,
- meets the requirements of DIN 18040,
- supplied with stainless steel Torx screws 6 x 100mm dia. and plugs for solid masonry.

Winkelgriff
Grab rail


Code


PG 7000

- | | | |
|----------------|-----------------|----------|
| ► 400 x 400 mm | 9464 040 | 199,00 € |
|----------------|-----------------|----------|

❗ Nicht für Einhängesitze geeignet.

❗ Not suitable for suspendable shower seats.





Cavere Chrome Winkelgriff

- 750 x 400 mm, 90°,
750 x 500 mm, 90°,
950 x 500 mm, 90°,
- aus Aluminium,
- Griffprofil in Chrome glänzend,
- Griffstützen mit kratzfester antibakterieller Pulverbeschichtung,
- lieferbar in:
Chrome/Weiß (392) und
Chrome/Anthrazit (395),
- mit trigonometrischer Griffkontur zum ergonomischen Abstützen und Greifen,
- Wandhalterung mit weichen Kanten fügt sich harmonisch in das trigonometrische Design der Griffkontur,
- verdeckte Verschraubung,
- nachrüstbar mit Papierrollenhalter 7449 120,
- 750 x 500 mm entspricht ÖNORM B1600,
- max. zul. Belastung: 100 kg,
- erfüllt die Anforderungen nach DIN 18040,
- Lieferung mit Edelstahl Torx-Schrauben Ø 6 x 100 mm und Dübeln für Vollbaustoffe.

Cavere Chrome Grab rail

- 750 x 400mm, 90°,
750 x 500mm, 90°,
950 x 500mm, 90°,
- made of aluminium,
- chrome finish grip profile,
- scratchproof antibacterial powder-coated brackets,
- available in:
chrome/white (392) and
chrome/anthracite (395),
- with trigonometric contour for ergonomic support and grip,
- flat wall bracket with soft edges, blends harmoniously into the trigonometric design of the handle contour,
- concealed screw fixing,
- paper roll holder 7449 120, may be added at a later stage,
- 750 x 500mm according to Austrian standard ÖNORM B1600,
- maximum loading permitted: 100kgs.
- meets the requirements of DIN 18040,
- supplied with stainless steel Torx screws 6 x 100mm dia. and plugs for solid masonry.


Winkelgriff Grab rail

a1 / mm	a2 / mm	a3 / mm	Antibac	Code	PG 7000
400		750	☞	9464 075	224,00 €
400		750	☜	9464 076	224,00 €
500		750	☞	9464 077	233,00 €
500		750	☜	9464 078	233,00 €

a1 / mm	a2 / mm	a3 / mm	Antibac	Code	PG 7000
500		950	☞	9464 095	239,00 €
500		950	☜	9464 096	239,00 €

❗ Nicht für Einhängesitze geeignet.

❗ Not suitable for suspendable shower seats.





Cavere Papierrollenhalter, nachrüstbar für Winkelgriffe

- 130 x 115 mm,
- aus Aluminium,
- kratzfeste Pulverbeschichtung mit antibakteriellem Schutz (ausgenommen 091 Carbonschwarz), Register Information,
- lieferbar in den Cavere Farben,
- mit selbsteinstellender und wartungsfreier Abrollbremse.

Cavere Toilet roll holder suitable for grab rail, may be added at a later stage

- 130 x 115mm,
- made of aluminium,
- scratch-resistant powder coating with antibacterial protection (except 091 carbon black), see register information,
- available in Cavere colours,
- with self-adjusting maintenance-free roll brake.


Papierrollenhalter Paper roll holder

Code PG 7000

❗ Nur für Winkel- und Haltegriffe passend.
Das Montagematerial wird mitgeliefert.

❗ Suitable for grab rails.
Supplied with fixing material.

► 130 x 115 mm **7449 120** 56,50 €



Cavere Chrome Haltegriff

- Achsmaß 300, 400, 600, 800 und 1000 mm,
- aus Aluminium,
- Griffprofil in Chrome glänzend,
- Griffstützen mit kratzfester Pulverbeschichtung und antibakteriellem Schutz,
- lieferbar in:
Chrome/Weiß (392) und
Chrome/Anthrazit (395),
- Haltegriff mit trigonometrischer Griffkontur zum ergonomischen Abstützen und Greifen,
- Wandhalterung mit weichen Kanten fügt sich harmonisch in das trigonometrische Design der Griffkontur,
- verdeckte Verschraubung,
- max. zul. Belastung: 100 kg,
- erfüllt die Anforderungen nach DIN 18040,
- Lieferung mit Edelstahl Torx-Schrauben Ø 6 x 100 mm und Dübeln für Vollbaustoffe.

Cavere Chrome Grab bar

- centres 300, 400, 600, 800 and 1000mm,
- made of aluminium,
- chrome finish grip profile,
- scratchproof powder-coated grip brackets,
- available in:
chrome/white (392) and
chrome/anthracite (395),
- with trigonometric contour for ergonomic support and grip,
- flat wall bracket with soft edges, blends harmoniously into the trigonometric design of the handle contour,
- concealed screw fixing,
- maximum loading permitted: 100kgs,
- meets the requirements of DIN 18040,
- supplied with stainless steel Torx screws 6mm dia. x 100mm and plugs for solid masonry.




Haltegriff Grab bar

a1 / mm	a2 / mm	a3 / mm	Antibac	Code	PG 7000
300				9453 030	105,00 €
400				9453 040	110,00 €
600				9453 060	131,00 €
800				9453 080	146,00 €
1000				9453 100	166,00 €

❗ Nicht für Einhängesitze geeignet.

❗ Not suitable for suspendable shower seats.





Cavere Chrome Duschhandlauf


- Länge 600, 900 mm,
- aus Aluminium,
- Griffprofil in Chrome glänzend,
- Handlaufstütze mit kratzfester Pulverbeschichtung und antibakteriellem Schutz,
- lieferbar in:
Chrome/Weiß (392) und
Chrome/Anthrazit (395),
- Handlauf mit trigonometrischer Griffkontur zum ergonomischen Abstützen und Greifen,
- zum Einhängen von Einhängesitzen 9847... geeignet,
- verdeckte Verschraubung,
- max. zul. Belastung: 150 kg,
- erfüllt die Anforderungen nach DIN 18040,
- Lieferung mit Edelstahl Torx-Schrauben Ø 6 x 70 mm und Dübeln für Vollbaustoffe.

Cavere Chrome Shower handrail

- length 600, 900mm,
- made of aluminium,
- chrome finish grip profile,
- scratchproof powder-coated hand rail brackets,
- available in:
chrome/white (392) and
chrome/anthracite (395),
- with trigonometric contour for ergonomic support and grip,
- suitable for suspendable shower seats 9847...,
- concealed screw fixing,
- maximum loading permitted: 150kgs,
- meets the requirements of DIN 18040,
- supplied with stainless steel Torx screws 6mm dia. x 70mm and plugs for solid masonry.

Duschhandlauf Shower handrail

a1 / mm	a2 / mm	a3 / mm	Antibac	Code	PG 7000
600				9484 060	161,00 €
900				9484 090	177,00 €



Cavere Chrome Duschhandlauf


- 450 x 750 mm, 750 x 750 mm,
- aus Aluminium,
- Griffprofil in Chrome glänzend,
- Handlaufstütze mit kratzfester Pulverbeschichtung und antibakteriellem Schutz,
- lieferbar in:
Chrome/Weiß (392) und
Chrome/Anthrazit (395),
- Handlauf mit trigonometrischer Griffkontur zum ergonomischen Abstützen und Greifen,
- zum Einhängen von Einhängesitzen 9847... geeignet,
- max. zul. Belastung: 150 kg,
- verdeckte Verschraubung,
- erfüllt die Anforderungen nach DIN 18040,
- Lieferung mit Edelstahl Torx-Schrauben Ø 6 x 70 mm und Dübeln für Vollbaustoffe.

Cavere Chrome Shower handrail

- 450 x 750mm, 750 x 750mm,
- made of aluminium,
- chrome finish grip profile,
- scratchproof powder-coated hand rail brackets,
- available in:
chrome/white (392) and
chrome/anthracite (395),
- with trigonometric contour for ergonomic support and grip,
- suitable for suspendable shower seats 9847...,
- maximum loading permitted: 150kgs.
- concealed screw fixing,
- meets the requirements of DIN 18040,
- supplied with stainless steel Torx screws 6mm dia. x 70mm and plugs for solid masonry.

Duschhandlauf Shower handrail

a1 / mm	a2 / mm	a3 / mm	Antibac	Code	PG 7000
450	750		☞	9484 045	239,00 €
750	450		☞	9484 046	239,00 €
750	750			9484 075	265,00 €





NEW



Duschhandlauf
Shower handrail


a1 / mm	a2 / mm	a3 / mm	Antibac	Code	PG 7000
600				9484 061	161,00 €
900				9484 091	177,00 €

Cavere Chrome Duschhandlauf

- Länge 600, 900 mm,
- aus Aluminium,
- Griffprofil in Chrome glänzend,
- Handlaufstütze mit kratzfester Pulverbeschichtung und antibakteriellem Schutz,
- lieferbar in: Chrome/Weiß (392) und Chrome/Anthrazit (395),
- Handlauf mit trigonometrischer Griffkontur zum ergonomischen Abstützen und Greifen,
- Wandhalterung mit weichen Kanten fügt sich harmonisch in das trigonometrische Design der Griffkontur,
- Einpunkt-Wandbefestigung mit 3 mm Toleranzausgleich ($\pm 1.5\text{mm}$) für eine einfache und sichere Montage
- zum Einhängen von Einhängesitzen 9847... geeignet,
- verdeckte Verschraubung,
- max. zul. Belastung: 150 kg,
- erfüllt die Anforderungen nach DIN 18040,
- Lieferung mit Edelstahl Torx-Schrauben $\varnothing 6 \times 100$ mm und Dübeln für Vollbaustoffe.

Cavere Chrome Shower handrail

- length 600, 900mm,
- made of aluminium,
- chrome finish grip profile,
- scratchproof powder-coated hand rail brackets,
- available in: chrome/white (392) and chrome/anthracite (395),
- with trigonometric contour for ergonomic support and grip,
- flat wall bracket with soft edges, blends harmoniously into the trigonometric design of the handle contour,
- single-point wall attachment with 3mm tolerance compensation ($\pm 1.5\text{mm}$) for an easy and safe installation,
- suitable for suspendable shower seats 9847...,
- concealed screw fixing,
- maximum loading permitted: 150kgs,
- meets the requirements of DIN 18040,
- supplied with stainless steel Torx screws 6mm dia. x 100mm and plugs for solid masonry.



NEW



Duschhandlauf
Shower handrail


a1 / mm	a2 / mm	a3 / mm	Antibac	Code	PG 7000
450	750		☞	9484 055	239,00 €
750	450		☞	9484 056	239,00 €
750	750			9484 076	265,00 €

Cavere Chrome Duschhandlauf

- 450 x 750 mm, 750 x 750 mm,
- aus Aluminium,
- Griffprofil in Chrome glänzend,
- Handlaufstütze mit kratzfester Pulverbeschichtung und antibakteriellem Schutz,
- lieferbar in: Chrome/Weiß (392) und Chrome/Anthrazit (395),
- Handlauf mit trigonometrischer Griffkontur zum ergonomischen Abstützen und Greifen,
- Wandhalterung mit weichen Kanten fügt sich harmonisch in das trigonometrische Design der Griffkontur,
- Einpunkt-Wandbefestigung mit 3 mm Toleranzausgleich ($\pm 1.5\text{mm}$) für eine einfache und sichere Montage
- zum Einhängen von Einhängesitzen 9847... geeignet,
- max. zul. Belastung: 150 kg,
- verdeckte Verschraubung,
- erfüllt die Anforderungen nach DIN 18040,
- Lieferung mit Edelstahl Torx-Schrauben $\varnothing 6 \times 100$ mm und Dübeln für Vollbaustoffe.

Cavere Chrome Shower handrail

- 450 x 750mm, 750 x 750mm,
- made of aluminium,
- chrome finish grip profile,
- scratchproof powder-coated hand rail brackets,
- available in: chrome/white (392) and chrome/anthracite (395),
- with trigonometric contour for ergonomic support and grip,
- flat wall bracket with soft edges, blends harmoniously into the trigonometric design of the handle contour,
- single-point wall attachment with 3mm tolerance compensation ($\pm 1.5\text{mm}$) for an easy and safe installation,
- suitable for suspendable shower seats 9847...,
- maximum loading permitted: 150kgs,
- concealed screw fixing,
- meets the requirements of DIN 18040,
- supplied with stainless steel Torx screws 6mm dia. x 100mm and plugs for solid masonry.





Cavere Chrome Brausehalterstange


- Achsmaß 600, 1190 mm, Ø 30 mm,
- aus Aluminium,
- Brausehalterstange in Chrome glänzend,
- Wandstützen und Brausehalter mit kratz-fester Pulverbeschichtung und antibak-teriellem Schutz,
- lieferbar in: Chrome/Weiß (392) und Chrome/Anthrazit (395),
- mit Brausehalter mit stufenloser und leicht-gängiger Höhen- und Winkleinstellung, wartungsfrei mit selbstjustierender Klemmkraft,
- seitlich gelagerter Bedienhebel zur Einhand-betätigung ohne Drehbewegung,
- Aufnahmekonus passend für unterschied-liche Handbrausen,
- Wandhalterung mit weichen Kanten fügt sich harmonisch in das trigonometrische Design der Griffkontur,
- verdeckte Verschraubung,
- max. zul. Belastung: 100 kg,
- Lieferung mit Edelstahl Torx-Schrauben Ø 6 x 100 mm und Dübeln für Vollbaustoffe.

Cavere Chrome Shower head rail

- centres 600, 1190mm 30mm dia.,
- made of aluminium,
- chrome finish shower head rail,
- scratchproof powder-coated rail brackets and shower head holder,
- available in: chrome/white (392) and chrome/anthracite (395),
- easy adjustment to any height and angle, self-adjusting clamp, maintenance-free, operating handle for single handed operation without the need to turn,
- conical shower head holder suitable for various hand shower heads,
- flat wall bracket with soft edges, blends harmoniously into the trigonometric design of the handle contour,
- concealed screw fixing,
- maximum loading permitted: 100 kgs,
- supplied with stainless steel Torx screws 6mm dia. x 100mm and plugs for solid masonry.

Brausehalterstange Shower head rail

a1 / mm	a2 / mm	a3 / mm	Antibac	Code	PG 7000
		600		9488 060	171,00 €
		1190		9488 119	233,00 €



Cavere Chrome Brausehalter

- 126 x 113 mm, für Ø 30 mm,
- aus Aluminium,
- kratzfeste Pulverbeschichtung mit anti-bakteriellem Schutz (ausgenommen 091 Carbonschwarz), Register Information,
- lieferbar in den Cavere Farben,
- stufenlose und leichtgängige Höhen- und Winkleinstellung,
- wartungsfrei mit selbstjustierender Klemmkraft,
- seitlich gelagerter Bedienhebel zur Einhand-betätigung ohne Drehbewegung,
- links und rechts einsetzbar,
- Aufnahmekonus mit Kunststoffeinsatz, passend für unterschiedliche Handbrausen.


Cavere Chrome Shower head holder

- 126 x 113mm, for 30mm dia.,
- made of aluminium,
- scratch-resistant powder coating with antibacterial protection (except 091 carbon black), see register information,
- available in Cavere colours,
- easy adjustment to any height and angle,
- self-adjusting clamp, maintenance-free,
- operating handle for single handed operation without the need to turn,
- left or right hand application,
- conical shower head holder with plastic insert, suitable for various hand shower heads.

Brausehalter Shower head holder

Code PG 7000

▶ 126 x 113 mm	7485 050	101,00 €
----------------	-----------------	----------





Cavere Chrome Brausehalterstange verschiebbar, zum Nachrüsten für Duschhandläufe


- Achsmaß 1100, 1200 mm,
- zum nachträglichen Einbau,
- aus Aluminium,
- Brausehalterstange in Chrome glänzend,
- Wandstützen und Brausehalter mit kratz-
fester Pulverbeschichtung und antibak-
teriellem Schutz,
- lieferbar in:
Chrome/Weiß (392) und
Chrome/Anthrazit (395),
- verschiebbare Brausestange mit Brause-
halter für Cavere Duschhandläufe,
- Brausehalter mit stufenloser und leichtgän-
giger Höhen- und Winkleinstellung, war-
tungsfrei mit selbstjustierender Klemmkraft,
- Brausehalter mit seitlich gelagertem
Bedienhebel zur Einhandbetätigung ohne
Drehbewegung,
- Aufnahmekonus passend für unterschied-
liche Handbrausen,
- Wandhalterung mit weichen Kanten fügt
sich harmonisch in das trigonometrische
Design der Griffkontur,
- max. zul. Belastung: 100 kg,
- Lieferung mit Edelstahl Torx-Schrauben
Ø 6 x 100 mm und Dübeln
für Vollbaustoffe.

Cavere Chrome Shower head rail, movable, for shower handrail, may be added at a later stage

- centres 1100, 1200mm,
- to be added at a later stage,
- chrome finish shower head rail,
- chrome finish grip profile,
- scratchproof powder-coated rail
brackets and shower head holder,
- available in:
chrome/white (392) and
chrome/anthracite (395),
- moveable shower head rail with shower
head holder for Cavere shower handrails,
- easy adjustment to any height
and angle, self-adjusting clamp,
maintenance-free,
- operating handle for single handed
operation, without the need to turn,
- conical shower head holder suitable
for various hand shower heads,
- flat wall bracket with soft edges, blends
harmoniously into the trigonometric
design of the handle contour,
- maximum loading permitted: 100kgs,
- supplied with stainless steel Torx screws
6mm dia. x 100mm and plugs for solid
masonry.

Brausehalterstange Shower head rails

a1 / mm	a2 / mm	a3 / mm	Antibac	Code	PG 7000
		1100		9488 110	221,00 €
		1200		9488 120	233,00 €



Cavere Brausehalter für die horizontale Brausestange

- 34 x 30 x 101 mm,
- aus Aluminium,
- kratzfeste Pulverbeschichtung mit anti-
bakteriellem Schutz (ausgenommen 091
Carbonschwarz), Register Information,
- lieferbar in den Cavere Farben,
- zum Aufklipsen auf Cavere Duschhandläufe,
- wartungsfrei,
- Aufnahmekonus mit Kunststoffeinsatz,
passend für unterschiedliche Handbrausen.


Cavere Shower head holder for horizontal shower head rail

- 34 x 30 x 101mm,
- made of aluminium,
- scratch-resistant powder coating with
antibacterial protection (except 091
carbon black), see register information,
- available in Cavere colours,
- for clamping of Cavere shower handrails,
- maintenance-free,
- conical shower head holder with plastic
insert, suitable for various hand shower
heads.

Brausehalter Shower head holder

Code PG 7000

▶ 34 x 30 x 101 mm	7485 030	32,00 €
--------------------	-----------------	---------





Cavere Chrome Duschhandlauf mit verschiebbarer Brausehalterstange

- 500 x 750 mm, 500 x 1100 mm, 600 x 1200 mm, 900 x 1200 mm,
- aus Aluminium,
- Griffprofil und Brausehalterstange in Chrome glänzend,
- Wandstützen und Brausehalter mit kratzfester Pulverbeschichtung und antibakteriellem Schutz,
- lieferbar in: Chrome/Weiß (392) und Chrome/Anthrazit (395),
- verschiebbare Brausehalterstange mit Brausehalter,
- Brausehalter mit stufenloser und leichtgängiger Höhen- und Winkleinstellung, wartungsfrei mit selbstjustierender Klemmkraft,
- Brausehalter mit seitlich gelagertem Bedienhebel zur Einhandbetätigung ohne Drehbewegung,
- Aufnahmekonus passend für unterschiedliche Handbrausen,
- Handlauf mit trigonometrischer Griffkontur zum ergonomischen Abstützen und Greifen,
- zum Einhängen von Einhängesitzen 9847... ,
- verdeckte Verschraubung,
- entspricht ÖNORM B1600,
- max. zul. Belastung: 150 kg für Duschhandlauf, 100 kg für Brausestange,
- links und rechts einsetzbar,
- erfüllt die Anforderungen nach DIN 18040,
- Lieferung mit Edelstahl Torx-Schrauben Ø 6 x 70 mm und Dübeln für Vollbaustoffe.

① * Auch für Einhängesitze 8750... geeignet.


Cavere Chrome Shower handrail with shower head rail, movable

- 500 x 750mm, 500 x 1100mm, 600 x 1200mm, 900 x 1200mm,
- made of aluminium,
- chrome finish grip profile and shower head rail,
- scratchproof powder-coated hand rail brackets and shower head holder,
- available in: chrome/white (392) and chrome/anthracite (395),
- with movable shower head rail,
- with infinitely adjustable shower head holder, easy adjustment to any height and angle, self-adjusting clamp, maintenance-free,
- operating handle for single handed operation without the need to turn, conical shower head holder suitable for various hand shower heads,
- handrail with trigonometric contour for ergonomic support and grip, with adjustable shower head rail,
- suitable for suspendable shower seats 9847...,
- concealed screw fixing,
- according to Austrian standard ÖNORM B1600,
- max. loading permitted: 150kgs for shower handrail, 100kgs for shower headrail,
- left or right hand application,
- meets the requirements of DIN 18040,
- supplied with stainless steel Torx screws 6mm dia. x 70mm and plugs for solid masonry.

① * Also suitable for suspendable shower seats 8750....

Duschhandlauf Shower handrail

a1 / mm	a2 / mm	a3 / mm	Antibac	Code	PG 7000
	500	750		9485 051	334,00 €
	500	1100		9485 052	372,00 €
	600	1200		9485 060	393,00 €
	900*	1200		9485 090	411,00 €





NEW



Cavere Chrome Duschhandlauf mit verschiebbarer Brausehalterstange

- 500 x 750 mm, 500 x 1100 mm, 600 x 1200 mm, 900 x 1200 mm,
- aus Aluminium,
- Griffprofil und Brausehalterstange in Chrome glänzend,
- Wandstützen und Brausehalter mit kratzfester Pulverbeschichtung und antibakteriellem Schutz,
- lieferbar in: Chrome/Weiß (392) und Chrome/Anthrazit (395),
- verschiebbare Brausehalterstange mit Brausehalter,
- Brausehalter mit stufenloser und leichtgängiger Höhen- und Winkleinstellung, wartungsfrei mit selbstjustierender Klemmkraft,
- Brausehalter mit seitlich gelagertem Bedienhebel zur Einhandbetätigung ohne Drehbewegung,
- Aufnahmekonus passend für unterschiedliche Handbrausen,
- Handlauf mit trigonometrischer Griffkontur zum ergonomischen Abstützen und Greifen,
- Wandhalterungen mit weichen Kanten fügen sich harmonisch in das trigonometrische Design der Griffkontur ein,
- Einzelpunkt-Wandbefestigung mit 3 mm Toleranzausgleich ($\pm 1,5$ mm) für eine einfache und sichere Montage,
- zum Einhängen von Einhängesitzen 9847... ,
- verdeckte Verschraubung,
- entspricht ÖNORM B1600,
- max. zul. Belastung: 150 kg für Duschhandlauf, 100 kg für Brausestange,
- links und rechts einsetzbar,
- erfüllt die Anforderungen nach DIN 18040,
- Lieferung mit Edelstahl Torx-Schrauben $\varnothing 6 \times 100$ mm und Dübeln für Vollbaustoffe.

① * Auch für Einhängesitze 8750... geeignet.


Cavere Chrome Shower handrail with shower head rail, movable

- 500 x 750mm, 500 x 1100mm, 600 x 1200mm, 900 x 1200mm,
- made of aluminium,
- chrome finish grip profile and shower head rail,
- scratchproof powder-coated hand rail brackets and shower head holder,
- available in: chrome/white (392) and chrome/anthracite (395),
- with movable shower head rail,
- with infinitely adjustable shower head holder, easy adjustment to any height and angle, self-adjusting clamp, maintenance-free,
- operating handle for single handed operation without the need to turn, conical shower head holder suitable for various hand shower heads,
- handrail with trigonometric contour for ergonomic support and grip, with adjustable shower head rail,
- flat wall bracket with soft edges, blends harmoniously into the trigonometric design of the handle contour,
- single-point wall attachment with 3mm tolerance compensation (± 1.5 mm) for an easy and safe installation,
- suitable for suspendable shower seats 9847...,
- concealed screw fixing,
- according to Austrian standard ÖNORM B1600,
- max. loading permitted: 150kgs for shower handrail, 100kgs for shower headrail,
- left or right hand application,
- meets the requirements of DIN 18040,
- supplied with stainless steel Torx screws 6mm dia. x 100mm and plugs for solid masonry.

① * Also suitable for suspendable shower seats 8750....

Duschhandlauf Shower handrail

a1 / mm	a2 / mm	a3 / mm	Antibac	Code	PG 7000
	500	750		9485 053	334,00 €
	500	1100		9485 054	372,00 €
	600	1200		9485 061	393,00 €
	900*	1200		9485 091	411,00 €





Duschhandlauf
Shower handrail Shower

a1 / mm	a2 / mm	a3 / mm	Antibac	Code	PG 7000
750	750	1100	☞	9486 076	472,00 €
750	750	1100	☜	9486 077	472,00 €
750	750	1200	☞	9486 075	481,00 €
750	750	1200	☜	9486 074	481,00 €

a1 / mm	a2 / mm	a3 / mm	Antibac	Code	PG 7000
1100*	1100	1100	☞	9486 111	561,00 €
1100*	1100	1100	☜	9486 112	561,00 €
1100*	1100	1200	☞	9486 110	575,00 €
1100*	1100	1200	☜	9486 109	575,00 €

Cavere Chrome Duschhandlauf mit verschiebbarer Brausehalterstange



- 750 x 750 x 1100 mm,
750 x 750 x 1200 mm,
1100 x 1100 x 1100 mm,
1100 x 1100 x 1200 mm,
- aus Aluminium,
- Griffprofil und Brausehalterstange in Chrome glänzend,
- Wandstützen und Brausehalter mit kratzfester Pulverbeschichtung und antibakteriellem Schutz,
- lieferbar in:
Chrome/Weiß (392) und
Chrome/Anthrazit (395),
- verschiebbare Brausehalterstange mit Brausehalter,
- Brausehalter mit stufenloser und leichtgängiger Höhen- und Winklereinstellung, wartungsfrei mit selbstjustierender Klemmkraft,
- Brausehalter mit seitlich gelagerter Bedieneinheit zur Einhandbetätigung ohne Drehbewegung,
- Aufnahmekonus passend für unterschiedliche Handbrausen,
- Handlauf mit trigonometrischer Griffkontur zum ergonomischen Abstützen und Greifen,
- links und rechts einsetzbar,
- verdeckte Verschraubung,
- entspricht ÖNORM B1600,
- max. zul. Belastung: 150 kg für Duschhandlauf, 100 kg für Brausestange,
- zum Einhängen von Einhängesitzen 9847...,
- erfüllt die Anforderungen nach DIN 18040
- Lieferung mit Edelstahl Torx-Schrauben Ø 6 x 70 mm und Dübeln für Vollbaustoffe.

① * Auch für Einhängesitze 8750... geeignet.

Cavere Chrome Shower handrail with shower head rail, movable

- 750 x 750 x 1100mm,
750 x 750 x 1200mm,
1100 x 1100 x 1100mm,
1100 x 1100 x 1200mm,
- made of aluminium,
- chrome finish grip profile and shower head rail,
- scratchproof powder-coated hand rail brackets and shower head holder,
- available in:
chrome/white (392) and
chrome/anthracite (395),
- with movable shower head rail,
- with infinitely adjustable shower head holder, easy adjustment to any height and angle, self-adjusting clamp, maintenance-free,
- operating handle for single handed operation without the need to turn, conical shower head holder suitable for various hand shower heads,
- handrail with trigonometric contour for ergonomic support and grip, with adjustable shower head rail,
- left or right hand application,
- concealed screw fixing,
- according to Austrian standard ÖNORM B1600,
- maximum loading permitted: 150kgs for shower handrail, 100kgs for shower headrail,
- suitable for suspendable shower seats 9847...,
- meets the requirements of DIN 18040,
- supplied with stainless steel Torx screws 6mm dia. x 70mm and plugs for solid masonry.

① * Also suitable for suspendable shower seats 8750....





NEW



Duschhandlauf Shower handrail Shower

a1 / mm	a2 / mm	a3 / mm	Antibac	Code	PG 7000
750	750	1100		9486 066	472,00 €
750	750	1100		9486 067	472,00 €
750	750	1200		9486 065	481,00 €
750	750	1200		9486 064	481,00 €

a1 / mm	a2 / mm	a3 / mm	Antibac	Code	PG 7000
1100*	1100	1100		9486 121	561,00 €
1100*	1100	1100		9486 122	561,00 €
1100*	1100	1200		9486 120	575,00 €
1100*	1100	1200		9486 119	575,00 €

Cavere Chrome Duschhandlauf mit verschiebbarer Brausehalterstange


- 750 x 750 x 1100 mm,
750 x 750 x 1200 mm,
1100 x 1100 x 1100 mm,
1100 x 1100 x 1200 mm,
- aus Aluminium,
- Griffprofil und Brausehalterstange
in Chrome glänzend,
- Wandstützen und Brausehalter mit
kratzfester Pulverbeschichtung und
antibakteriellem Schutz,
- lieferbar in:
Chrome/Weiß (392) und
Chrome/Anthrazit (395),
- verschiebbare Brausehalterstange mit
Brausehalter,
- Brausehalter mit stufenloser und leichtgän-
giger Höhen- und Winklereinstellung, war-
tungsfrei mit selbstjustierender Klemmkraft,
- Brausehalter mit seitlich gelagerter Bedien-
hebel zur Einhandbetätigung ohne Dreh-
bewegung,
- Aufnahmekonus passend für unterschied-
liche Handbrausen,
- Handlauf mit trigonometrischer Griffkontur
zum ergonomischen Abstützen und Greifen,
- Wandhalterungen mit weichen Kanten
fügen sich harmonisch in das trigonometri-
sche Design der Griffkontur ein,
- Einzelpunkt-Wandbefestigung mit 3 mm
Toleranzausgleich ($\pm 1,5$ mm) für eine
einfache und sichere Montage,
- links und rechts einsetzbar,
- verdeckte Verschraubung,
- entspricht ÖNORM B1600,
- max. zul. Belastung: 150 kg für Duschhandlauf,
100 kg für Brausestange,
- zum Einhängen von Einhängesitzen 9847...,
- erfüllt die Anforderungen nach DIN 18040
- Lieferung mit Edelstahl Torx-Schrauben
 $\varnothing 6 \times 100$ mm und Dübeln für Vollbaustoffe.

① * Auch für Einhängesitze 8750... geeignet.

Cavere Chrome Shower handrail with shower head rail, movable

- 750 x 750 x 1100mm,
750 x 750 x 1200mm,
1100 x 1100 x 1100mm,
1100 x 1100 x 1200mm,
- made of aluminium,
- chrome finish grip profile and shower
head rail,
- scratchproof powder-coated hand rail
brackets and shower head holder,
- available in:
chrome/white (392) and
chrome/anthracite (395),
- with movable shower head rail,
- with infinitely adjustable shower head
holder, easy adjustment to any height
and angle, self-adjusting clamp,
maintenance-free,
- operating handle for single handed
operation without the need to turn, conical
shower head holder suitable for various
hand shower heads,
- handrail with trigonometric contour for
ergonomic support and grip, with
adjustable shower head rail,
- flat wall bracket with soft edges, blends
harmoniously into the trigonometric
design of the handle contour,
- single-point wall attachment with 3mm
tolerance compensation (± 1.5 mm) for
an easy and safe installation,
- left or right hand application,
- concealed screw fixing,
- according to Austrian standard
ÖNORM B1600,
- maximum loading permitted: 150kgs
for shower handrail, 100kgs for shower
headrail,
- suitable for suspendable shower
seats 9847...,
- meets the requirements of DIN 18040,
- supplied with stainless steel Torx screws
6mm dia. x 100mm and plugs for solid
masonry.

① * Also suitable for suspendable shower
seats 8750....





Duschhandlauf
Shower handrail

a1 / mm	a2 / mm	a3 / mm	Antibac	Code	PG 7000
750	1050	1200	☞	9486 105	494,00 €
750	1050	1200	☜	9486 106	494,00 €



a1 / mm	a2 / mm	a3 / mm	Antibac	Code	PG 7000
1050	750	1200	☞	9486 107	494,00 €
1050	750	1200	☜	9486 108	494,00 €

Cavere Chrome Duschhandlauf mit verschiebbarer Brausehalterstange

- 750 x 1050 x 1200 mm, 1050 x 750 x 1200 mm,
- aus Aluminium,
- Griffprofil und Brausehalterstange in Chrome glänzend,
- Wandstützen und Brausehalter mit kratzester Pulverbeschichtung und antibakteriellem Schutz,
- lieferbar in: Chrome/Weiß (392) und Chrome/Anthrazit (395),
- verschiebbare Brausehalterstange mit Brausehalter,
- Brausehalter mit stufenloser und leichtgängiger Höhen- und Winklereinstellung, wartungsfrei mit selbstjustierender Klemmkraft,
- Brausehalter mit seitlich gelagerter Bedienhebel zur Einhandbetätigung ohne Drehbewegung,
- Aufnahmekonus passend für unterschiedliche Handbrausen,
- Handlauf mit trigonometrischer Griffkontur zum ergonomischen Abstützen und Greifen,
- verdeckte Verschraubung,
- die Maße entsprechen der ÖNORM B1600,
- max. zul. Belastung: 150 kg für Duschhandlauf, 100 kg für Brausestange,
- zum Einhängen von Einhängesitzen 9847...,
- erfüllt die Anforderungen nach DIN 18040,
- Lieferung mit Edelstahl Torx-Schrauben Ø 6 x 70 mm und Dübeln für Vollbaustoffe.

Cavere Chrome Shower handrail with shower head rail, movable

- 750 x 1050 x 1200mm, 1050 x 750 x 1200mm,
- made of aluminium,
- chrome finish grip profile and shower head rail,
- scratchproof powder-coated handrail brackets and shower head holder,
- available in: chrome/white (392) and chrome/anthracite (395),
- with movable shower head rail,
- with infinitely adjustable shower head holder, easy adjustment to any height and angle, self-adjusting clamp, maintenance-free,
- operating handle for single handed operation, without the need to turn, conical shower head holder suitable for various hand shower heads,
- handrail with trigonometric contour for ergonomic support and grip, with adjustable shower head rail,
- concealed screw fixing,
- according to Austrian standard ÖNORM B1600,
- maximum loading permitted: 150kgs for shower handrail, 100kgs for shower head rail,
- suitable for suspendable shower seats 9847...,
- meets the requirements of DIN 18040,
- supplied with stainless steel Torx screws 6mm dia. x 70mm and plugs for solid masonry.





NEW



Duschhandlauf
Shower handrail

a1 / mm	a2 / mm	a3 / mm	Antibac	Code	PG 7000
750	1050	1200	☞	9486 115	494,00 €
750	1050	1200	☜	9486 116	494,00 €


a1 / mm	a2 / mm	a3 / mm	Antibac	Code	PG 7000
1050	750	1200	☞	9486 117	494,00 €
1050	750	1200	☜	9486 118	494,00 €

Cavere Chrome Duschhandlauf mit verschiebbarer Brausehalterstange


- 750 x 1050 x 1200 mm, 1050 x 750 x 1200 mm,
- aus Aluminium,
- Griffprofil und Brausehalterstange in Chrome glänzend,
- Wandstützen und Brausehalter mit kratzfester Pulverbeschichtung und antibakteriellem Schutz,
- lieferbar in: Chrome/Weiß (392) und Chrome/Anthrazit (395),
- verschiebbare Brausehalterstange mit Brausehalter,
- Brausehalter mit stufenloser und leichtgängiger Höhen- und Winklereinstellung, wartungsfrei mit selbstjustierender Klemmkraft,
- Brausehalter mit seitlich gelagerter Bedieneinheit zur Einhandbetätigung ohne Drehbewegung,
- Aufnahmekonus passend für unterschiedliche Handbrausen,
- Handlauf mit trigonometrischer Griffkontur zum ergonomischen Abstützen und Greifen,
- Wandhalterungen mit weichen Kanten fügen sich harmonisch in das trigonometrische Design der Griffkontur ein,
- Einpunkt-Wandbefestigung mit 3 mm Toleranzausgleich ($\pm 1,5$ mm) für eine einfache und sichere Montage,
- verdeckte Verschraubung,
- die Maße entsprechen der ÖNORM B1600,
- max. zul. Belastung: 150 kg für Duschhandlauf, 100 kg für Brausestange,
- zum Einhängen von Einhängesitzen 9847...,
- erfüllt die Anforderungen nach DIN 18040,
- Lieferung mit Edelstahl Torx-Schrauben $\varnothing 6 \times 100$ mm und Dübeln für Vollbaustoffe.

Cavere Chrome Shower handrail with shower head rail, movable

- 750 x 1050 x 1200mm, 1050 x 750 x 1200mm,
- made of aluminium,
- chrome finish grip profile and shower head rail,
- scratchproof powder-coated handrail brackets and shower head holder,
- available in: chrome/white (392) and chrome/anthracite (395),
- with movable shower head rail,
- with infinitely adjustable shower head holder, easy adjustment to any height and angle, self-adjusting clamp, maintenance-free,
- operating handle for single handed operation, without the need to turn, conical shower head holder suitable for various hand shower heads,
- handrail with trigonometric contour for ergonomic support and grip, with adjustable shower head rail,
- flat wall bracket with soft edges, blends harmoniously into the trigonometric design of the handle contour,
- single-point wall attachment with 3mm tolerance compensation (± 1.5 mm) for an easy and safe installation,
- concealed screw fixing,
- according to Austrian standard ÖNORM B1600,
- maximum loading permitted: 150kgs for shower handrail, 100kgs for shower head rail,
- suitable for suspendable shower seats 9847...,
- meets the requirements of DIN 18040,
- supplied with stainless steel Torx screws 6mm dia. x 100mm and plugs for solid masonry.





Weitere Informationen unter Register  More information see register 	Wand und Wandbeschaffenheit / Wall and wall substance				
	Mauerwerk aus Vollsteinen Brickwork made of full brick	Mauerwerk aus Lochsteinen Brickwork made of perforated brick	Vorwandinstallation Fixing in front of the wall with panels		
	– Beton ≥ B 15 – Vollziegel ≥ Mz 12 – Kalksand - Vollstein ≥ KS 12 – Naturstein mit dichtem Gefüge – Vollbims – Concrete ≥ B 15 – solid brick ≥ Mz 12 – sand-lime brick-solid brick ≥ KS 12 – natural stone with compact grain – solid pumice	– Kalksandlochstein KSL ≥ 12 – Hochlochziegel HLz > 12 – Hohlblockstein ≥ Hbl4, Hbn4 – andere Lochsteine – cavity brick KSL ≥ 12 – Perforated brick HLz ≥ 12 – checker brick ≥ Hbl4, Hbn4 – other hollow brick material	Befestigungsplatte aus mehrschichtverleimtem Holz	Befestigungsplatte aus Stahl	ohne Hinterfüllung
			panels and integrated mounting plate made of hardwood	integrated mounting plate made of steel	without backfill
Klappsitze shower seats  Grundplatte mit Blindabdeckung vario, einhängbar Base plate with cover plate blind vario, suspendable 	Montageset / Fixing Set 7470 030 20,25 € 1 Set	Montageset / Fixing Set 7470 040 76,00 € mit Injektions-Kartusche* with injection-cartridge* Montageset / Fixing Set 7470 050 35,50 € ohne Injektions-Kartusche without injection-cartridge 1 Set	Montageset / Fixing Set 7470 010 17,00 € 1 Set	Montageset / Fixing Set 7470 020 15,00 € 1 Set	
	1 Set	1 Set	1 Set	1 Set	



Grundplatte mit Blindabdeckung vario
Base plate with cover plate blind

Code

PG 7000

▶ 100 x 220 x 22 mm **7449 200** 72,00 €
mit Grundplatte
with base plate

▶ 100 x 220 x 22 mm **7449 250** 44,25 €
ohne Grundplatte
without base plate

Cavere Grundplatte mit Blindabdeckung vario


- 100 x 220 x 22 mm,
- aus Aluminium,
- Blindabdeckung mit kratzfester Pulverbeschichtung mit antibakteriellem Schutz (ausgenommen 091 Carbonschwarz), Register Information,
- lieferbar in den Cavere Farben,
- Abdeckung mit weichen Kanten,
- Grundplatte aus Edelstahl, zum späteren einfachen Austausch mit Cavere Klappsitze vario,
- Lieferung mit Innensechskantschlüssel für Gewindestift M6.


① Das Montageset ist entsprechend der Wandbeschaffenheit festzulegen und separat zu bestellen.

Cavere Base plate with cover plate blind vario


- 100 x 220 x 22mm,
- made of aluminium,
- mounting plate blind with scratch-resistant powder coating with antibacterial protection (except 091 carbon black), see register information,
- available in Cavere colours,
- cover with soft edges,
- base plate made of stainless steel, for easier exchange with Cavere suspendable lift-up shower seats vario,
- supplied with allen key for grub screw M6.

① The fixing set should be ordered separately to suit the type of wall.





...mit Grundplatte
...with base plate



...ohne Grundplatte
...without base plate

Klappsitz vario, einhängbar

Lift-up shower seat vario, suspendable

mit Grundplatte
with base plate

Code PG 7000

▶ 380 x 462 mm	9844 381	544,00 €
▶ 450 x 462 mm*	9844 451	620,00 €

ohne Grundplatte
without base plate

▶ 380 x 462 mm	9844 382	515,00 €
▶ 450 x 462 mm*	9844 452	593,00 €

Cavere Chrome Klappsitz vario, einhängbar




- 380 x 462 mm, 450 x 462 mm,
- aus Aluminium,
- Trägerkonsole und Wandplatte in Chrome glänzend (300),
- mit anthrazitfarbenem Polster aus PUR-Integralschaum,
- mit korrosionsfreiem durchgehendem Metallkern,
- mit wartungsfreier Bremse,
- arretiert in hochgeklapptem Zustand,
- Platz sparend, Ausladung hochgeklappt 97 mm,
- einfache Montage oder Demontage durch Einhängen in die Grundplatte,
- Grundplatte aus Edelstahl,
- Abdeckung mit weichen Kanten,
- verdeckte Verschraubung,
- *entspricht DIN 18040-1 und ÖNORM B1600,
- max. zul. Belastung: 150 kg,
- Lieferung mit Innensechskantschlüssel.

① Das Montageset ist entsprechend der Wandbeschaffenheit festzulegen und separat zu bestellen.


Cavere Chrome Lift-up shower seat vario, suspendable

- 380 x 462mm, 450 x 462mm,
- made of aluminium,
- carrying bracket and wall panel in chrome finish (300),
- with padded seat, made of PUR integral foam, colour anthracite,
- with non-corrosive metal core throughout,
- with maintenance-free brake,
- locked in the upright position,
- space saving, space required in lift-up position 97mm from wall,
- easy installation or dismantling due to connecting to base plate,
- base plate made of stainless steel,
- cover with soft edges,
- concealed fixing screws,
- *according German standard DIN 18040-1 and Austrian standard ÖNORM B1600,
- maximum loading permitted: 150kgs,
- supplied with allen key.

① The fixing set should be ordered separately to suit the type of wall.



...mit Grundplatte
...with base plate



...ohne Grundplatte
...without base plate

Klappsitz vario, einhängbar

Lift-up shower seat vario, suspendable

mit Grundplatte
with base plate

Code PG 7000

▶ 450 x 462 mm	9844 456	636,00 €
----------------	-----------------	----------

ohne Grundplatte
without base plate


▶ 450 x 462 mm	9844 457	608,00 €
----------------	-----------------	----------

Cavere Chrome Klappsitz vario, einhängbar mit Hygieneaussparung

- 450 x 462 mm,
- mit Hygieneaussparung,
- weitere Beschreibung wie oben.


Cavere Chrome Lift-up shower seat vario, suspendable, hygienic

- 450 x 462mm,
- hygienic,
- further description see above.



Beide Ausführungen auch in nicht einhängbar auf Anfrage lieferbar.

On request, both versions are also available as non-suspendable type.



Cavere Chrome Einhängesitz, klappbar,

- 380 x 563 x 406 mm, 450 x 563 x 406 mm,
- aus Aluminium,
- Trägerkonsole und Halterung in Chrome glänzend (392, 395),
- mit anthrazitfarbenem Polster aus PUR-Integralschaum,
- mit korrosionsfreiem durchgehendem Metallkern,
- mit wartungsfreier Bremse,
- arretiert in hochgeklapptem Zustand,
- Platz sparend, Ausladung hochgeklappt 197 mm,
- zum Einhängen in Cavere Duschhandläufe,
- *entspricht DIN 18040-1 und ÖNORM B1600,
- max. zul. Belastung: 150 kg,
- erfüllt die Anforderungen nach DIN 18040.

Cavere Chrome Suspendable lift-up shower seat

- 380 x 563 x 406mm, 450 x 563 x 406mm,
- made of aluminium,
- carrying bracket and bracket in chrome finish (392, 395),
- with padded seat, made of PUR integral foam, colour anthracite,
- with non-corrosive metal core throughout,
- with maintenance-free brake,
- locked in the upright position,
- space saving, space required in lift-up position 197mm from wall,
- can be suspended from Cavere shower handrails,
- *according German standard DIN 18040-1 and Austrian standard ÖNORM B1600,
- maximum loading permitted: 150kgs,
- meets the requirements of DIN 18040.



Einhängesitz
Suspendable lift-up
shower seat

Code PG 7000

- ▶ 380 x 563 x 406 mm **9847 380** 864,00 €
- ▶ 450 x 563 x 406 mm* **9847 450** 886,00 €

Bei Duschhandlaufoberkante von **850 mm** entspricht die Sitzhöhe der **DIN Norm 18040** und **ÖNORM B1600**.

With a top edge of shower handrail of **850mm**, the seat height corresponds to **German standard DIN** and **ÖNORM B1600**.



Cavere Chrome Einhängesitz, klappbar, mit Hygieneaussparung

- 450 x 563 x 406 mm,
- weitere Beschreibung wie oben.

Cavere Chrome Suspendable lift-up shower seat, hygienic

- 450 x 563 x 406mm,
- further description see above.


Einhängesitz
Suspendable lift-up
shower seat


Code PG 7000

- ▶ 450 x 563 x 406 mm **9847 455** 888,00 €

Bei Duschhandlaufoberkante von **850 mm** entspricht die Sitzhöhe der **DIN Norm 18040** und **ÖNORM B1600**.

With a top edge of shower handrail of **850mm**, the seat height corresponds to **German standard DIN** and **ÖNORM B1600**.





Cavere Chrome Einhängesitz, klappbar,

- 380 x 563 x 340 mm, 450 x 563 x 340 mm,
- aus Aluminium,
- Trägerkonsole und Halterung in Chrome glänzend (392, 395),
- mit anthrazitfarbenem Polster aus PUR-Integralschaum,
- mit korrosionsfreiem durchgehendem Metallkern,
- mit wartungsfreier Bremse,
- arretiert in hochgeklapptem Zustand,
- Platz sparend, Ausladung hochgeklappt 197 mm,
- zum Einhängen in Cavere Duschhandläufe,
- max. zul. Belastung: 150 kg,
- erfüllt die Anforderungen nach DIN 18040.

Cavere Chrome Suspendable lift-up shower seat

- 380 x 563 x 340mm, 450 x 563 x 340mm,
- made of aluminium,
- carrying bracket and bracket in chrome finish (392, 395),
- with padded seat, made of PUR integral foam, colour anthracite,
- with non-corrosive metal core throughout,
- with maintenance-free brake,
- locked in the upright position,
- space saving, space required in lift-up position 197mm from wall,
- can be suspended from Cavere shower handrails,
- maximum loading permitted: 150kgs,
- meets the requirements of DIN 18040.



Einhängesitz
Suspendable lift-up
shower seat

Code

PG 7000

- ▶ 380 x 563 x 340 mm **9847 381** 864,00 €
- ▶ 450 x 563 x 340 mm **9847 451** 886,00 €

Für Duschhandlaufoberkante **770 - 800 mm.**
For **770-800mm** top edge of shower handrail.



Cavere Chrome Einhängesitz, klappbar, mit Hygieneaussparung

- 450 x 563 x 340 mm,
- weitere Beschreibung wie oben.


Cavere Chrome Suspendable lift-up shower seat, hygienic


- 450 x 563 x 340mm,
- further description see above.

Einhängesitz
Suspendable lift-up
shower seat

- ▶ 450 x 563 x 340 mm **9847 456** 888,00 €

Für Duschhandlaufoberkante **770 - 800 mm.**
For **770-800mm** top edge of shower handrail.





Cavere Chrome Deckenabhngung

- Lnge 500, 1000 mm, $\varnothing$ 6 mm,
- aus Aluminium,
- in Chrome glnzend (300),
- fr Anschlussgewinde an Rohr $\varnothing$ 20 mm bis Oberkante Vorhangstange,
- Deckenanschluss mit axialer Befestigungsschraube,
- Lieferung mit Edelstahl Torx-Schrauben $\varnothing$ 6 x 70 mm und Dbeln fr Vollbaustoffe.


Cavere Chrome Ceiling support

- length 500, 1000mm, 6mm dia.,
- made of aluminium,
- in chrome finish (300),
- for connection thread to rail 20mm dia. to upper edge of shower curtain rail,
- ceiling support with axial fixing screw,
- supplied with 6mm dia. x 70mm stainless Torx screws and plugs for solid masonry.

Deckenabhngung Ceiling support

Code PG 7010

▶ L = 500 mm	9382 050	66,50 €
▶ L = 1000 mm	9382 060	88,50 €



Cavere Chrome Duschvorhangstange mit Vorhangringen

- $a_1/a_2 = \dots$ mm, $\varnothing$ 20 mm,
- aus Aluminium,
- in Chrome glnzend, mit Nylon-Vorhangringen dunkelgrau (018), oder mit Nylon-Vorhangringen wei (019),
- Wandanschluss mit axialer Befestigungsschraube,
- Lieferung mit Edelstahl Torx-Schrauben $\varnothing$ 6 x 70 mm und Dbeln fr Vollbaustoffe.

Cavere Chrome Shower curtain rail with curtain rings

- $c/c_1-c/c_2 = \dots$ mm, 20mm dia.,
- made of aluminium,
- in chrome finish, incl. Nylon curtain rings in colour dark grey (018) or white (019),
- wall connection with axial fixing screw,
- supplied with 6mm dia. x 70mm stainless Torx screws and plugs for solid masonry.


① Deckenabhngung ist separat zu bestellen.
Nylon-Vorhangringe knnen nachbestellt werden.


① Ceiling support to be ordered separately.
Nylon curtain rings can be ordered separately.

Duschvorhangstange Shower curtain rail


Code PG 7010

▶ $a_1/a_2 = 800$ mm mit 16 Vorhangringen with 16 curtain rings	9382 080	210,00 €
▶ $a_1/a_2 = 900$ mm mit 17 Vorhangringen with 17 curtain rings	9382 090	221,00 €
▶ $a_1/a_2 = 1000$ mm mit 17 Vorhangringen with 17 curtain rings	9382 100	233,00 €
▶ $a_1/a_2 = 1100$ mm mit 19 Vorhangringen with 19 curtain rings	9382 110	244,00 €
▶ $a_1/a_2 = 1200$ mm mit 21 Vorhangringen with 21 curtain rings	9382 120	255,00 €
▶ $a_1/a_2 = 1300$ mm mit 23 Vorhangringen with 23 curtain rings	9382 130	266,00 €
▶ $a_1/a_2 = 1400$ mm mit 23 Vorhangringen with 23 curtain rings	9382 140	276,00 €
▶ $a_1/a_2 = 1500$ mm mit 25 Vorhangringen with 25 curtain rings	9382 150	288,00 €






Farbe/colour 019




Farbe/colour 051



Farbe/colour 052



Farbe/colour 054



Farbe/colour 059

Duschvorhang


- Höhe 2000 mm, Breite ... mm,
- für Duschvorhangstange,
- **aus 100% Polyester, dauerhaft antibakteriell, fungizid, lieferbar in:**
 - **Farbe 019:** weiß mit Struktur,
 - **Farbe 051:** weiß mit ovalem Dekor,
 - **Farbe 052:** grau mit ovalem Dekor,
 - **Farbe 054:** weiß mit Diagonalstreifen.
- **Ausführung Duschvorhang schwer entflammbar,**
 - **Farbe 059: weiß aus Trevira CS,**
 - fungizid,
 - Baustoffklasse B1, DIN 4102, schwer entflammbar,
- bis 40 Grad waschbar, geeignet zur Desinfektion bis 60 Grad,
- schnelltrocknend, wasserabweisend,
- mit vernickelten Messing-Ösen für Vorhangringe,
- mit umlaufendem Saum und eingearbeitetem Bleiband,
- weitere Maße auf Anfrage.





① Muster der Stoffdekore halten wir bereit, bitte anfordern.

Shower curtain

- height 2000mm, width ... mm,
- for shower curtain rail,
- **made of 100% polyester, long-lasting antibacterial, fungicidal, available in:**
 - **colour 019:** white with structure,
 - **colour 051:** white with oval pattern,
 - **colour 052:** grey with oval pattern,
 - **colour 054:** white with diagonal stripes.
- **shower curtain type flame retardant**
 - **colour 059: white, material Trevira CS,**
 - fungicidal,
 - building material category B1, DIN 4102, hardly inflammable,
- till 40°C washable, suitable for disinfection, up to 60°C,
- quick drying and water repellent,
- with nickel-plated brass eyelets for curtain rings,
- hemmed and with a sewn in lead band,
- further dimensions on request.


① We stock samples, please contact us to request them.



Duschvorhangstange Shower curtain rail a1/a2 / c/c1 - c/c2	Ösen- anzahl Eyelets	Bezeichnung Product description	Bestell-Nr. Product code PG 1900	 019	 051	 052	 054	 059
800 mm	16	2100 x 2000 mm	0787 340 ...	102,00 €	120,00 €	245,00 €	245,00 €	
900 mm	17	2400 x 2000 mm	0787 350 ...	105,00 €	125,00 €	273,00 €	273,00 €	
1000 mm	17	2400 x 2000 mm	0787 350 ...	105,00 €	125,00 €	273,00 €	273,00 €	
1100 mm	19	2700 x 2000 mm	0787 360 ...	112,00 €	134,00 €	303,00 €	303,00 €	
1200 mm	21	3000 x 2000 mm	0787 370 ...	117,00 €	141,00 €	334,00 €	334,00 €	
1300 mm	23	3300 x 2000 mm	0787 380 ...	126,00 €	152,00 €	363,00 €	363,00 €	
1400 mm	23	3300 x 2000 mm	0787 380 ...	126,00 €	152,00 €	363,00 €	363,00 €	
1500 mm	25	3600 x 2000 mm	0787 390 ...	135,00 €	162,00 €	394,00 €	394,00 €	



NEW



Cavere Chrome Duschvorhangstange mit Vorhangringen

- $a_1/a_2 = \dots$ mm, $\varnothing 20$ mm,
- aus Aluminium,
- in Chrome glänzend, mit Nylon-Vorhangringen dunkelgrau (018), oder mit Nylon-Vorhangringen weiß (019),
- Wandanschluss mit axialer Befestigungsschraube,
- Lieferung mit Edelstahl Torx-Schrauben $\varnothing 6 \times 70$ mm und Dübeln für Vollbaustoffe.

① Deckenabhängung ist separat zu bestellen, siehe Seite 72.

Nylon-Vorhangringe können nachbestellt werden.

Cavere Chrome Shower curtain rail with curtain rings

- $c/c_1-c/c_2 = \dots$ mm, 20mm dia.,
- made of aluminium,
- in chrome finish, incl. Nylon curtain rings in colour dark grey (018) or white (019),
- wall connection with axial fixing screw,
- supplied with 6mm dia. x 70mm stainless Torx screws and plugs for solid masonry.


① Ceiling support to be ordered separately, see page 72.


Nylon curtain rings can be ordered separately.

Duschvorhangstange Shower curtain rail


Code PG 7010

▶ $a_1/a_2 = 900$ mm mit 28 Vorhangringen with 28 curtain rings	9382 320	470,00 €
▶ $a_1/a_2 = 1000$ mm mit 28 Vorhangringen with 28 curtain rings	9382 330	435,00 €
▶ $a_1/a_2 = 1100$ mm mit 30 Vorhangringen with 30 curtain rings	9382 340	440,00 €
▶ $a_1/a_2 = 1200$ mm mit 34 Vorhangringen with 34 curtain rings	9382 350	590,00 €
▶ $a_1/a_2 = 1300$ mm mit 36 Vorhangringen with 36 curtain rings	9382 360	580,00 €
▶ $a_1/a_2 = 1400$ mm mit 36 Vorhangringen with 36 curtain rings	9382 370	525,00 €
▶ $a_1/a_2 = 1500$ mm mit 40 Vorhangringen with 40 curtain rings	9382 380	515,00 €






Farbe/colour 019




Farbe/colour 051



Farbe/colour 052



Farbe/colour 054



Farbe /colour 059

Duschvorhang, 2-teilig




- Höhe 2000 mm, Breite ... mm,
- für Duschvorhangstange 9382 3..,
- **aus 100% Polyester, dauerhaft antibakteriell, fungizid, lieferbar in:**
 - **Farbe 019:** weiß mit Struktur,
 - **Farbe 051:** weiß mit ovalem Dekor,
 - **Farbe 052:** grau mit ovalem Dekor,
 - **Farbe 054:** weiß mit Diagonalstreifen,
- **Ausführung Duschvorhang schwer entflammbar,**
 - **Farbe 059: weiß aus Trevira CS,**
 - fungizid,
 - Baustoffklasse B1, DIN 4102, schwer entflammbar,
- bis 40 Grad waschbar, geeignet zur Desinfektion bis 60 Grad,
- schnelltrocknend, wasserabweisend,
- mit vernickelten Messing-Ösen für Vorhänge,
- mit umlaufendem Saum und eingearbeitetem beschichtetem Bleiband,
- weitere Maße auf Anfrage.

① Vergrößerte Abbildung der Duschvorhänge siehe Register .
Muster der Stoffdekore halten wir bereit, bitte anfordern.

Shower curtain, 2 parts

- height 2000mm, width ... mm,
- for shower curtain rail 9382 3..,
- **made of 100% polyester, long-lasting antibacterial, fungicidal, available in:**
 - **colour 019:** white with structure,
 - **colour 051:** white with oval pattern,
 - **colour 052:** grey with oval pattern,
 - **colour 054:** white with diagonal stripes,
- **shower curtain type flame retardant**
 - **colour 059 white, material Trevira CS,**
 - fungicidal,
 - building material category B1, DIN 4102, flame retardant,
- till 40°C washable, suitable for disinfection, up to 60°C,
- quick drying and water repellent,
- with nickel-plated brass eyelets for curtain rings,
- hemmed and with a sewn in coated lead band,
- further dimensions on request.

① Please refer register for description of shower curtains.
We stock samples, please contact us to request them.

Duschvorhangstange Shower curtain rail a ₁ /a ₂ / c/c ₁ - c/c ₂	Ösen- anzahl Eyelets	Bezeichnung Product description Teil 1 / Teil 2 x 2000 mm Part 1 / part 2 x 2000 mm	Bestell-Nr. Product code PG 1900		 		
900 mm	27	1200/2400 x 2000 mm	0787 620 ...	180,00 €	216,00 €	429,00 €	429,00 €
1000 mm	27	1500/2400 x 2000 mm	0787 630 ...	190,00 €	226,00 €	457,00 €	457,00 €
1100 mm	29	1500/2700 x 2000 mm	0787 640 ...	198,00 €	235,00 €	487,00 €	487,00 €
1200 mm	33	1800/3000 x 2000 mm	0787 650 ...	214,00 €	257,00 €	549,00 €	549,00 €
1300 mm	35	1800/3300 x 2000 mm	0787 660 ...	220,00 €	266,00 €	578,00 €	578,00 €
1400 mm	35	1800/3300 x 2000 mm	0787 660 ...	220,00 €	266,00 €	578,00 €	578,00 €
1500 mm	39	2100/3600 x 2000 mm	0787 670 ...	230,00 €	278,00 €	635,00 €	635,00 €



Duschvorhangstange Shower curtain rail

Code PG 7010

- L = 1000 mm **9382 220** 149,00 €
Anzahl der Vorhangringe siehe Tabelle
Please refer to table for number of curtain rings
- L = 1500 mm **9382 230** 183,00 €
Anzahl der Vorhangringe siehe Tabelle
Please refer to table for number of curtain rings

Cavere Chrome Duschvorhangstange mit Vorhangringen

- Länge 1000, 1500 mm, Ø 20 mm,
- aus Aluminium,
- in Chrome glänzend,
mit Nylon-Vorhangringen dunkelgrau (018),
oder mit Nylon-Vorhangringen weiß (019),
- Wandanschluss mit axialer Befestigungs-
schraube.
- Lieferung mit Schrauben und Dübeln.

① Auf Anfrage in individuellen Längen
lieferbar.


Nylon Vorhangringe können nachbestellt
werden.

Cavere Chrome Shower curtain rail with curtain rings

- length 1000, 1500mm, 20mm dia.,
- made of aluminium,
- in chrome finish,
incl. Nylon curtain rings in colour dark grey
(018) or white (019),
- wall connection with axial fixing screw,
- supplied with fixing screws and plugs.

① Custom lengths available upon request.

Nylon curtain rings or further can be
ordered separately.



Vorhangring Curtain ring

Code PG 1500


- 46 x 8 mm **0361 330** 2,35 €


Nylon Vorhangring

- 46 x 8 mm, offen,
- für Duschvorhangstangen Ø 20 mm
und NORMBAU Duschvorhänge,
- aus Nylon
NORMBAU-Farbe dunkelgrau (018),
oder weiß (019).


Nylon Curtain ring

- 46 x 8mm, open,
- for shower curtain rail 20mm dia.
and NORMBAU shower curtains,
- made of Nylon,
- available in
NORMBAU colour dark grey (018)
or white (019).






Farbe/colour 019




Farbe/colour 051



Farbe/colour 052



Farbe/colour 054



Farbe/colour 059

Duschvorhang


- Höhe 2000 mm, Breite ... mm,
- für Duschvorhangstange,
- **aus 100% Polyester, dauerhaft antibakteriell, fungizid, lieferbar in:**
 - **Farbe 019:** weiß mit Struktur,
 - **Farbe 051:** weiß mit ovalem Dekor,
 - **Farbe 052:** grau mit ovalem Dekor,
 - **Farbe 054:** weiß mit Diagonalstreifen.
- **Ausführung Duschvorhang schwer entflammbar,**
 - **Farbe 059: weiß aus Trevira CS,**
 - fungizid,
 - Baustoffklasse B1, DIN 4102, schwer entflammbar,
- bis 40 Grad waschbar, geeignet zur Desinfektion bis 60 Grad,
- schnelltrocknend, wasserabweisend,
- mit vernickelten Messing-Ösen für Vorhangringe,
- mit umlaufendem Saum und eingearbeitetem Bleiband,
- weitere Maße auf Anfrage.

❗ Muster der Stoffdekore halten wir bereit, bitte anfordern.

Shower curtain

- height 2000mm, width ... mm,
- for shower curtain rail,
- **made of 100% polyester, long-lasting antibacterial, fungicidal, available in:**
 - **colour 019:** white with structure,
 - **colour 051:** white with oval pattern,
 - **colour 052:** grey with oval pattern,
 - **colour 054:** white with diagonal stripes.
- **shower curtain type flame retardant**
 - **colour 059: white, material Trevira CS,**
 - fungicidal,
 - building material category B1, DIN 4102, hardly inflammable,
- till 40°C washable, suitable for disinfection, up to 60°C,
- quick drying and water repellent,
- with nickel-plated brass eyelets for curtain rings,
- hemmed and with a sewn in lead band,
- further dimensions on request.

❗ We stock samples, please contact us to request them.



Duschvorhangstange Shower curtain rail	Ösen- anzahl Eyelets	Bezeichnung Product description	Bestell-Nr. Product code					
			PG1900	019	051	052	054	059
500 - 910 mm	9	1200 x 2000 mm	0787 310 ...	74,00 €	90,00 €		155,00 €	155,00 €
911 - 1180 mm	11	1500 x 2000 mm	0787 320 ...	85,50 €	103,00 €		184,00 €	184,00 €
1181 - 1450 mm	13	1800 x 2000 mm	0787 330 ...	95,50 €	115,00 €		212,00 €	212,00 €
1451 - 1500 mm	15	2100 x 2000 mm	0787 340 ...	102,00 €	120,00 €		245,00 €	245,00 €



...mit Grundplatte
...with base plate



...ohne Grundplatte
...without base plate

Duschspritzschutz Shower guard rail

Code PG 7000

mit Grundplatte with base plate

▶ L = 850 mm	9447 380	488,00 €
▶ L = 900 mm	9447 390	510,00 €

ohne Grundplatte without base plate

▶ L = 850 mm	9447 480	460,00 €
▶ L = 900 mm	9447 490	493,00 €

Cavere Chrome Duschspritzschutz vario, einhängbar

- Länge 850 und 900 mm,
- aus Aluminium,
- Griffprofil in Chrome glänzend,
- Konsolen mit kratzfester Pulverbeschichtung und antibakteriellem Schutz,
- Lieferbar in: Chrome/Weiß (392) und Chrome/Anthrazit (395),
- mit trigonometrischer Griffkontur zum ergonomischen Abstützen und Greifen,
- Wandhalterung mit weichen Kanten fügt sich harmonisch in das trigonometrische Design der Griffkontur,
- Platz sparend durch zentrische Lagerkonsole,
- links und rechts einsetzbar,
- mit robuster und wartungsfreier Gleitlagertechnik,
- gebremst nach oben und unten klappbar,
- mit einstellbarer Bremse,
- einfache Montage oder Demontage durch Einhängen in die Grundplatte,
- Grundplatte aus Edelstahl,
- verdeckte Verschraubung,
- geeignet für Duschspritzschutzvorhänge mit Klettverschluss,
- Länge 850 mm entspricht DIN 18040 1-2 und ÖNORM B1600,
- max. zul. Belastung: 100 kg,
- Lieferung mit Innensechskantschlüssel.

① Das Montageset ist entsprechend der Wandbeschaffenheit festzulegen und separat zu bestellen.

Duschspritzschutzvorhang ist separat zu bestellen.

Montagesets siehe Register

Duschspritzschutz vario ist bestens geeignet für häufige Montage und Demontage (z. B. Hotels und Rehakliniken).

Duschspritzschutz vario, einhängbar, ohne Grundplatte für den nachträglichen Einbau an die bereits installierte Grundplatte.

Cavere Chrome Shower guard rail vario, suspendable

- length 850 and 900mm,
- made of aluminium,
- chrome finish grip profile,
- scratchproof powder-coated brackets,
- available in: chrome/white (392) and chrome/anthracite (395),
- with trigonometric contour for ergonomic support and grip,
- flat wall bracket with soft edges, blends harmoniously into the trigonometric design of the handle contour,
- space-saving, centrally aligned mounting,
- left or right hand application,
- with durable maintenance-free, friction bearings,
- foldable upwards and downwards with brake,
- with adjustable brake,
- easy installation or dismantling due to connecting to base plate,
- base plate made of stainless steel,
- concealed screw fixing,
- suitable for shower guard curtain with velcro fastening,
- 850mm length according to German standard DIN 18040 1-2 and Austrian standard ÖNORM B1600,
- maximum loading permitted: 100kgs,
- supplied with allen key.


① The fixing set should be ordered separately to suit the type of wall.


Shower guard curtain to be ordered separately.

Fixing sets see register


The suspendable support rail vario is suitable for regular fitting and removal (e.g. hotels and rehab clinics).

The suspendable vario without base plate for retrofitting on an already installed base plate.






Farbe/colour 019




Farbe/colour 051



Farbe/colour 052



Farbe/colour 054



Farbe/colour 059

Duschspritzschutzvorhang


- 605 x 715 mm für Duschspritzschutz 9447...
- mit durchgehendem Klettverschluss,
- **aus 100% Polyester, dauerhaft antibakteriell, fungizid, lieferbar in:**
 - **Farbe 019:** weiß mit Struktur,
 - **Farbe 051:** weiß mit ovalem Dekor,
 - **Farbe 052:** grau mit ovalem Dekor,
 - **Farbe 054:** weiß mit Diagonalstreifen.
- **Ausführung Duschvorhang schwer entflammbar,**
 - **Farbe 059: weiß aus Trevira CS,**
 - fungizid,
 - Baustoffklasse B1, DIN 4102, schwer entflammbar,
- bis 40 Grad waschbar, geeignet zur Desinfektion bis 60 Grad,
- schnelltrocknend und wasserabweisend,
- weitere Maße auf Anfrage.

❶ Muster der Stoffdekore halten wir bereit, bitte anfordern.


Shower guard curtain


- 605 x 715mm for shower guard rail 9447...
- with full-length velcro fastening,
- **made of 100% polyester, antibacterial fungicide, available in:**
 - **colour 019:** white with structure,
 - **colour 051:** white with oval pattern,
 - **colour 052:** grey with oval pattern,
 - **colour 054:** white with diagonal stripes.
- **shower curtain type flame retardant**
 - **colour 059: white, material Trevira CS,**
 - fungicidal,
 - building material category B1, DIN 4102, flame retardant,
- till 40°C washable, suitable for disinfection, up to 60°C,
- quick drying, water repellent,
- further dimensions on request.

❶ We stock samples, please contact us to request them.



Passend für Duschspritzschutz Suitable for shower guard rail	Bezeichnung/Maße Product description/ Measurements	Bestell-Nr. Product code	019	051	052	054	059
9447 ...	605 x 715 mm	PG 1900 0787 051 ...	56,00 €	59,00 €		108,00 €	108,00 €
9447 ...	Ö-NORM 605 x 615 mm	0787 056 ...	56,00 €	59,00 €		108,00 €	108,00 €





...mit Grundplatte
...with base plate

...ohne Grundplatte
...without base plate

**Wandstützgriff vario,
einhängbar**
Fixed wall support rail
vario, suspendable

mit Grundplatte
with base plate

▶ L = 600 mm	9467 010	326,00 €
▶ L = 725 mm	9467 020	339,00 €
▶ L = 850 mm	9467 030	349,00 €

ohne Grundplatte
without base plate

▶ L = 600 mm	9467 110	300,00 €
▶ L = 725 mm	9467 120	310,00 €
▶ L = 850 mm	9467 130	320,00 €

**Cavere Chrome Wandstützgriff
vario**

- Länge 600, 725 und 850 mm,
- aus Aluminium,
- Griffprofil in Chrome glänzend,
- Wandplatte mit kratzfester Pulverbeschichtung und antibakteriellem Schutz,
- lieferbar in:
Chrome/Weiß (392) und
Chrome/Anthrazit (395),
- mit trigonometrischer Griffkontur zum ergonomischen Abstützen und Greifen,
- Wandhalterung mit weichen Kanten fügt sich harmonisch in die trigonometrische Design der Griffkontur,
- links und rechts einsetzbar,
- einfache Montage und Demontage durch Einhängen in die Grundplatte vario,
- Grundplatte aus Edelstahl,
- Länge 850 mm entspricht ÖNORM B1600,
- max. zul. Belastung: 100 kg,
- Lieferung mit Innensechskantschlüssel.

① Das Montageset ist entsprechend der Wandbeschaffenheit festzulegen und separat zu bestellen.

Montagesets siehe Register

Für den Gebrauch im WC-Bereich kann auch ein nachrüstbarer Papierrollenhalter bestellt werden.


**Cavere Chrome Wall support rail
vario**

- length 600, 725 and 850mm,
- made of aluminium,
- chrome finish grip profile,
- scratchproof antibacterial powder-coated brackets,
- available in:
chrome/white (392) and
chrome/anthracite (395),
- with trigonometric contour for ergonomic support and grip,
- flat wall bracket with soft edges, blends harmoniously into the trigonometric design of the handle contour,
- left or right hand applicable,
- easy installation or dismantling due to connecting to base plate,
- base plate made of stainless steel,
- 850mm length according to Austrian standard ÖNORM B1600,
- maximum loading permitted: 100kgs,
- supplied with allen key.

① The fixing set should be ordered separately to suit the type of wall.

Fixing sets see register

A retrofittable toilet roll holder can be ordered for use in the WC area.



**Grundplatte mit
Blindabdeckung vario**
Base plate with
cover plate blind

▶ 100 x 220 x 22 mm mit Grundplatte with base plate	7449 200	72,00 €
▶ 100 x 220 x 22 mm ohne Grundplatte without base plate	7449 250	44,25 €

**Cavere Grundplatte mit Blind-
abdeckung vario**


- 100 x 220 x 22 mm,
- aus Aluminium,
- Blindabdeckung mit kratzfester Pulverbeschichtung mit antibakteriellem Schutz (ausgenommen 091 Carbonschwarz), Register Information,
- lieferbar in den Cavere Farben,
- Abdeckung mit weichen Kanten,
- Grundplatte aus Edelstahl, Werkstoff Nr. 1.4301 (A2, AISI 304), zum späteren einfachen Austausch mit Cavere Stützklappgriffen vario,
- Lieferung mit Innensechskantschlüssel für Gewindestift M6.

① Das Montageset ist entsprechend der Wandbeschaffenheit festzulegen und separat zu bestellen.

**Cavere Base plate with cover plate
blind vario**

- 100 x 220 x 22mm,
- made of aluminium,
- mounting plate blind with scratch-resistant powder coating with antibacterial protection (except 091 carbon black), see register information,
- available in Cavere colours,
- cover with soft edges,
- base plate, made of stainless steel, material No. 1.3401 (A2 AISI 304), for easier exchange with Cavere suspendable lift-up supports vario,
- supplied with allen key for grub screw M6.

① The fixing set should be ordered separately to suit the type of wall.





Waschbecken Wash basin

Code PG 7010

mit Hahnloch with tape hole

► 600 x 550 mm **7530 600** 557,00 €

ohne Hahnloch without tape hole

► 600 x 550 mm **7530 610** 557,00 €

(Lieferzeit 4-6 Wochen)
(Delivery time 4-6 weeks)

Waschbecken

- 600 x 550 mm (B x T),
- aus Mineralguss, matt glänzend, mit porenfreier Oberfläche,
- Farbe weiß,
- ergonomisches Innenbecken mit breitem Frontbereich,
- weiche Radien und gerade Flächen zur angenehmen Armauflage,
- mit zwei integrierten Haltegriffen zum Greifen und Heranziehen oder als Handtuchhalter nutzbar,
- die ausgearbeitete Frontkontur unterstützt beim Heranziehen an das Becken den im Rollstuhl sitzenden Menschen,
- mit Ablagefläche für Badutensilien,
- ohne Überlauf,
- mit oder ohne Hahnloch,
- für Stockschraubenbefestigung,
- unterfahrbar nach DIN 18040 und ÖNORM B1600/1601,
- belastbar 150 kg nach DIN EN 14688,
- CE-Kennzeichnung nach Bauproduktenverordnung Nr. 305/2011.

❗ Ohne Armatur und Siphon

Reparaturset zum Ausbessern von Beschädigungen auf Anfrage lieferbar.

Waschbecken Überlauf

als Überlauf können am Cavere Waschbecken folgende Systeme nachgerüstet werden:

Geberit, Ab- und Überlaufventil "Clou"
Viega, Ab- und Überlaufventil "5420.1"

Wash basin

- 600 x 550mm (W x H),
- mineral cast, matt and nonporous surface,
- colour white,
- ergonomically shaped basin with wide front area,
- rounded edges and smooth surface, pleasant to put the arms on it,
- with two integrated openings for grip, may also be used as towel holder,
- storage space for items,
- a person in a wheelchair can use the front part of the wash basin to pull oneself,
- without hole against overflow,
- with or without tape hole,
- with hanger bolt fixing,
- wheelchair access according to German standard DIN 18040 and Austrian standard ÖNORM B1600/1601,
- loading 150 kgs according to European standard DIN EN 14688,
- CE mark according to Construction Products Regulation No. 305/2011 (CPR).

❗ Without tap and siphon


Repair set for mending damages, available on request.

Wash basin overflow

At a later stage you can use following systems as overflow for the cavere wash basins:

Geberit (drain valve / overflow valve "Clou")

Viega (drain valve / overflow valve "5420.1")



NEW

		Cavere	Cavere Chrome	Accessories Cavere FlexCare	Accessories pulverbeschichtet powder coating	Accessories Chrome glänzend chrome finish
	Bereich WC Toilet area	4 - 15	48 - 57		94 - 95	106
	Bereich Dusche Shower area	16 - 41	58 - 79		96 - 97	107
	Bereich Waschbecken Wash basin area	42 - 46	80 - 82	84 - 92	98 - 104	108 - 112





Weitere Sitzkombinationen passend zu Cavere Care ab Seite 113
Further seat combinations fitting Cavere Care on page 113



Beispielkombinationen von Cavere FlexCare

Example combinations of Cavere FlexCare





...inklusive Endkappen
...end caps included


FlexRail FlexRail	Code	PG 7010
► L= 300 mm*	7100 001	72,00 €
► L= 660 mm*	7100 002	92,00 €
► L= 900 mm*	7100 003	112,00 €
► Ersatz-Endkappen, 2 Stück (rechte und linke Seite) Replacement end caps, 2 pieces (right and left side)	7100 005	14,50 €



Cavere FlexRail

- Grundelement für das Cavere FlexCare Schienensystem,
- * Gesamtlänge 310, 670 und 910 mm (10 mm für Endkappen),
- aus Aluminium,
- kratzfeste Pulverbeschichtung mit antibakteriellem Schutz (ausgenommen 091 Carbonschwarz), Register Information,
- lieferbar in den Cavere Farben,
- Einhängeschiene für die Cavere FlexCare Accessoires,
- Cavere FlexRail zweiteilig bestehend aus: der Montageleiste und der darin einhängbaren Wandschiene,
- Lieferung mit Edelstahl Torx-Schrauben Ø 5 x 60 mm und Dübel für Vollbaustoffe.

Cavere FlexRail

- base element for the Cavere FlexCare rail system,
- * total length 310, 670 and 910 mm (10 mm for end caps),
- made of aluminium
- scratch-resistant powder coating with antibacterial protection (except 091 carbon black), see register information,
- available in the Cavere colours,
- mounting rails for the Cavere FlexCare accessories,
- Cavere FlexRail consisting of two pieces and including: mounting rail and wall rail that mounts onto it,
- comes supplied with Ø 5 x 60 mm stainless steel Torx screws and dowels for solid building materials.





...inklusive Silikoneinlage
...silicone insert included

Cavere FlexTray

- zum Einhängen in Cavere FlexRail
- Gesamtmaß 308 x 158 x 104 mm,
- Ablage 303 x 153 x 30 mm, ca. 465 cm²,
- aus Aluminium
- kratzsteife Pulverbeschichtung mit antibakteriellem Schutz (ausgenommen 091 Carbonschwarz), Register Information,
- lieferbar in den Cavere Farben,
- Ablage und darunterliegender Schwenkarm mit einer Ausladung von 560 mm,
- Flexibler Schwenkbereich bis 180 Grad,
- Ablage mit rutschhemmender Silikoneinlage in den Farben: schwarz für FlexTray Farbe 091, transparent für FlexTray Farben 092, 093, 095 und 096,
- max. zulässige Belastung: 4 kg,
- verdeckte Fixierung des FlexTray durch die mitgelieferte Schraube,
- passend für das Cavere FlexCare Schienensystem,
- kombinierbar mit Cavere FlexWandhalterung (zur nachträglichen Wandmontage).


Cavere FlexTray

- for mounting onto the Cavere FlexRail
- overall dimensions 308 x 158 x 104 mm,
- tray 303 x 153 x 30 mm, approx. 465 cm²,
- made of aluminium,
- scratch-resistant powder coating with antibacterial protection (except 091 carbon black), see register information,
- available in the Cavere colours,
- tray and underlying swivel arm with a radius of 560 mm,
- flexible swivel radius of up to 180 degrees,
- tray with anti-slip silicone insert in the colours: black for FlexTray colour 091, transparent for FlexTray colours 092, 093, 095 and 096,
- max. permissible load capacity: 4 kg,
- concealed fixation of the FlexTray thanks to the screw supplied,
- suitable for the Cavere FlexCare rail system,
- can be combined with Cavere FlexWall bracket (for retrofit wall mounting).


FlexTray

Code PG 7010


▶ 308 x 158 x 104 mm	7100 040	152,00 €
▶ 308 x 158 x 104 mm	7100 050	152,00 €
▶ Ersatz-Silikoneinlage transparent (000) Replacement silicone insert transparent (000)	7100060	14,50 €
▶ Ersatz-Einlegematte schwarz (091) Replacement silicone insert black (091)	7100061	14,50 €



linke (☞) Ausführung
left (☞) hand



rechte (☞) Ausführung
right (☞) hand



Cavere FlexWandhalterung

- zur nachträglichen Wandmontage von Cavere FlexTray und Cavere FlexHandtuchhalter
- Gesamtmaß 24 x 60 x 25 mm,
- aus Aluminium
- lieferbar in den Cavere Farben,
- Lieferung mit Edelstahl Torx-Schrauben Ø 8 x 80 mm und Dübel für Vollbaustoffe,
- verdeckte Verschraubung.


Cavere FlexWall bracket



- for retrofitting to the wall of Cavere FlexTray and Cavere FlexTowel holder,
- overall dimensions 24 x 60 x 25 mm,
- made of aluminium,
- available in the Cavere colours,
- comes supplied with Ø 8 x 80 mm stainless steel Torx screws and dowels for solid building materials,
- concealed screws.

FlexWandhalterung

Code PG 7010

▶ 24 x 60 x 25 mm	7100 025	18,00 €
-------------------	-----------------	---------





...inklusive Silikoneinlage
...silicone insert included

FlexTray FlexTray

Code

PG 7010

... zur Wandmontage
... wall mounting

▶ 308 x 158 x 104 mm ☞	7100 041	170,00 €
▶ 308 x 158 x 104 mm ☜	7100 051	170,00 €
▶ Ersatz-Silikoneinlage transparent (000) Replacement silicone insert transparent (000)	7100060	14,50 €
▶ Ersatz-Einlegematte schwarz (091) Replacement silicone insert black (091)	7100061	14,50 €

Cavere FlexTray



... zur Wandmontage

- mit Wandhalterung,
- Lieferung mit Edelstahl Torx-Schrauben
Ø 8 x 80 mm und Dübel für
Vollbaustoffe,
- verdeckte Verschraubung,
- weitere Beschreibung siehe links.


Cavere FlexTray

... wall mounting


- with wall bracket,
- comes supplied with Ø 8 x 80 mm
stainless steel Torx screws and dowels
for solid building materials,
- concealed screws,
- for further description, see left.



linke (☞) Ausführung
left (☞) hand




rechte (☜) Ausführung
right (☜) hand





 **NEW**



Cavere FlexAblage

- zum Einhängen in Cavere FlexRail,
- 290 x 123 x 38 mm, ca. 356 cm²,
400 x 123 x 38 mm, ca. 492 cm²,
590 x 123 x 38 mm, ca. 726 cm²,
- aus Aluminium,
- kratzfeste Pulverbeschichtung mit anti-bakteriellem Schutz (ausgenommen 091 Carbonschwarz), Register Information,
- lieferbar in den Cavere Farben,
- max. zulässige Belastung: 10 kg,
- platzsparend einhängbar zwischen den Bügel des Cavere FlexHandtuchhalters,
- passend für das Cavere FlexCare Schienensystem.


Cavere FlexShelf

- for mounting onto the Cavere FlexRail,
- 290 x 123 x 38 mm, approx. 356 cm²,
400 x 123 x 38 mm, approx. 492 cm²,
590 x 123 x 38 mm, approx. 726 cm²,
- made of aluminium,
- scratch-resistant powder coating with antibacterial protection (except 091 carbon black), see register information,
- available in the Cavere colours,
- max. permissible load capacity: 10 kg,
- can be mounted between the brackets of the Cavere Flex towel holder,
- suitable for the Cavere FlexCare rail system.


FlexAblage FlexShelf

Code PG 7010

▶ L = 290 mm	7100 010	45,00 €
▶ L = 400 mm	7100 011	52,00 €
▶ L = 590 mm	7100 012	64,00 €



 **NEW**



Cavere FlexHaken

- zum Einhängen in Cavere FlexRail,
- 95 x 55 x 70 mm,
- aus Aluminium,
- kratzfeste Pulverbeschichtung mit anti-bakteriellem Schutz (ausgenommen 091 Carbonschwarz), Register Information,
- lieferbar in den Cavere Farben,
- 3-fach Hakenleiste,
- zum Aufhängen oder Einklemmen von Hand- und Badetüchern,
- passend für das Cavere FlexCare Schienensystem.


Cavere FlexHook


- for mounting onto the Cavere FlexRail,
- 95 x 55 x 70 mm,
- made of aluminium,
- scratch-resistant powder coating with antibacterial protection (except 091 carbon black), see register information,
- available in the Cavere colours,
- 3 hook rails,
- for hanging or clamping hand and bath towels,
- suitable for the Cavere FlexCare rail system.

FlexHaken FlexHook

Code PG 7010

▶ 95 x 55 x 70 mm	7100 029	23,00 €
-------------------	-----------------	---------





Cavere FlexHandtuchhalter



- zum Einhängen in Cavere FlexRail,
- Länge 500 und 650 mm,
- aus Aluminium,
- kratzfeste Pulverbeschichtung mit antibakteriellem Schutz (ausgenommen 091 Carbonschwarz), Register Information,
- lieferbar in den Cavere Farben,
- Halter mit zwei Handtuchstangen,
- zwischen den Bügeln besteht die Möglichkeit der Platzierung von Cavere FlexAblage und / oder Haken, 450 und 600 mm stehen dafür zur Verfügung,
- passend für das Cavere FlexCare Schienensystem,
- kombinierbar mit Cavere FlexWandhalterung (zur nachträglichen Wandmontage).

Cavere FlexTowel holder

- for mounting onto the Cavere FlexRail,
- length 500 and 650 mm,
- made of aluminium,
- scratch-resistant powder coating with antibacterial protection (except 091 carbon black), see register information,
- available in the Cavere colours,
- mount with two towel rails,
- you have the option of placing Cavere FlexTray and / or hooks (450 and 600 mm) between the brackets for this purpose,
- suitable for the Cavere FlexCare rail system.
- can be combined with Cavere FlexWall bracket (for retrofit wall mounting).

FlexHandtuchhalter Code PG 7010
FlexTowel holder

- | | | |
|------------------------------|-----------------|----------|
| ▶ L1 = 500 mm
L2 = 450 mm | 7100 020 | 129,00 € |
| ▶ L1 = 650 mm
L2 = 600 mm | 7100 021 | 134,00 € |



... zur Wandmontage


- mit Wandhalterung,
- Lieferung mit Edelstahl Torx-Schrauben Ø 8 x 80 mm und Dübel für Vollbaustoffe,
- verdeckte Verschraubung,
- weitere Beschreibung siehe oben.

... wall mounting

- with wall bracket,
- comes supplied with Ø 8 x 80 mm stainless steel Torx screws and dowels for solid building materials,
- concealed screws,
- for further description, see above.

... zur Wandmontage
... wall mounting

- | | | |
|------------------------------|-----------------|----------|
| ▶ L1 = 500 mm
L2 = 450 mm | 7100 022 | 165,00 € |
| ▶ L1 = 650 mm
L2 = 600 mm | 7100 023 | 170,00 € |





NEW



Cavere FlexSeifenspender


- zum Einhängen in Cavere FlexRail,
- 90 x 104 x 168 mm,
- aus Aluminium,
- kratzfeste Pulverbeschichtung mit antibakteriellem Schutz (ausgenommen 091 Carbonschwarz), Register Information,
- Halterung lieferbar in den Cavere Farben,
- Spender aus verchromtem Metall,
- Glasflasche aus satiniertem Glas,
- Fassungsvermögen 200 ml,
- passend für das Cavere FlexCare Schienensystem.

Cavere FlexSoap dispenser


- for mounting onto the Cavere FlexRail,
- 90 x 104 x 168 mm,
- made of aluminium
- scratch-resistant powder coating with antibacterial protection (except 091 carbon black), see register information,
- bracket available in the Cavere colours,
- dispenser made of chromium-plated metal,
- glass bottle made of satined glass,
- load capacity 200 ml,
- suitable for the Cavere FlexCare rail system.

FlexSeifenspender Code PG 7010
FlexSoap dispenser

► 90 x 104 x 168 mm **7100 026** 138,00 €



NEW



Cavere FlexSeifenablage


- zum Einhängen in Cavere FlexRail,
- 90 x 104 x 52 mm,
- aus Aluminium,
- kratzfeste Pulverbeschichtung mit antibakteriellem Schutz (ausgenommen 091 Carbonschwarz), Register Information,
- Halterung lieferbar in den Cavere Farben,
- Ablageschale aus Glas, zur Reinigung abnehmbar,
- passend für das Cavere FlexCare Schienensystem.

Cavere FlexSoap dish

- for mounting onto the Cavere FlexRail,
- 90 x 104 x 52 mm,
- made of aluminium,
- scratch-resistant powder coating with antibacterial protection (except 091 carbon black), see register information,
- available in the Cavere colours,
- glass storage tray, can be removed for cleaning,
- suitable for the Cavere FlexCare rail system.


FlexSeifenablage Code PG 7010
FlexSoap dish

► 90 x 104 x 52 mm **7100 027** 69,50 €





NEW



Cavere FlexBecher-/Glashalter mit Becher/Glas

- zum Einhängen in Cavere FlexRail,
- 90 x 104 x 52 mm,
- aus Aluminium,
- kratzfeste Pulverbeschichtung mit antibakteriellem Schutz (ausgenommen 091 Carbonschwarz), Register Information,
- Halterung lieferbar in den Cavere Farben,
- Becher aus bruchgeschütztem Kunststoff,
- Glas aus Klarglas,
- passend für das Cavere FlexCare Schienensystem.

Cavere FlexTumbler/Glass holder with tumbler/glass

- for mounting onto the Cavere FlexRail,
- 90 x 104 x 52 mm,
- made of aluminium,
- scratch-resistant powder coating with antibacterial protection (except 091 carbon black), see register information,
- bracket available in the Cavere colours,
- tumbler made of break-resistant plastic,
- glass made of clear glass,
- suitable for the Cavere FlexCare rail system.


FlexBecher-/Glashalter Code PG 7010
FlexTumbler/Glass holder

mit Becher / with tumbler


▶ 90 x 104 x 52 mm	7100 030	69,50 €
▶ Ersatzbecher / tumbler (single)	7500 480	23,25 €

mit Glas / with glass

▶ 90 x 104 x 52 mm	7100 031	69,50 €
▶ Ersatzglas / glass tumbler (single)	7500 490	23,25 €



NEW



Cavere FlexGehilfenhalter


- zum Einhängen in Cavere FlexRail,
- 158 x 130 x 38 mm,
- aus Aluminium,
- kratzfeste Pulverbeschichtung mit antibakteriellem Schutz (ausgenommen 091 Carbonschwarz), Register Information,
- lieferbar in den Cavere Farben,
- zum Abstellen von Gehhilfen,
- passend für das Cavere FlexCare Schienensystem.

Cavere FlexWalking aid holder

- for mounting onto the Cavere FlexRail,
- 158 x 130 x 38 mm,
- made of aluminium,
- scratch-resistant powder coating with antibacterial protection (except 091 carbon black), see register information,
- available in the Cavere colours,
- for parking walking aids,
- suitable for the Cavere FlexCare rail system.

FlexGehilfenhalter Code PG 7010
FlexWalking aid holder

▶ 158 x 130 x 38 mm	7100 028	69,50 €
---------------------	-----------------	---------





ALUMINUM SERIES

Cavere Care

Cavere Care
Accessories

NEW

	Cavere	Cavere Chrome	Accessories Cavere FlexCare	Accessories pulverbeschichtet powder coating	Accessories Chrome glänzend chrome finish
	Bereich WC Toilet area	4 - 15	48 - 57	94 - 95	106
	Bereich Dusche Shower area	16 - 41	58 - 79	96 - 97	107
	Bereich Waschbecken Wash basin area	42 - 46	80 - 82	84 - 92	98 - 104 108 - 112

 Weitere Sitzkombinationen passend zu Cavere Care ab Seite 113
Further seat combinations fitting Cavere Care on page 113



Papierrollenhalter Toilet roll holder

Code PG 7010



▶ 130 x 50 x 92 mm **7520 110** 40,50 €

Cavere Papierrollenhalter

- 130 x 50 x 92 mm,
- aus Aluminium,
- kratzfeste Pulverbeschichtung mit antibakteriellem Schutz (ausgenommen 091 Carbonschwarz), Register Information,
- lieferbar in den Cavere Farben,
- Konturen der Halterung mit weichen Kanten,
- mit selbsteinstellender, wartungsfreier Abrollbremse,
- verdeckte Verschraubung,
- Lieferung mit Edelstahl Torx-Schrauben Ø 5 x 60 mm und Dübeln für Vollbaustoffe.

Cavere Toilet roll holder

- 130 x 50 x 92mm,
- made of aluminium,
- scratch-resistant powder coating with antibacterial protection (except 091 carbon black), see register information,
- available in Cavere colours,
- contours of the bracket with soft edges,
- with self-adjusting maintenance-free roll brake,
- concealed screw fixing,
- supplied with stainless steel Torx screws 5mm dia. x 60mm and plugs for solid masonry.



Ersatzrollenhalter Spare toilet roll holder

Code PG 7010


▶ 190 x 83 mm **7520 120** 40,50 €
▶ 290 x 83 mm **7520 130** 51,00 €
2-fach / for two rolls

Cavere Ersatzrollenhalter

- 190 x 83 mm,
290 x 83 mm (2-fach),
- aus Aluminium,
- kratzfeste Pulverbeschichtung mit antibakteriellem Schutz (ausgenommen 091 Carbonschwarz), Register Information,
- lieferbar in den Cavere Farben,
- Konturen der Halterung mit weichen Kanten,
- verdeckte Verschraubung,
- mit ausgebildeter Aufnahmekontur zur senkrechten Fixierung einer/zwei Papierrollen,
- Lieferung mit Edelstahl Torx-Schrauben Ø 5 x 60 mm und Dübeln für Vollbaustoffe.

Cavere Spare toilet roll holder

- 190 x 83mm,
290 x 83mm (for two rolls),
- made of aluminium,
- scratch-resistant powder coating with antibacterial protection (except 091 carbon black), see register information,
- available in Cavere colours,
- contours of the bracket with soft edges,
- concealed screw fixing,
- shaped for vertical mounting of one/two paper rolls,
- supplied with stainless steel Torx screws 5mm dia. x 60mm and plugs for solid masonry.





Cavere Hygienebeutelspender


- 91 x 136 x 27 mm,
- aus Edelstahl A2 Werkstoff Nr. 1.4301 (A2-AISI 304),
- kratzfeste Pulverbeschichtung mit antibakteriellem Schutz (ausgenommen 091 Carbonschwarz), Register Information,
- lieferbar in den Cavere Farben,
- zur Aufnahme und Entnahme von handelsüblichen Hygienebeuteln,
- zur Wandmontage,
- Lieferung mit Schrauben und Dübeln.

Cavere Hygiene bag dispenser

- 91 x 136 x 27mm,
- made of stainless steel, material No. 1.4301 (A2-AISI 304),
- scratch-resistant powder coating with antibacterial protection (except 091 carbon black), see register information,
- available in Cavere colours,
- to take and remove commercially available sanitary bags,
- for wall mounting,
- supplied with plugs and screws.

Hygienebeutelspender Code PG 7010
Hygiene bag dispenser

► 91 x 136 x 27 mm **7520 180** 45,75 €



Cavere WC-Bürstengarnitur


- 465 x 130 x 110 mm,
- aus Aluminium,
- kratzfeste Pulverbeschichtung mit antibakteriellem Schutz (ausgenommen 091 Carbonschwarz), Register Information,
- lieferbar in den Cavere Farben,
- Konturen der Halterung mit weichen Kanten,
- trichterförmiger Bürstentopf zum einfachen Einstecken und Herausnehmen der Bürste,
- mit zusätzlicher Einsenkung zur Aufnahme von Desinfektionsmittel,
- Bürstentopf zur Reinigung entnehmbar,
- zentrierte Bürstenstellung durch konischen Innentopf,
- mit austauschbarem schwarzem Bürstenkopf,
- verdeckte Verschraubung,
- Lieferung mit Edelstahl Torx-Schrauben Ø 5 x 60 mm und Dübeln für Vollbaustoffe.

Cavere Toilet brush

- 465 x 130 x 110mm,
- made of aluminium,
- scratch-resistant powder coating with antibacterial protection (except 091 carbon black), see register information,
- available in Cavere colours,
- contours of the bracket with soft edges,
- conical toilet brush holder for easy insertion and removal of brush,
- with additional recess for disinfectant,
- toilet brush holder can be removed for cleaning,
- conical inner receptacle for centring the brush,
- with removable black brush head,
- concealed screw fixing,
- supplied with stainless steel Torx crews 5mm dia. x 60mm and plugs for solid masonry.

WC-Bürstengarnitur Code PG 7010
Toilet brush

- 465 x 130 x 110 mm **7525 400** 79,00 €
WC-Bürstengarnitur
Toilet brush set
- 453 x Ø 86 mm **7525 450** 24,50 €
Ersatzbürste
Toilet brush
- 86 x Ø 86 mm **7525 460** 8,15 €
Ersatzbürstenkopf
Toilet brush head
- 130 x Ø 110 mm **7470 164** 13,00 €
Ersatzbürstentopf
Toilet brush pot





Duschablage mit Klemmhalterung

- 210 x 75 x 110 mm,
- Ablagefläche 200 cm²,
- aus Nylon, mit antibakteriellem Schutz,
- erhältlich in den Farben dunkelgrau (018), weiß (019), jasmín (065) und Manhattan (067),
- zum Aufklipsen auf Cavere Duschhandläufe,
- Ablagefläche mit rutschhemmender Noppenstruktur und Ablaufloch,
- Lieferung mit Klemmhalterung für Montage auf Cavere Handläufen.

Shower box with clamping device

- 210 x 75 x 110 mm,
- storage space 200cm²,
- made of Nylon, with antibacterial protection,
- available in colours darkgrey (018), white (019), ivory (065) and Manhattan (067),
- for clamping of Cavere shower handrails,
- the shower box bottom has a structured non-slip surface as well as a drain hole,
- supplied with clamping device for mounting on Cavere shower handrails.

Duschablage Shower box


Code

PG 7010

► 210 x 75 x 110 mm

7515 210

41,50 €



Cavere Duschablage zur Verschraubung

- 250 x 47 x 120 mm,
- aus Aluminium,
- kratzfeste Pulverbeschichtung mit antibakteriellem Schutz (ausgenommen 091 Carbonschwarz), Register Information,
- lieferbar in den Cavere Farben,
- zur Verschraubung an Cavere Duschhandläufen,
- Montage der Wandung nach vorne oder zur Wand möglich.

Cavere Shower basket, fixed with clamp screw

- 250 x 47 x 120mm,
- made of aluminium,
- scratch-resistant powder coating with antibacterial protection (except 091 carbon black), see register information,
- available in Cavere colours,
- for fixing on Cavere shower handrails,
- fixing possible with frame towards the wall or opposite.

Duschablage Shower basket


Code

PG 7010

► 250 x 47 x 120 mm

7515 250

111,00 €





Duschablage, nachrüstbar

- 160 x 80 x 50 mm,
- für Cavere Brausestangen, Ø 30 mm,
- Ablagefläche 100 cm²,
- aus Nylon, in Farbe schwarz (016),
- aus Nylon, mit antibakteriellem Schutz, dunkelgrau (018), weiß (019), jasmin (065) und Manhattan (067),
- Ablagefläche mit Ablaufloch.



Shower box, may be added at a later stage

- 160 x 80 x 50 mm,
- for Cavere shower head rail 30mm dia.,
- storage space 100cm²,
- made of Nylon available in colour black (016),
- made of Nylon, with antibacterial protection, available in colours darkgrey (018), white (019), ivory (065) and Manhattan (067),
- the shower box bottom has a drain hole.

Duschablage Shower box

Code PG 7010

► 160 x 80 x 50 mm **7515 280** 41,50 €



Cavere Duschablage zur Wandbefestigung

- 336 x 80 x 150 mm,
- aus Aluminium,
- großzügige Ablagefläche 370 cm²,
- kratzfeste Pulverbeschichtung mit antibakteriellem Schutz (ausgenommen 091 Carbonschwarz), Register Information,
- lieferbar in den Cavere Farben,
- Konturen der Halterung mit weichen Kanten,
- 80 mm hoher Ablagekorb mit Haltebügel,
- geschlitzter Metallboden für großzügigen Wasserablauf,
- einfache Wandmontage,
- verdeckte Verschraubung.
- Lieferung mit Edelstahl Torx-Schrauben Ø 5 x 60 mm und Dübeln für Vollbaustoffe.


Cavere Shower basket for wall

- 336 x 80 x 150 mm,
- made of aluminium,
- broad deposition space of 370cm²,
- scratch-resistant powder coating with antibacterial protection (except 091 carbon black), see register information,
- available in Cavere colours,
- contours of the bracket with soft edges,
- shower basket with a 80mm high frame, slit metal bottom for water drain,
- easy installation to wall,
- concealed screw fixing,
- supplied with stainless steel Torx screws 5mm dia. x 60mm and plugs for solid masonry.

Duschablage Shower basket

Code PG 7010

► 336 x 80 x 150 mm **7510 350** 101,00 €





Glasablage Bathroom glass shelf

Code PG 7010



► 650 x 150 mm **7510 160** 156,00 €

Cavere Glasablage

- 650 x 150 mm,
- Konsolenhalter aus Aluminium,
- kratzfeste Pulverbeschichtung mit antibakteriellem Schutz (ausgenommen 091 Carbonschwarz), Register Information,
- lieferbar in den Cavere Farben,
- Konturen der Halterung mit weichen Kanten,
- mit 8 mm Glasplatte, Kanten abgerundet,
- montagefreundliche Befestigung,
- verdeckte Verschraubung,
- Lieferung mit Edelstahl Torx-Schrauben Ø 5 x 60 mm und Dübeln für Vollbaustoffe.

Cavere Bathroom glass shelf

- 650 x 150mm,
- shelf holder made of aluminium,
- scratch-resistant powder coating with antibacterial protection (except 091 carbon black), see register information,
- available in Cavere colours,
- contours of the bracket with soft edges,
- with 8mm glass plate, rounded edges,
- easy fixing,
- concealed screw fixing,
- supplied with stainless steel Torx screws 5mm dia. x 60mm and plugs for solid masonry.



Glasablage mit Haltegriff Bathroom glass shelf

Code PG 7010


► 650 x 120 x 150 mm **7510 260** 203,00 €

Cavere Glasablage mit Haltegriff

- 650 x 120 x 150 mm,
- zur Montage vor 600 mm breiten Wandspiegeln geeignet,
- Konsolenhalter und Haltegriff aus Aluminium,
- kratzfeste Pulverbeschichtung mit antibakteriellem Schutz (ausgenommen 091 Carbonschwarz), Register Information,
- lieferbar in den Cavere Farben,
- Konturen der Halterung mit weichen Kanten,
- mit 8 mm Glasplatte, Kanten abgerundet,
- Glasplatte zur Reinigung abnehmbar,
- montagefreundliche Befestigung,
- verdeckte Verschraubung,
- Lieferung mit Edelstahl Torx-Schrauben Ø 5 x 60 mm und Dübeln für Vollbaustoffe.

Cavere Bathroom glass shelf with grab bar

- 650 x 120 x 150mm,
- suitable for installation of wall-mounted mirrors with a width of 600mm,
- shelf holder and grab handle made of aluminium,
- scratch-resistant powder coating with antibacterial protection (except 091 carbon black), see register information,
- available in Cavere colours,
- contours of the bracket with soft edges,
- with 8mm glass plate, rounded edges,
- glass shelf can be removed for cleaning,
- easy fixing,
- concealed screw fixing.
- supplied with stainless steel Torx screws 5mm dia. x 60mm and plugs for solid masonry.





Seifenspender
Soap dispenser

Code PG 7010


► 168 x 80 x 100 mm **7500 461** 131,00 €

Cavere Seifenspender

- 168 x 80 x 100 mm,
- aus Aluminium,
- kratzfeste Pulverbeschichtung mit antibakteriellem Schutz (ausgenommen 091 Carbonschwarz), Register Information,
- Halterung lieferbar in den Cavere Farben,
- Konturen der Halterung mit weichen Kanten,
- Spender aus verchromtem Metall,
- Glasflasche aus satiniertem Glas,
- Fassungsvermögen 200 ml,
- für Wandmontage,
- montagefreundliche Befestigung,
- verdeckte Verschraubung,
- Lieferung mit Edelstahl Torx-Schrauben Ø 5 x 60 mm und Dübeln für Vollbaustoffe.

Cavere Soap dispenser

- 168 x 80 x 100mm,
- made of aluminium,
- scratch-resistant powder coating with antibacterial protection (except 091 carbon black), see register information,
- available in Cavere colours,
- contours of the bracket with soft edges,
- brush pump head, made of chromiumplated metal,
- bottle glass satined,
- 200ml capacity,
- for wall mounting,
- easy fixing,
- concealed screw fixing,
- supplied with stainless steel Torx screws 5mm dia. x 60mm and plugs for solid masonry.



Seifenablage
Soap dish

Code PG 7010


► 58 x 80 x 105 mm **7500 430** 91,00 €
mit Glasablage
with glass plate

Cavere Seifenablage

- 58 x 80 x 105 mm,
- aus Aluminium,
- kratzfeste Pulverbeschichtung mit antibakteriellem Schutz (ausgenommen 091 Carbonschwarz), Register Information,
- lieferbar in den Cavere Farben,
- Konturen der Halterung mit weichen Kanten,
- Ablageschale aus Glas, zur Reinigung abnehmbar,
- für Wandmontage,
- montagefreundliche Befestigung,
- verdeckte Verschraubung,
- Lieferung mit Edelstahl Torx-Schrauben Ø 5 x 60 mm und Dübeln für Vollbaustoffe.

Cavere Soap dish

- 58 x 80 x 105mm,
- made of aluminium,
- scratch-resistant powder coating with antibacterial protection (except 091 carbon black), see register information,
- available in Cavere colours,
- contours of the bracket with soft edges,
- glass plate removable for cleaning,
- for wall mounting,
- easy fixing,
- concealed screw fixing,
- supplied with stainless steel Torx screws 5mm dia. x 60mm and plugs for solid masonry.





Becher-/Glashalter Holder

Code

PG 7010

mit Becher / with tumbler

▶ 84 x 80 x 100 mm	7500 440	82,00 €
▶ Ersatzbecher / tumbler (single)	7500 480	23,25 €

mit Glas / with glass


▶ 84 x 80 x 100 mm	7500 450	91,00 €
▶ Ersatzglas / glass tumbler (single)	7500 490	23,25 €

Cavere Becher-/Glashalter mit Becher/Glas

- 84 x 80 x 100 mm,
- aus Aluminium,
- kratzfeste Pulverbeschichtung mit antibakteriellem Schutz (ausgenommen 091 Carbonschwarz), Register Information,
- lieferbar in den Cavere Farben,
- Konturen der Halterung mit weichen Kanten,
- Becher aus bruchgeschütztem Kunststoff,
- Glas aus Klarglas,
- für Wandmontage,
- montagefreundliche Befestigung,
- verdeckte Verschraubung,
- Lieferung mit Edelstahl Torx-Schrauben Ø 5 x 60 mm und Dübeln für Vollbaustoffe.

Cavere Tumbler/Glass Holder with tumbler/glass

- 84 x 80 x 100mm,
- made of aluminium,
- scratch-resistant powder coating with antibacterial protection (except 091 carbon black), see register information,
- available in Cavere colours,
- contours of the bracket with soft edges,
- tumbler, made of break-resistant plastic material,
- glass tumbler, made of crystal glass,
- for wall mounting,
- easy fixing,
- concealed screw fixing,
- supplied with stainless steel Torx screws 5mm dia. x 60mm and plugs for solid masonry.



Haartrocknerhalter Holder for hair-dryer

Code

PG 7010


▶ 50 x 90 x 100 mm	7500 420	65,50 €
--------------------	-----------------	---------

Cavere Haartrocknerhalter

- 50 x 90 x 100 mm,
- aus Aluminium,
- kratzfeste Pulverbeschichtung mit antibakteriellem Schutz (ausgenommen 091 Carbonschwarz), Register Information,
- lieferbar in den Cavere Farben,
- Konturen der Halterung mit weichen Kanten,
- zum Einhängen von gängigen Haartrocknern,
- für Wandmontage,
- montagefreundliche Befestigung,
- verdeckte Verschraubung,
- Lieferung mit Edelstahl Torx-Schrauben Ø 5 x 60 mm und Dübeln für Vollbaustoffe.

Cavere Holder for hair-dryer

- 50 x 90 x 100mm,
- made of aluminium,
- scratch-resistant powder coating with antibacterial protection (except 091 carbon black), see register information,
- available in Cavere colours,
- contours of the bracket with soft edges,
- for hanging up of common hair-dryers,
- for wall mounting,
- easy fixing,
- concealed screw fixing,
- supplied with stainless steel Torx screws 5mm dia. x 60mm and plugs for solid masonry.





Gehhilfenhalter Walking aid holder

Code PG 7010


► 100 x 150 mm **7500 410** 65,50 €

Cavere Gehhilfenhalter

- 100 x 150 mm,
- aus Aluminium,
- kratzfeste Pulverbeschichtung mit antibakteriellem Schutz (ausgenommen 091 Carbonschwarz), Register Information,
- lieferbar in den Cavere Farben,
- Konturen der Halterung mit weichen Kanten,
- zum Abstellen von Gehhilfen,
- für Wandmontage,
- montagefreundliche Befestigung,
- verdeckte Verschraubung,
- Lieferung mit Edelstahl Torx-Schrauben Ø 5 x 60 mm und Dübeln für Vollbaustoffe.

Cavere Walking aid holder

- 100 x 150mm,
- made of aluminium,
- scratch-resistant powder coating with antibacterial protection (except 091 carbon black), see register information,
- available in Cavere colours,
- contours of the bracket with soft edges,
- for depositing walking aids,
- for wall mounting,
- easy fixing,
- concealed screw fixing,
- supplied with stainless steel Torx screws 5mm dia. x 60mm and plugs for solid masonry.



Abfallbehälter Waste bin

Code PG 7010

► 170 x 280 x 185 mm **7500 499** 149,00 €
Ø 182 mm

Cavere Abfallbehälter


- 170 x 280 x 185 mm, Ø 182 mm,
- herausnehmbarer Inneneimer aus Kunststoff mit 3 l Inhalt,
- aus Edelstahl, Werkstoff Nr. 1.4301 (A2, AISI 304),
- in den Cavere Farben,
- mit Touch Öffnungssystem,
- für Wandmontage oder frei auf dem Boden stehend,
- Wandhalterung aus Edelstahl,
- zur Reinigung von der Wandhalterung aushängbar,
- Lieferung mit Schrauben und Dübeln.

Cavere Waste bin

- 170 x 280 x 185mm, 182mm dia.,
- with removable plastic bin, 3 litre capacity,
- made of stainless steel, material No. 1.4301 (A2 AISI 304),
- in Cavere colours,
- smooth opening with touch opening system,
- for wall mounting or freestanding on the floor,
- with stainless steel wall mount,
- can be removed from wall for cleaning,
- supplied with plugs and screws.

① Empfohlene Montagehöhe von Boden bis Unterkante Abfallbehälter: 470 mm.

① The recommended fixing height from the floor to the lower edge of the waste bin is 470mm.





Cavere Handtuchhalter schwenkbar

- 450 x 18 x 97 mm,
- aus Aluminium,
- kratz feste Pulverbeschichtung mit antibakteriellem Schutz (ausgenommen 091 Carbonschwarz), Register Information,
- lieferbar in den Cavere Farben,
- Handtuchstangen unabhängig voneinander schwenkbar,
- für Wandmontage,
- verdeckte Verschraubung,
- Lieferung mit Edelstahl Torx-Schrauben Ø 5 x 60 mm und Dübeln für Vollbaustoffe.


Cavere Swivel towel holder

- 450 x 18 x 97 mm,
- made of aluminium,
- scratch-resistant powder coating with antibacterial protection (except 091 carbon black), see register information,
- available in Cavere colours,
- independent swivel rails
- for wall mounting
- concealed screw fixing,
- supplied with stainless steel Torx screws 5mm dia. x 60mm and plugs for solid masonry.

Handtuchhalter schwenkbar

Swivel towel holder

► 450 x 18 x 97 mm **7500 582** 124,00 €



Cavere Handtuchhalter


- 600 x 150 mm,
- aus Aluminium,
- kratz feste Pulverbeschichtung mit antibakteriellem Schutz (ausgenommen 091 Carbonschwarz), Register Information,
- lieferbar in den Cavere Farben,
- Konturen der Halterung mit weichen Kanten,
- 2-fach zum Hängen und Ablegen von Hand- und Badetüchern,
- montagefreundliche Befestigung,
- verdeckte Verschraubung,
- Lieferung mit Edelstahl Torx-Schrauben Ø 5 x 60 mm und Dübeln für Vollbaustoffe.


Cavere Towel holder

- 600 x 150 mm,
- made of aluminium,
- scratch-resistant powder coating with antibacterial protection (except 091 carbon black), see register information,
- available in Cavere colours,
- contours of the bracket with soft edges,
- 2 bars for hanging and storage of bath towels and hand towels,
- easy fixing,
- concealed screw fixing,
- supplied with stainless steel Torx screws 5mm dia. x 60mm and plugs for solid masonry.

Handtuchhalter Towel holder

► 600 x 150 mm **7500 310** 156,00 €





Spiegel


- Breite 600 mm, Höhe 600, 1000 mm,
- aus Floatglas 5 mm,
- eckig, polierte Kanten.

① Passend zu Cavere Spiegelhalterset 7500 200.

Mirror

- width: 600mm, height: 600, 1000mm,
- made of float glass 5mm,
- angular, polished edges.

① For use with Cavere mirror holder set 7500 200.



Spiegel Mirror

Code PG 1500

▶ 600 x 600 mm	0514 150	93,00 €
▶ 600 x 1000 mm	0514 170	110,00 €



Cavere Spiegelhalter

- 50 x 69 x 25 mm,
- aus Aluminium,
- kratz feste Pulverbeschichtung mit antibakteriellem Schutz (ausgenommen 091 Carbonschwarz), Register Information,
- lieferbar in den Cavere Farben,
- für die Aufnahme von Spiegeln mit einer Stärke von 4 - 6 mm,
- Spiegelhalterset bestehend aus 4 Klemmhaltern,
- mit Rutschsicherung für Spiegel,
- verdeckte Verschraubung,
- Lieferung mit Edelstahl Torx-Schrauben Ø 5 x 60 mm und Dübeln für Vollbaustoffe.


Cavere Mirror holder

- 50 x 69 x 25mm,
- made of aluminium,
- scratch-resistant powder coating with antibacterial protection (except 091 carbon black), see register information,
- available in Cavere colours,
- for mirrors up to 4 - 6mm thickness,
- set consisting of 4 holders,
- with prevention for sliding of mirror,
- concealed screw fixing,
- supplied with stainless steel Torx screws 5mm dia. x 60mm and plugs for solid masonry.

Spiegelhalter Mirror holder

Code PG 7010

▶ 50 x 69 x 25 mm	7500 200	32,25 €
Set bestehend aus 4 Halter set consisting of 4 holders		





Cavere Haken/Doppelhaken

- 18 x 60 mm, 54 x 60 mm,
- aus Aluminium,
- kratzfeste Pulverbeschichtung mit antibakteriellem Schutz (ausgenommen 091 Carbonschwarz), Register Information,
- lieferbar in den Cavere Farben,
- Konturen der Halterung mit weichen Kanten,
- zum Aufhängen und Einklemmen,
- für Waschhandschuh geeignet,
- verdeckte Verschraubung,
- Lieferung mit Edelstahl Torx-Schrauben Ø 5 x 60 mm und Dübeln für Vollbaustoffe.

Cavere Hook


- 18 x 60mm, 54 x 60mm,
- made of aluminium,
- scratch-resistant powder coating with antibacterial protection (except 091 carbon black), see register information,
- available in Cavere colours,
- contours of the bracket with soft edges,
- for hanging and clamping,
- designed for flannel,
- concealed screw fixing,
- supplied with stainless steel Torx screws 5mm dia. x 60mm and plugs for solid masonry.

Haken/Doppelhaken Hook

Code

PG 7010

▶ 18 x 60 mm	7500 110	13,75 €
▶ 54 x 60 mm	7500 120	20,00 €



Cavere Haken

- 40 x 40 mm,
- aus Edelstahl, Werkstoff Nr. 1.4401 (A4, AISI 316),
- kratzfeste Pulverbeschichtung mit antibakteriellem Schutz (ausgenommen 091 Carbonschwarz), Register Information,
- lieferbar in den Cavere Farben,
- verdeckte Verschraubung,
- Lieferung mit Stockschraube 6 x 50 mm und Dübeln 8 mm.

Cavere Hook

- 40 x 40mm,
- made of stainless steel, material No. 1.4401 (A4, AISI 316),
- scratch-resistant powder coating with antibacterial protection (except 091 carbon black), see register information,
- available in Cavere colours,
- concealed screw fixing,
- supplied with stair bolt 6mm dia. x 50mm and plug 8mm.

Haken Hook

Code

PG 7010

▶ 40 x 40 mm	7500 100	13,75 €
--------------	-----------------	---------



ALUMINUM SERIES

Cavere Care

Cavere Care

Accessories

NEW

	Cavere	Cavere Chrome	Accessories Cavere FlexCare	Accessories pulverbeschichtet powder coating	Accessories Chrome glänzend chrome finish
	Bereich WC Toilet area	4 - 15	48 - 57	94 - 95	106
	Bereich Dusche Shower area	16 - 41	58 - 79	96 - 97	107
	Bereich Waschbecken Wash basin area	42 - 46	80 - 82	84 - 92	98 - 104 108 - 112



Weitere Sitzkombinationen passend zu Cavere Care ab Seite 113
Further seat combinations fitting Cavere Care on page 113



Chrome WC-Papierrollenhalter


- 157 x 69 mm,
- aus Metall,
- in Chrome glänzend (300),
- für Wandmontage,
- verdeckte Verschraubung,
- Lieferung mit Schrauben und Dübeln.

Chrome Toilet roll holder

- 157 x 69mm,
- made of metal,
- in chrome finish (300),
- for wall mounting,
- concealed screw fixing,
- supplied with plugs and screws.

WC-Papierrollenhalter Code PG 7030
Toilet roll holder

► 157 x 69 mm **9420 110** 42,00 €



Chrome Ersatzrollenhalter


- 55 x 157 mm,
- aus Metall,
- in Chrome glänzend (300),
- für Wandmontage,
- verdeckte Verschraubung,
- mit Auflageteller zur senkrechten Fixierung einer Papierrolle,
- Lieferung mit Schrauben und Dübeln.

Chrome Spare toilet roll holder

- 55 x 157mm,
- made of metal,
- in chrome finish (300),
- for wall mounting,
- concealed screw fixing,
- with support plate for vertical mounting of one paper roll,
- supplied with plugs and screws.

Ersatzrollenhalter Code PG 7030
Spare toilet roll holder

► 55 x 157 mm **9420 120** 42,00 €



Chrome WC-Bürstengarnitur

- 96 x 380 x 132 mm,
- aus Metall,
- in Chrome glänzend (300),
- Bürstentopf, Glas satiniert,
- Bürstentopf zur Reinigung entnehmbar,
- mit austauschbarem schwarzem Bürstenkopf,
- verdeckte Verschraubung,
- Lieferung mit Edelstahl Torx-Schrauben Ø 5 x 60 mm und Dübeln für Vollbaustoffe.

Chrome Toilet brush set

- 96 x 380 x 132mm,
- made of metal,
- in chrome finish (300),
- satin glass toilet brush holder,
- toilet brush holder can be removed for cleaning,
- with removable black brush head,
- concealed screw fixing,
- supplied with stainless steel Torx screws 5mm dia. x 60mm and plugs for solid masonry.


WC-Bürstengarnitur Code PG 7030
Toilet brush set


► 96 x 380 x 132 mm **9425 400** 85,00 €
WC-Bürstengarnitur
Toilet brush set

► 68 x 365 mm **9425 450** 21,50 €
Ersatzbürste
Toilet brush

► Ø 68 mm **9425 460** 12,75 €
Ersatzbürstenkopf
Toilet brush head black

► 96 x 131 mm **9425 470** 21,50 €
Ersatzbürstentopf
Toilet brush pot





Chrome Duschkorb

- 180 x 108 x 84 mm,
- aus Metall,
- in Chrome glänzend (300),
- für Wandmontage,
- verdeckte Verschraubung,
- abnehmbar,
- einfache Reinigung,
- Lieferung mit Schrauben und Dübeln.

Chrome Shower basket


- 180 x 108 x 84mm,
- made of metal,
- in chrome finish (300),
- for wall fixing,
- concealed srew fixing,
- removable,
- easy cleaning,
- supplied with plug and screws.

Duschkorb Shower basket

Code

PG 7030

► 180 x 108 x 84 mm **9410 180** 69,00 €



Chrome Eck-Duschkorb

- 230 x 161 x 87 mm,
- aus Metall,
- in Chrome glänzend (300),
- für Wandmontage,
- verdeckte Verschraubung,
- abnehmbar,
- einfache Reinigung,
- Lieferung mit Schrauben und Dübeln.

Chrome Corner shower basket


- 230 x 161 x 87mm,
- made of metal,
- in chrome finish (300),
- for wall fixing,
- concealed srew fixing,
- removable,
- easy cleaning,
- supplied with plugs and screws.

Eck-Duschkorb Corner shower basket

Code

PG 7030

► 230 x 161 x 87 mm **9415 230** 72,00 €





Chrome Seifenspender

- 175 x 67 x 121 mm,
- Pumpkopf und Halterung aus Metall,
- in Chrome glänzend (300),
- Dämpfungsring aus Kunststoff,
- Glasflasche aus satiniertem Glas,
- Fassungsvermögen 200 ml,
- für Wandmontage,
- verdeckte Verschraubung,
- Lieferung mit Schrauben und Dübeln.

Chrome Soap dispenser

- 175 x 67 x 121mm,
- pump head and bracket made of brass,
- in chrome finish(300),
- plastic damping ring,
- satin glass bottle,
- 200 ml capacity,
- for wall fixing,
- concealed srew fixing,
- supplied with plugs and screws.

Seifenspender Soap dispenser

Code PG 7030


► 175 x 67 x 121 mm **9400 460** 90,00 €

Ersatzflasche Replacement bottle

► 141 x 67 mm **9400 461** 32,50 €

Ersatz-Pumpenkopf Replacement pump head

► 165 x 67 mm **9400 462** 37,75 €



Chrome Seifenablage

- 116 x 130 x 70 mm,
- aus Metall,
- in Chrome glänzend (300),
- Ablageschale aus satiniertem Glas, zur Reinigung abnehmbar,
- einfache Reinigung,
- Dämpfungsring aus Kunststoff,
- für Wandmontage,
- montagefreundliche Befestigung,
- verdeckte Verschraubung,
- Lieferung mit Schrauben und Dübeln.

Chrome Soap dish

- 116 x 130 x 70mm,
- made of metal,
- in chrome finish(300),
- satin glass tray, removable for cleaning,
- easy cleaning,
- plastic damping ring,
- for wall fixing,
- easy fixing,
- concealed srew fixing,
- supplied with plugs and screws.


Seifenablage Soap dish

Code PG 7030

► 116 x 130 x 70 mm **9400 430** 63,00 €

Ersatzglas glass tumbler (single)

► 56 x 116 mm **9400 431** 29,75 €



Chrome Glashalter mit Glas

- 109 x 67 x 106 mm,
- aus Metall,
- in Chrome glänzend (300),
- aus satiniertem Glas, zur Reinigung abnehmbar,
- einfache Reinigung,
- Dämpfungsring aus Kunststoff,
- für Wandmontage,
- montagefreundliche Befestigung,
- verdeckte Verschraubung,
- Lieferung mit Schrauben und Dübeln.

Chrome Glass holder

- 109 x 67 x 106mm,
- made of metal,
- in chrome finish (300),
- satin glass, removable for cleaning,
- easy cleaning,
- plastic damping ring,
- for wall fixing,
- easy fixing,
- concealed srew fixing,
- supplied with plugs and screws.


Glashalter mit Glas Glass holder with glass

Code PG 7030

► 109 x 67 x 106 mm **9400 450** 52,00 €

Glas Glass

► 100 x Ø 67 x 67 mm **9400 490** 24,50 €





Chrome Glasablage

- 500 x 125 x 20 mm,
- Chrome glänzend (300),
- Glas, satiniert,
- montagefreundliche Befestigung,
- verdeckte Verschraubung,
- Lieferung mit Schrauben und Dübeln.

Chrome Bathroom glass shelf


- 500 x 125 x 20mm,
- in chrome finish (300),
- satin glass,
- easy fixing,
- concealed screw fixing,
- supplied with plugs and screws.

Glasablage Bathroom glass shelf

Code

PG 7030

► 500 x 125 x 20 mm **9410 150** 60,50 €



Chrome Handtuchhalter schwenkbar

- 460 x 44 x 70 mm,
- aus Metall,
- in Chrome glänzend (300),
- 2-fach zum Hängen von Hand- und Badetüchern,
- für Wandmontage,
- schwenkbar,
- verdeckte Verschraubung,
- Lieferung mit Schrauben und Dübeln.

Chrome Swivel towel holder


- 460 x 44 x 70mm,
- made of metal,
- in chrome finish (300),
- 2 rails for hanging and placing towels,
- for wall mounting,
- swiveling,
- concealed screw fixing,
- supplied with plugs and screws.

Handtuchhalter schwenkbar Swivel towel holder

Code

PG 7030

► 460 x 44 x 70 mm **9400 582** 87,50 €





Handtuchhalter
Towel holder

Code

PG 7030


► 645 x 44 x 75 mm **9400 311** 94,00 €

Chrome Handtuchhalter

- 645 x 44 x 75 mm,
- aus Metall,
- in Chrome glänzend (300),
- für Wandmontage,
- verdeckte Verschraubung,
- Lieferung mit Schrauben und Dübeln.

Chrome Towel holder

- 645 x 44 x 75mm,
- made of metal,
- in chrome finish (300),
- for wall fixing,
- concealed srew fixing,
- supplied with plugs and screws.



Handtuchhalter
Towel holder

Code

PG 7030


► 645 x 44 x 139 mm **9400 312** 111,00 €

Chrome Handtuchhalter

- 645 x 44 x 139 mm,
- aus Metall,
- in Chrome glänzend (300),
- 2-fach zum Hängen von Hand- und Badetüchern,
- für Wandmontage,
- verdeckte Verschraubung,
- Lieferung mit Schrauben und Dübeln.

Chrome Towel holder

- 645 x 44 x 139mm,
- made of metal,
- in chrome finish (300),
- 2 rails for hanging and placing towels,
- for wall fixing,
- concealed srew fixing,
- supplied with plugs and screws.



Handtuchhalter
Towel holder

Code

PG 7030


► 645 x 154 x 239 mm **9400 320** 195,00 €

Chrome Handtuchhalter

- 645 x 154 x 239 mm,
- aus Metall,
- in Chrome glänzend (300),
- zum Hängen und Ablegen von Hand- und Badetüchern,
- für Wandmontage,
- verdeckte Verschraubung,
- Lieferung mit Schrauben und Dübeln.

Chrome Towel holder

- 645 x 154 x 239mm,
- made of metal,
- in chrome finish (300),
- for hanging and placing towels,
- for wall fixing,
- concealed srew fixing,
- supplied with plugs and screws.





Haartrocknerhalter
Holder for hair-dryer

Code

PG 7030


► 95 x 44 x 128 mm **9400 420** 65,50 €

Chrome Haartrocknerhalter

- 95 x 44 x 128 mm,
- aus Metall,
- in Chrome glänzend (300),
- 2 unterschiedlich große Kunststoff-Einsätze (Ø 80 mm und Ø 70 mm) für verschiedene Haartrocknergrößen,
- für Wandmontage,
- montagefreundliche Befestigung,
- verdeckte Verschraubung,
- Lieferung mit Schrauben und Dübeln.

Chrome Holder for hair-dryer

- 95 x 44 x 128mm,
- made of metal,
- in chrome finish (300),
- 2 different plastic inserts (80mm dia. und 70mm dia.) for different hair dryer sizes,
- for wall fixing,
- easy fixing,
- concealed screw fixing,
- supplied with plugs and screws.



Haken
Hook

Code

PG 7030



► 44 x 44 x 54 mm **9400 100** 22,25 €

Chrome Haken

- 44 x 44 x 54 mm,
- aus Metall,
- in Chrome glänzend (300),
- für Wandmontage,
- verdeckte Verschraubung,
- Lieferung mit Schrauben und Dübeln.

Chrome Hook

- 44 x 44 x 54mm,
- made of metal,
- in chrome finish (300),
- for wall fixing,
- concealed screw fixing,
- supplied with plugs and screws.



Doppelhaken
Double hook

Code

PG 7030


► 91 x 44 x 60 mm **9400 130** 27,75 €

Chrome Doppelhaken

- 91 x 44 x 60 mm,
- aus Metall,
- in Chrome glänzend (300),
- für Wandmontage,
- verdeckte Verschraubung,
- Lieferung mit Schrauben und Dübeln.

Chrome Double hook

- 91 x 44 x 60mm,
- made of metal,
- in chrome finish (300),
- for wall fixing,
- concealed screw fixing,
- supplied with plugs and screws.





Chrome Abfallbehälter

- 170 x 280 x 185, Ø 182 mm,
- herausnehmbarer Inneneimer aus Kunststoff mit 3 l Inhalt,
- aus Edelstahl, Werkstoff Nr. 1.4301 (A2, AISI 304), Oberfläche Hochglanz (300),
- mit Touch Öffnungssystem,
- für Wandmontage oder frei auf dem Boden stehend,
- Wandhalterung aus Edelstahl,
- zur Reinigung von der Wandhalterung aushängbar.,
- Lieferung mit Schrauben und Dübeln.

Chrome Waste bin

- 170 x 280 x 185, Ø 182mm,
- with removable plastic bin, 3 litre capacity,
- made of stainless steel, material No. 1.4301 (A2 AISI 304), surface high-gloss (300),
- smooth opening with touch opening system,
- for wall mounting or freestanding on the floor,
- with stainless steel wall mount,
- can be removed from wall for cleaning,
- supplied with plugs and screws.

① Empfohlene Montagehöhe von Boden bis Unterkante Abfallbehälter: 470 mm.


① The recommended fixing height from the floor to the lower edge of the waste bin is 470mm.

Abfallbehälter Waste bin

Code

PG 7010

- 170 x 280 x 185 mm **9500 499** 132,00 €
Ø 182 mm



E-NOX Shine Edelstahl Pflegespray

- 500 ml, Spraydose,
- reinigt und schützt streifenlos Edelstahl, Chrom, Stahl, Kupfer und Kunststoff. Durch den entstandenen Schutzfilm können Fingerabdrücke, Kalkbelag und weitere Verunreinigungen später leicht entfernt werden,
- silikonfrei.

Stainless steel care spray E-NOX Shine

- 500ml, spray,
- cleans and protects stainless steel, chrome, copper and plastics without any streaks. Fingerprints, limescales and other dirt can easily be removed due to the thin protective film of the product,
- silicone-free.

Edelstahl Pflegespray Stainless steel care spray

Code

PG 4800


- 500 ml **2981 097** 56,50 €



Weitere Sitzkombinationen
passend zu Cavere Care

Further seat combinations
fitting Cavere Care

Farbkarte / Colour Chart				NCS S RAL-DS RAL	Lichtreflex light reflex	Antibac
Nylon Care						
	019	Weiß / White	NCS S 0500-N RAL-DS 000 95 00 RAL 9016		87	●
	018	Dunkelgrau / Dark grey	NCS S 7500-N RAL-DS 3500 RAL 7043		14	●

Ascento						
	150	Ascento Weiß / White			87	
	151	Ascento Dunkelgrau / Dark grey			14	



Living Care

Ascento



Weitere Informationen unter Register  More information see register 	Wand und Wandbeschaffenheit / Wall and wall substance				
	Mauerwerk aus Vollsteinen Brickwork made of full brick	Mauerwerk aus Lochsteinen Brickwork made of perforated brick	Vorwandinstallation Fixing in front of the wall with panels		
	– Beton ≥ B 15 – Vollziegel ≥ Mz 12 – Kalksand - Vollstein ≥ KS 12 – Naturstein mit dichtem Gefüge – Vollbims – Concrete ≥ B 15 – solid brick ≥ Mz 12 – sand-lime brick-solid brick ≥ KS 12 – natural stone with compact grain – solid pumice	– Kalksandlochstein KSL ≥ 12 – Hochlochziegel HLz > 12 – Hohlblockstein ≥ Hbl4, Hbn4 – andere Lochsteine – cavity brick KSL ≥ 12 – Perforated brick HLz ≥ 12 – checker brick ≥ Hbl4, Hbn4 – other hollow brick material	Befestigungsplatte aus mehrschichtverleimtem Holz	Befestigungsplatte aus Stahl	ohne Hinterfüterung
			panels and integrated mounting plate made of hardwood.	integrated mounting plate made of steel	without backfill
Klappsitze shower seats  Grundplatte mit Blindabdeckung vario, einhängbar Base plate with cover plate blind vario, suspendable 	Montageset / Fixing Set 7470 030 20,25 € 1 Set	Montageset / Fixing Set 7470 040 76,00 € mit Injektions-Kartusche* with injection-cartridge* Montageset / Fixing Set 7470 050 35,50 € ohne Injektions-Kartusche without injection-cartridge 1 Set	Montageset / Fixing Set 7470 010 17,00 € 1 Set	Montageset / Fixing Set 7470 020 15,00 € 1 Set	
	1 Set	1 Set	1 Set	1 Set	
	1 Set	1 Set	1 Set	1 Set	



Ascento Duschhocker

- 548 x 437 x 623 mm,
- Sitzhöhe 480mm,
- Fuß/Gestell aus gebürstetem Edelstahl,
- formal akzentuierende Gestell mit nach oben verlängerten Bügelarmen zur Unterstützung beim Hinsetzen, Abstützen und Festhalten,
- rutschhemmende Gummipuffer sorgen für einen festen Stand,
- Sitzfläche aus thermoplastischem Kunststoff Polypropylen,
- ergonomisch geformte Sitzfläche mit abgerundeten Außenkanten,
- lieferbar in den NORMBAU-Farben 018 und 019,
- einfache Montage von Sitz und Gestell, Schrauben werden mitgeliefert,
- belastbar bis 150kg.




Ascento shower stool


- 548 x 437 x 623mm,
- seat height 480mm,
- base / frame made of brushed stainless steel,
- formal accentuating frame with after upper extended bow arms to fulfill when sitting down, supporting and holding,
- anti-slip rubber buffers treated for a firm stand,
- seat made of thermoplastic polypropylene,
- ergonomic visible seat with Rounded outer edges,
- available in the NORMBAU colors 018 and 019,
- easy assembly of seat and frame screws are included,
- maximum loading permitted: 150kgs.

Verso Care Duschhocker Verso Care shower stool

Code PG 8700

► 548 x 437 x 623 mm **8750 030** 270,00 €





Ascento Klappsitz vario
Ascento Lift-up seat vario

Code PG 8700

► 412 x 512 x 219 mm **8750 010** 356,00 €

Ascento Klappsitz vario


- 412 mm breit, 512 mm tief, 219 mm hoch, hochgeklappt platzsparend 102 mm tief,
- Trägerkonsole und Wandplatte aus Aluminium, kratzfeste Pulverbeschichtung,
- Sitzfläche aus thermoplastischem Kunststoff Polypropylen,
- lieferbar in den Ascento Farben,
- ergonomisch geformte Sitzfläche mit abgerundeten Außenkanten,
- modular erweiter- und kombinierbar,
- einfache Montage oder Demontage durch Einhängen in die Grundplatte vario,
- verdeckte Verschraubung,
- maximale Belastbarkeit Sitz: 150 kg.

① * Für den nachträglichen Einbau an bereits montierter Grundplatte vario. Das Montageset ist entsprechend der Wandbeschaffenheit festzulegen und separat zu bestellen.

Ascento Lift-up seat vario

- 412mm wide, 512mm deep, 219mm high, 102mm deep when folded up to save space,
- support bracket and wall plate made of aluminium, scratch-resistant powder coating,
- seating made of thermoplastic polypropylene,
- available in Ascento colours,
- ergonomic seat with rounded outer edges,
- modular design to accommodate additional accessories,
- easy installation or dismantling due to connecting to base plate vario,
- concealed fixing,
- maximum load-bearing capacity seat: 150kgs.

① * For retrofitting on allready installed base plate vario. The fixing set should be ordered separately to suit the type of wall.



Ascento Klappsitz vario, mit Armlehnen
Ascento Lift-up seat vario, with armrest

Code PG 8700


► 584 x 512 x 297 mm **8750 012** 616,00 €

Ascento Klappsitz vario, mit Armlehnen

- 584 mm breit, 512 mm tief, 297 mm hoch, hochgeklappt platzsparend 102 mm tief,
- Trägerkonsole, Wandplatte und Armlehnen aus Aluminium, kratzfeste Pulverbeschichtung,
- Sitzfläche aus thermoplastischem Kunststoff Polypropylen,
- lieferbar in den Ascento Farben,
- Armlehnen unabhängig voneinander nach oben und unten klappbar,
- ergonomisch geformte Sitzfläche mit abgerundeten Außenkanten,
- modular erweiter- und kombinierbar,
- einfache Montage oder Demontage durch Einhängen in die Grundplatte vario,
- verdeckte Verschraubung,
- maximale Belastbarkeit: Sitz 150 kg.

Ascento Lift-up seat vario, with armrest

- 584mm wide, 512mm deep, 297mm high, 102mm deep when folded up to save space,
- support bracket, wall plate and armrest made of aluminium, scratch-resistant powder coating,
- seating made of thermoplastic polypropylene,
- available in Ascento colours,
- armrest can be folded up/down separately from each other,
- ergonomic seat with rounded outer edges,
- modular design to accommodate additional accessories,
- easy installation or dismantling due to connecting to base plate vario,
- concealed fixing,
- maximum load-bearing: seat 150kgs.





Ascento Klappsitz vario, mit Rückenlehne

Code PG 8700

Ascento Lift-up seat, with backrest


► 412 x 512 x 505 mm **8750 011** 458,00 €

Ascento Klappsitz vario, mit Rückenlehne

- 412 mm breit, 512 mm tief, 505 mm hoch, hochgeklappt platzsparend 102 mm tief,
- Trägerkonsole und Wandplatte aus Aluminium, kratzfeste Pulverbeschichtung,
- Sitzfläche und Rückenlehne aus thermoplastischem Kunststoff Polypropylen,
- lieferbar in den Ascento Farben,
- ergonomisch geformte Sitzfläche und Rückenlehne mit abgerundeten Außenkanten,
- modular erweiter- und kombinierbar,
- einfache Montage oder Demontage durch Einhängen in die Grundplatte vario,
- verdeckte Verschraubung,
- maximale Belastbarkeit Sitz: 150 kg.

Ascento Lift-up seat vario, with backrest

- 412mm wide, 512mm deep, 505mm high, 102mm deep when folded up to save space,
- support bracket and wall plate made of aluminium, scratch-resistant powder coating,
- seating and backrest made of thermoplastic polypropylene,
- available in Ascento colours,
- ergonomic seat and backrest with rounded outer edges,
- modular design to accommodate additional accessories,
- easy installation or dismantling due to connecting to base plate vario,
- concealed fixing,
- maximum load-bearing capacity seat: 150kgs.



Ascento Klappsitz vario, mit Rückenlehne und Armlehnen

Code PG 8700

Ascento Lift-up seat vario, with backrest and armrest


► 584 x 512 x 505 mm **8750 013** 718,00 €

Ascento Klappsitz vario, mit Rückenlehne und Armlehnen

- 584 mm breit, 512 mm tief, 505 mm hoch, hochgeklappt platzsparend 102 mm tief,
- Trägerkonsole, Wandplatte und Armlehnen aus Aluminium, kratzfeste Pulverbeschichtung,
- Sitzfläche und Rückenlehne aus thermoplastischem Kunststoff Polypropylen,
- lieferbar in den Ascento Farben,
- Armlehnen unabhängig voneinander nach oben und unten klappbar,
- ergonomisch geformte Sitzfläche und Rückenlehne mit abgerundeten Außenkanten,
- modular erweiter- und kombinierbar,
- einfache Montage oder Demontage durch Einhängen in die Grundplatte vario,
- verdeckte Verschraubung,
- maximale Belastbarkeit: Sitz 150 kg.

Ascento Lift-up seat vario, with backrest and armrest

- 584mm wide, 512mm deep, 505mm high, 102mm deep when folded up to save space,
- support bracket, wall plate and armrest made of aluminium, scratch-resistant powder coating,
- seating and backrest made of thermoplastic polypropylene,
- available in Ascento colours,
- armrest can be folded up/down separately from each other,
- ergonomic seat and backrest with rounded outer edges,
- modular design to accommodate additional accessories,
- easy installation or dismantling due to connecting to base plate vario,
- concealed fixing,
- maximum load-bearing: seat 150kgs.





Ascento Einhängesitz klappbar, mit Rückenlehne

Code PG 8700

Ascento Suspendable lift-up seat, with backrest

zum Einhängen in **Cavere** Duschhandläufe
can be suspended from **Cavere** shower handrails

► 412 x 640 x 574 mm **8750 020** 570,00 €


zum Einhängen in **Inox/Nylon Care** Duschhandläufe
can be suspended from **Inox/Nylon Care** shower handrails

► 412 x 640 x 574 mm **8750 021** 570,00 €

Für Duschhandlaufoberkante **850 mm, nach DIN Norm.**
For **850mm** top edge of shower handrail according to **German standard DIN.**

Ascento Einhängesitz klappbar, mit Rückenlehne

- 412 mm breit, 640 mm tief, 574 mm hoch, hochgeklappt platzsparend 230 mm tief,
- Trägerkonsole und Wandplatte aus Aluminium, kratzfeste Pulverbeschichtung,
- Sitzfläche und Rückenlehne aus thermoplastischem Kunststoff Polypropylen,
- lieferbar in den Ascento Farben,
- ergonomisch geformte Sitzfläche und Rückenlehne mit abgerundeten Außenkanten,
- modular erweiter- und kombinierbar,
- einfache Montage oder Demontage durch Einhängen in Cavere/Inox/Nylon Care Duschhandläufe,
- entspricht DIN 18040-1 und ÖNORM B1600,
- verdeckte Verschraubung,
- maximale Belastbarkeit: Sitz 150 kg.



Ascento Suspendable lift-up seat, with backrest

- 412mm wide, 640mm deep, 574mm high, 230mm deep when folded up to save space,
- support bracket and wall plate made of aluminium, scratch-resistant powder coating,
- seating and backrest made of thermoplastic polypropylene,
- available in Ascento colours,
- ergonomic seat and backrest with rounded outer edges,
- modular design to accommodate additional accessories,
- straightforward installation and removal by suspending from Cavere/Inox/Nylon Care shower handrails,
- according to German standard DIN 18040-1 and Austrian standard ÖNORM B1600,
- concealed fixing,
- maximum load-bearing: seat 150kgs.



Ascento Einhängesitz klappbar, mit Rückenlehne und Armlehnen

Code PG 8700

Ascento Suspendable lift-up seat, with backrest and armrest

zum Einhängen in **Cavere** Duschhandläufe
can be suspended from **Cavere** shower handrails

► 584 x 640 x 574 mm **8750 025** 830,00 €


zum Einhängen in **Inox/Nylon Care** Duschhandläufe
can be suspended from **Inox/Nylon Care** shower handrails

► 584 x 640 x 574 mm **8750 026** 830,00 €

Für Duschhandlaufoberkante **850 mm, nach DIN Norm.**
For **850mm** top edge of shower handrail according to **German standard DIN.**

Ascento Einhängesitz klappbar, mit Rückenlehne und Armlehnen

- 584 mm breit, 640 mm tief, 574 mm hoch, hochgeklappt platzsparend 230 mm tief,
- Trägerkonsole, Wandplatte und Armlehnen aus Aluminium, kratzfeste Pulverbeschichtung,
- Armlehnen unabhängig voneinander nach oben und unten klappbar,
- maximale Belastbarkeit: Sitz 150 kg,
- weitere Beschreibung wie oben.



Ascento Suspendable lift-up seat, with backrest and armrest

- 584mm wide, 640mm deep, 574mm high, 230mm deep when folded up to save space,
- support bracket, wall plate and armrest made of aluminium, scratch-resistant powder coating,
- armrest can be folded up/down separately from each other,
- maximum load-bearing: seat 150kgs,
- further description see above.



Ascento Einhängesitz klappbar, mit Rückenlehne

Code PG 8700

Ascento Suspendable lift-up seat, with backrest

zum Einhängen in **Cavere** Duschhandläufe
can be suspended from **Cavere** shower handrails

► 412 x 640 x 574 mm **8750 022** 570,00 €

zum Einhängen in **Inox/Nylon Care** Duschhandläufe
can be suspended from **Inox/Nylon Care** shower handrails

► 412 x 640 x 574 mm **8750 023** 570,00 €


Für Duschhandlaufoberkante **800 mm**
For **800mm** top edge of shower handrail

Ascento Einhängesitz klappbar, mit Rückenlehne

- 412 mm breit, 640 mm tief, 574 mm hoch, hochgeklappt platzsparend 230 mm tief,
- Trägerkonsole und Wandplatte aus Aluminium, kratzfeste Pulverbeschichtung,
- Sitzfläche und Rückenlehne aus thermoplastischem Kunststoff Polypropylen,
- lieferbar in den Ascento Farben,
- ergonomisch geformte Sitzfläche und Rückenlehne mit abgerundeten Außenkanten,
- modular erweiter- und kombinierbar,
- einfache Montage oder Demontage durch Einhängen in Cavere/Inox/Nylon Care Duschhandläufe,
- verdeckte Verschraubung,
- maximale Belastbarkeit: Sitz 150 kg.

Ascento Suspendable lift-up seat, with backrest

- 412mm wide, 640mm deep, 574mm high, 230mm deep when folded up to save space,
- support bracket and wall plate made of aluminium, scratch-resistant powder,
- seating and backrest made of thermoplastic polypropylene,
- available in Ascento colours,
- ergonomic seat and backrest with rounded outer edges,
- modular design to accommodate additional accessories,
- straightforward installation and removal by suspending from Cavere/Inox/Nylon Care shower handrails,
- concealed fixing,
- maximum load-bearing: seat 150kgs.



Ascento Einhängesitz klappbar, mit Rückenlehne und Armlehnen

Code PG 8700

Ascento Suspendable lift-up seat, with backrest and armrest

zum Einhängen in **Cavere** Duschhandläufe
can be suspended from **Cavere** shower handrails

► 584 x 640 x 574 mm **8750 027** 830,00 €

zum Einhängen in **Inox/Nylon Care** Duschhandläufe
can be suspended from **Inox/Nylon Care** shower handrails

► 584 x 640 x 574 mm **8750 028** 830,00 €


Für Duschhandlaufoberkante **800 mm**.
For **800mm** top edge of shower handrail.

Ascento Einhängesitz klappbar, mit Rückenlehne und Armlehnen

- 584 mm breit, 640 mm tief, 574 mm hoch, hochgeklappt platzsparend 230 mm tief,
- Trägerkonsole, Wandplatte und Armlehnen aus Aluminium, kratzfeste Pulverbeschichtung,
- Armlehnen unabhängig voneinander nach oben und unten klappbar,
- maximale Belastbarkeit: Sitz 150 kg,
- weitere Beschreibung wie oben.

Ascento Suspendable lift-up seat, with backrest and armrest

- 584mm wide, 640mm deep, 574mm high, 230mm deep when folded up to save space,
- support bracket, wall plate and armrest made of aluminium, scratch-resistant powder coating,
- armrest can be folded up/down separately from each other,
- maximum load-bearing: seat 150kgs,
- further description see above.





Ascento Rückenlehne, nachrüstbar


- 401 mm breit, 56 mm tief, 407 mm hoch,
- aus thermoplastischem Kunststoff Polypropylen,
- lieferbar in den Ascento Farben,
- ergonomisch geformte Rückenlehne mit abgerundeten Außenkanten,
- einfache Montage in vorhandenen Ascento Klappsitz vario mit oder ohne Armlehnen,
- verdeckte Verschraubung.

Ascento Backrest, can be added at a later stage

- 401mm wide, 56mm deep, 407mm high,
- made of thermoplastic polypropylene,
- available in Ascento colours,
- ergonomic backrest with rounded outer edges,
- easy installation in Ascento lift-up seat vario with or without armrest,
- concealed fixing.

Ascento Rückenlehne, nachrüstbar Ascento Backrest, can be added at a later stage

► 401 x 56 x 407 mm **8750 001** 114,00 €



Ascento Armlehnen, nachrüstbar


- Maße im montierten Zustand:
Gesamtbreite 584 mm,
Gesamttiefe 403 mm,
Gesamthöhe ab Oberkante Sitz 226 mm,
Breite der Armauflage 45 mm,
- aus Aluminium, kratzfeste Pulverbeschichtung,
- Armlehnen unabhängig voneinander nach oben und unten klappbar,
- lieferbar in den Ascento Farben,
- einfache Montage an alle Ascento Klappsitze.

Ascento Armrest, can be added at a later stage

- dimensions when installed:
total width 584mm, total depth 403mm,
total height from upper edge of seat 226mm, arm support width 45mm,
- made of aluminium, scratch-resistant powder coating,
- armrest can be folded up/down separately from each other,
- available in Ascento colours,
- easy installation in every Ascento lift-up seats.

Ascento Armlehne, nachrüstbar Ascento Armrest, can be added at a later stage

► 371 x 223 x 254 mm **8750 002** 281,00 €



Ascento Einhängemodul, nachrüstbar

- 132 mm breit, 127 mm tief, 555 mm hoch,
- aus Aluminium, kratzfeste Pulverbeschichtung,
- Haken-Innenseite ausgekleidet mit Nylon,
- gepufferter Elastolan-Wandabstandshalter,
- zur erweiterten Montage Ascento Rückenlehne,
- lieferbar in den Ascento Farben,
- entspricht DIN 18040-1 und ÖNORM B1600.

Ascento Suspension device, can be added at a later stage

- 132mm wide, 127mm deep, 555mm high,
- made of aluminium, scratch-resistant powder coating,
- nylon-covered hooks,
- cushioned Elastolan wall spacers,
- Ascento backrest available as an optional extension,
- available in Ascento colours,
- according to German standard DIN 18040-1 and Austrian standard ÖNORM B1600.

Ascento Einhängemodul, nachrüstbar Ascento Suspension device, can be added at a later stage


zum Einhängen in **Cavere** Duschhandläufe
can be suspended from **Cavere** shower handrails

► 132 x 127 x 555 mm **8750 003** 125,00 €

zum Einhängen in **Inox/Nylon Care** Duschhandläufe
can be suspended from **Inox/Nylon Care** shower handrails

► 132 x 127 x 555 mm **8750 004** 125,00 €

Für Duschhandlaufoberkante **850 mm, nach DIN Norm.**
For **850mm** top edge of shower handrail according to **German standard DIN.**





Cavere Grundplatte mit Blindabdeckung vario

- 100 mm breit x 22 mm tief x 220 hoch,
- aus Aluminium,
- Blindabdeckung mit kratzfester Pulverbeschichtung und antibakteriellem Schutz, Register Information,
- lieferbar in den Ascento Farben,
- Grundplatte aus Edelstahl Werkstoff Nr. 1.4301 (A2, AISI 304), mit ausgleichender Wandauflage, zum späteren einfachem Austausch mit Klappsitzen vario,
- Lieferung mit Innensechskantschlüssel.

❗ Das Montageset ist entsprechend der Wandbeschaffenheit festzulegen und separat zu bestellen.

Cavere Base plate with cover plate blind vario


- 100mm wide x 22mm deep x 220mm high,
- made of aluminium,
- mounting plate blind with scratch-resistant powder coating and antibacterial protection, see register information,
- available in Ascento colours,
- base plate, made of stainless steel, material No. 1.3401 (A2 AISI 304) with compensation of wall differences, for easier exchange with suspendable lift-up shower seats vario,
- supplied with allen key.

❗ The fixing set should be ordered separately to suit the type of wall.

Grundplatte mit Blindabdeckung vario
Base plate with cover plate blind

Code PG 7000

- ▶ 100 x 220 x 22 mm **7449 200** 72,00 €
- ▶ 100 x 220 x 22 mm **7449 250** 44,25 €
ohne Grundplatte
without base plate



Ascento Einhängemodul, nachrüstbar Ascento Suspension device, can be added at a later stage

Code PG 8700

zum Einhängen in **Cavere** Duschhandläufe
can be suspended from **Cavere** shower handrails

- ▶ 132 x 127 x 505 mm **8750 005** 125,00 €

zum Einhängen in **Innox/Nylon Care** Duschhandläufe
can be suspended from **Innox/Nylon Care** shower handrails

- ▶ 132 x 127 x 505 mm **8750 006** 125,00 €


Für Duschhandlaufoberkante **800 mm**.
For **800mm** top edge of shower handrail.

Ascento Einhängemodul, nachrüstbar


- 132 mm breit, 127 mm tief, 505 mm hoch,
- aus Aluminium, kratzfeste Pulverbeschichtung,
- Haken-Innenseite ausgekleidet mit Nylon,
- gepufferter Elastolan-Wandabstandshalter,
- zur erweiterten Montage Ascento Rückenlehne,
- lieferbar in den Ascento Farben.


Ascento Suspension device, can be added at a later stage

- 132mm wide, 127mm deep, 505mm high,
- made of aluminium, scratch-resistant powder coating,
- nylon-covered hooks,
- cushioned Elastolan wall spacers,
- Ascento backrest available as an optional extension,
- available in Ascento colours.





Weitere Informationen unter Register  More information see register 	Wand und Wandbeschaffenheit / Wall and wall substance				
	Mauerwerk aus Vollsteinen Brickwork made of full brick	Mauerwerk aus Lochsteinen Brickwork made of perforated brick	Vorwandinstallation Fixing in front of the wall with panels		
	– Beton ≥ B 15 – Vollziegel ≥ Mz 12 – Kalksand - Vollstein ≥ KS 12 – Naturstein mit dichtem Gefüge – Vollbims – Concrete ≥ B 15 – solid brick ≥ Mz 12 – sand-lime brick-solid brick ≥ KS 12 – natural stone with compact grain – solid pumice	– Kalksandlochstein KSL ≥ 12 – Hochlochziegel HLZ ≥ 12 – Hohlblockstein ≥ Hbl4, Hbn4 – andere Lochsteine – cavity brick KSL ≥ 12, – Perforated brick HLZ ≥ 12 – checker brick ≥ Hbl4, Hbn4 – other hollow brick material	Befestigungsplatte aus mehrschichtverleimtem Holz	Befestigungsplatte aus Stahl	ohne Hinterfüllung
			panels and integrated mounting plate made of hardwood	integrated mounting plate made of steel	without backfill
Klappsitze / Shower seats  		Montageset / Fixing Set 0448 892 60,00 € mit Injektions-Kartusche* with injection-cartridge* 1 Set Montageset / Fixing Set 0448 882 35,00 € ohne Injektions-Kartusche without injection-cartridge 1 Set	Montageset / Fixing Set 0448 952 10,50 € 1 Set		




Verso Care Duschklappsitz Code PG 3800
Verso Care Suspensible lift-up shower seat

► 412 x 447 x 112 mm **3500 010** 230,00 €

Verso Care Duschklappsitz

- 412 x 446 x 482 (128) mm,
- Wandhalterung aus Edelstahl, kratzfeste Pulverbeschichtung,
- Trägerkonsole aus Aluminium, kratzfeste Pulverbeschichtung,
- Sitzfläche aus thermoplastischem Kunststoff Polypropylen,
- ergonomisch geformte Sitzfläche mit abgerundeten Außenkanten,
- lieferbar in den Nylon-Farben dunkelgrau (018) und weiß (019),
- mit einstellbarer Bremse,
- einfache Montage,
- belastbar bis 150 kg,
- geprüft, entspricht TÜV-Anforderung.


① Das Montageset ist entsprechend der Wandbeschaffenheit festzulegen und separat zu bestellen, siehe ✂.



Suspendable lift-up shower seat

- 412 x 446 x 525 (128)mm,
- wall bracket made of stainless steel scratch-resistant powder coating,
- support bracket made of aluminium scratch-resistant powder coating,
- seat made of thermoplastic polypropylene,
- ergonomically visible seat with rounded outer edges,
- available in Nylon colours dark grey (018) and white (019),
- with adjustable brake,
- locked in the upright position,
- easy construction,
- maximum loading permitted: 150kgs,
- tested, respond TÜV requirement (in accordance with DIN 18040).

① The fixing set should be ordered separately to suit the type of wall, see ✂.




Verso Care Duschklappsitz Code PG 3800
Verso Care Suspensible lift-up shower seat

► 412 x 447 x 112 mm **3500 015** 240,00 €

Verso Care Duschklappsitz mit Bodenstütze

- 412 x 446 x 525 (470-500) mm,
- mit zwangsgeführter Bodenstütze,
- für Sitzhöhe 470-500 mm,
- Wandhalterung aus Edelstahl, kratzfeste Pulverbeschichtung,
- Trägerkonsole aus Aluminium, kratzfeste Pulverbeschichtung,
- Bodenstütze aus Aluminium, kratzfeste Pulverbeschichtung,
- Sitzfläche aus thermoplastischem Kunststoff Polypropylen,
- ergonomisch geformte Sitzfläche mit abgerundeten Außenkanten,
- lieferbar in den Nylon-Farben dunkelgrau (018) und weiß (019),
- mit einstellbarer Bremse,
- einfache Montage,
- belastbar bis 150 kg,
- geprüft, entspricht TÜV-Anforderung.

① Das Montageset ist entsprechend der Wandbeschaffenheit festzulegen und separat zu bestellen, siehe ✂.



Verso Care, Shower seat with floor support

- 412 x 446 x 525 (470-500)mm,
- with positively driven floor support,
- for seat height 470-500mm,
- wall bracket made of stainless steel, scratch-resistant powder coating,
- support bracket made of aluminium, scratch-resistant powder coating,
- aluminum floor support, scratch-resistant,
- seat made of thermoplastic polypropylene,
- ergonomically visible seat with rounded outer edges,
- available in Nylon colours dark grey (018) and white (019),
- with adjustable brake,
- easy construction,
- maximum loading permitted: 150kgs,
- tested, respond TÜV requirement (in accordance with DIN 18040).

① The fixing set should be ordered separately to suit the type of wall, see ✂.

Über Allegion™

Allegion (NYSE: ALLE) ist ein internationaler Anbieter im Bereich Sicherheit mit führenden Marken wie CISA®, Interflex®, LCN®, NORMBAU, Schlage® und Von Duprin®. Mit dem Schwerpunkt auf Sicherheit rund um Türen und Zutritt bietet Allegion ein breites Spektrum an Lösungen für Privathaushalte, Firmen, Schulen und andere Einrichtungen. Allegion erwirtschaftet einen Umsatz von 2 Mrd. US-Dollar und vertreibt seine Produkte in rund 130 Ländern weltweit.

Weitere Informationen unter www.allegion.com

About Allegion™

Allegion (NYSE: ALLE) is a global pioneer in safety and security, with leading brands like CISA®, Interflex®, LCN®, NORMBAU, Schlage® and Von Duprin®. Focusing on security around the door and adjacent areas, Allegion produces a range of solutions for homes, businesses, schools and other institutions. Allegion is a \$2 billion company, with products sold in almost 130 countries.

For more, visit www.allegion.com.

AXA ■  BRICARD ■ Briton ■  CISA ■  interflex ■ KRYPTONITE ■ NORMBAU ■  Simons Voss technologies ■  TRELOCK

NORMBAU GmbH
Schwarzwaldstraße 15
77871 Renchen | Germany
Telefon +49 7843 704-0
Telefax +49 7843 704-63
www.normbau.de
normbau@allegion.com

